



Credit® Xtreme

Credit® Xtreme is a patented glyphosate formulation containing Dual-Salt Technology™. Its high-load formulation (500 g/L) provides fast and complete control of troublesome weeds.

BENEFITS

- Patented Dual-Salt Technology is a first of its kind innovation
- Extreme control through systemic activity
- More active ingredient in less volume – concentrated product means handling less
- Credit Xtreme works quickly and mixes easily to make your job easier
- Extreme compatibility with tank mixes
- Provides broad-spectrum weed control
- Treats up to 60 acres with just one case (30 acres at standard rate)

REGISTERED CROPS

- | | |
|------------------------------------|--------------|
| • Apple | • Grape |
| • Apricot | • Peach |
| • Asparagus | • Pear |
| • Blueberry (highbush and lowbush) | • Plum |
| • Cherry | • Strawberry |
| • Cranberry | • Sugarbeet |
| • Ginseng | |

GENERAL USAGE INFORMATION

- Credit Xtreme is a non selective herbicide and will kill or injury plants if it comes in contact with green tissue
- Allow at least 1 day after application before tillage
- Extreme care must be exercised to avoid the herbicide coming in contact or drifting onto foliage, suckers or fruit

TECHNICAL INFORMATION

HERBICIDE GROUP

- > Group 9

ACTIVE INGREDIENTS

- > glyphosate (500 g/L)

RAINFAST

- > Do not apply if rainfall is forecast during application
- > No surfactant required

PACKAGING

- > 2 x 10 L case
- > 500 L tote
- > Bulk

PCP

- > 29888

| WEEDS CONTROLLED/SUPPRESSED | | | | RATE |
|--|--|--|---|-------------------------------------|
| Green foxtail Lady's-thumb | Stinkweed Volunteer barley | Volunteer canola Volunteer wheat | Wild mustard Wild oats | 0.5 L/ha (0.2 L/ac.) |
| Flixweed | Kochia | Wild oats | | 0.67 L/ha (0.27 L/ac.) |
| Canada fleabane Cleavers Common ragweed Downy brome | Flixweed Giant foxtail Hempnettle Lamb's-quarters | Narrow-leaved hawk's-beard Persian darnel Redroot pigweed | Russian thistle Volunteer flax Wild buckwheat | 0.83-1.27 L/ha (0.34-0.51 L/ac.) |
| Annual bluegrass Annual sow-thistle | Crabgrass Kochia | Narrow-leaved vetch Prickly lettuce | Shepherd's purse | 1.5 L/ha (0.61 L/ac.) |

SPECIFIC CROP USAGE INFORMATION

| RATE | PHI | APPLICATION INFORMATION |
|--|-----|---|
| APPLE, APRICOT, CHERRY, PEACH, PEAR, PLUM | | |
| 1.5-8 L/ha (0.61-3.2 L/ac.) | 30 | Maximum 3 applications per year |
| ASPARAGUS | | |
| 0.83-1.67 L/ha (0.34-0.68 L/ac.) | 7 | Apply in spring prior to emergence of crop shoots Maximum 1 application per year Controls fall seeded ryegrass |
| BLUEBERRY (CULTIVATED HIGHBUSH) | | |
| 1.87-3.75 L/ha (0.76-1.52 L/ac.) | 30 | Use as a directed spray Maximum 1 application per year |
| BLUEBERRY (LOWBUSH) | | |
| 1.87-3.75 L/ha (0.76-1.52 L/ac.) | | Apply in non-bearing year only during the mid-summer Maximum 1 application per year |
| CRANBERRY | | |
| 13.4% solution 0.62 of Credit Xtreme in 4 L water | 30 | Apply using wick or wiper applicators Maximum 1 application per year |
| NORTH AMERICAN GINSENG | | |
| NEW GARDENS (BC ONLY) 1.67 L/ha in 50-100 L of water per ha | | Apply in fall after seeding but before freeze-up to control volunteer cereals Do not use fall application in established gardens |
| EXISTING/ESTABLISHED GARDENS 1.67 L/ha in 50-100 L of water per ha | | Apply in the spring prior to crop emergence Do not use fall application in established gardens |

| RATE | PHI | APPLICATION INFORMATION |
|--|-----|---|
| GRAPE | | |
| 1.5-8 L/ha (0.61-3.2 L/ac.) | 14 | Remove all suckers prior to spraying (except for Concord)S Suckering should be completed 2 weeks prior to application Do not apply to vines that are less than 3 years established Maximum 3 applications per year |
| STRAWBERRY | | |
| 0.67-1.34% solution (spot application) 22% solution (wiper application) | 30 | Apply when weeds are at a susceptible growth stage Maximum 1 application per year |
| SUGARBEET | | |
| 0.67-1.34% solution (spot application) | | Treated crop MUST not be harvested Maximum 1 application per year |



1.800.868.5444 | Nufarm.ca

Always read and follow the product label for more detailed information on control of weeds, insects or disease, application directions, and use precautions. Please refer to label for more information including future label expansions that may include new crops, pests and use patterns. Please refer to label for re-entry periods.

Credit® is a registered trademark of Nufarm Limited. Dual-Salt™ Technology is a trademark of Nufarm Agriculture Inc.
51481-0117