



For strong pre-emergent residual control of the toughest broadleaf weeds in herbicide-tolerant soybeans.

### Registered crops

- Soybeans

### Weeds controlled

- Canada fleabane (including glyphosate-resistant biotypes)
- Common chickweed
- Common ragweed (including glyphosate-resistant biotypes)
- Dandelion (seedling)
- Green and yellow foxtail (suppression)
- Green smartweed
- Lamb's-quarters
- Nightshades
- Palmer amaranth
- Pigweeds
- Velvetleaf
- Waterhemp (including Group 2- and glyphosate-resistant biotypes)
- Wild mustard

### Benefits

- **STRONG GLYPHOSATE-RESISTANT** fleabane burndown and control when tank-mixed with BlackHawk® herbicide
- **ENHANCED BURNDOWN** and residual activity for up to 5 weeks
- **SUPERIOR RESISTANCE MANAGEMENT** with two active ingredients
- Tank-mixable with most burndown and pre-emergent herbicides (i.e. glyphosate and BlackHawk)
- Flexible pre-plant or pre-emergent application timings
- Controls many weeds showing resistance to Group 2 and Group 5 herbicides
- Combines newer chemistry (flumioxazin) with a proven active (metribuzin)
- No surfactant needed
- Easy-to-use co-pack

### ACTIVE INGREDIENTS

- > Group 5 (metribuzin)
- > Group 14 (flumioxazin)

### TREATMENT AREA

- > One case treats 40 acres

### APPLICATION TIMING

- > Pre-plant or pre-emergent for soybeans

### TANK-MIX ORDER

- > Valtera™
- > TriCor®
- > BlackHawk® (if used)
- > Glyphosate

### PCP #

- > 30661
- > 29230