

CONQUER[®]

Co-Pack

- Aim[®] EC Herbicide (PCP No 28573)
- Koril[®] 235 Liquid Herbicide (PCP No 25341)



Nufarm

Grow a better tomorrow.

SAFETY DATA SHEET
AIM® EC HERBICIDE

SDS # : 6165-A
Revision date: 2019-05-01
Format: NA
Version 1.07



1. PRODUCT AND COMPANY IDENTIFICATION

Product Identifier

Product Name AIM® EC HERBICIDE

Other means of identification

Product Code(s) 6165-A

Synonyms CARFENTRAZONE-ETHYL (FMC 116426): ethyl α ,2-dichloro-5-[4-(difluoromethyl)-4,5-dihydro-3-methyl-5-oxo-1H-1,2,4-triazol-1-yl]-4-fluorobenzenepropanoate (CAS name); ethyl (RS)-2-chloro-3-[2-chloro-5-(4-difluoromethyl-4,5-dihydro-3-methyl-5-oxo-1H-1,2,4-triazol-1-yl)-4-fluorophenyl] propionate (IUPAC name)

Active Ingredient(s) Carfentrazone-ethyl

Chemical Family Triazolinones

PCP # 28573

Recommended use of the chemical and restrictions on use

Recommended Use: Herbicide

Restrictions on Use: Use as recommended by the label.

Supplier Address

FMC Corporation
2929 Walnut Street
Philadelphia, PA 19104
(215) 299-6000 (General Information)
msdsinfo@fmc.com (E-Mail General Information)

Emergency telephone number

Medical Emergencies :
1 800 / 331-3148 (U.S.A. & Canada)
1 651 / 632-6793 (All Other Countries - Collect)

For leak, fire, spill or accident emergencies, call:
1 800 / 424-9300 (CHEMTREC - U.S.A.)
1 703 / 741-5970 (CHEMTREC - International)
1 703 / 527-3887 (CHEMTREC - Alternate)

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Carcinogenicity	Category 2
Aspiration toxicity	Category 1

GHS Label elements, including precautionary statements**EMERGENCY OVERVIEW****Danger****Hazard Statements**

H304 - May be fatal if swallowed and enters airways

H351 - Suspected of causing cancer

**Precautionary Statements - Prevention**

P201 - Obtain special instructions before use

P202 - Do not handle until all safety precautions have been read and understood

P280 - Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response

P308 + P313 - If exposed or concerned: Get medical advice/attention

P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor

P331 - Do NOT induce vomiting

Precautionary Statements - Storage

P405 - Store locked up

Precautionary Statements - Disposal

P501 - Dispose of contents/container according to label directions

Hazards not otherwise classified (HNOC)

No hazards not otherwise classified were identified.

Other Information

May be harmful if swallowed. Very toxic to aquatic life with long lasting effects.

3. COMPOSITION/INFORMATION ON INGREDIENTS**Chemical Family** Triazolinones.

Chemical name	CAS-No	Weight %
Naphtha (petroleum), heavy aromatic	64742-94-5	<70
2-Methylnaphthalene*	91-57-6	<30
Carfentrazone-ethyl	128639-02-1	21.9
1-Methylnaphthalene*	90-12-0	<20
n-Butanol	71-36-3	1-5
Naphthalene*	91-20-3	0.1-1

* This component is a constituent(s) of the ingredient: Naphtha (petroleum), heavy aromatic.
Synonyms are provided in Section 1.

4. FIRST AID MEASURES**Eye Contact**

Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact

lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for further treatment advice.

Skin Contact	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for further treatment advice.
Inhalation	Move to fresh air. If person is not breathing, contact emergency medical services, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.
Ingestion	Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.
Most important symptoms and effects, both acute and delayed	Central nervous system effects. Gastrointestinal effects.
Indication of immediate medical attention and special treatment needed, if necessary	Treatment is symptomatic and supportive. Contains petroleum distillate. Vomiting may cause aspiration pneumonia.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media	Water spray. Carbon dioxide (CO ₂). Foam. Dry powder.
Specific Hazards Arising from the Chemical	Slightly combustible. May support combustion at elevated temperatures.
Explosion data	
Sensitivity to Mechanical Impact	No information available.
Sensitivity to Static Discharge	No information available.
Protective equipment and precautions for firefighters	As in any fire, wear self-contained breathing apparatus and full protective gear. Isolate fire area. Evaluate upwind.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions	Isolate and post spill area. Remove all sources of ignition. Wear suitable protective clothing, gloves and eye/face protection. For personal protection see section 8.
Other	For further clean-up instructions, call FMC Emergency Hotline number listed in Section 1 "Product and Company Identification" above.
Environmental Precautions	Keep people and animals away from and upwind of spill/leak. Keep material out of lakes, streams, ponds, and sewer drains.
Methods for Containment	Dike to prevent runoff. Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal.
Methods for cleaning up	Clean and neutralize spill area, tools and equipment by washing with water and soap. Absorb rinsate and add to the collected waste. Waste must be classified and labeled prior to recycling or disposal. Dispose of waste as indicated in Section 13.

7. HANDLING AND STORAGE

Handling	Do not contaminate other pesticides, fertilizers, water, food, or feed by storage or disposal.
Storage	Keep in a dry, cool and well-ventilated place. Keep away from open flames, hot surfaces and sources of ignition. Keep out of reach of children and animals. Keep/store only in original container.
Incompatible products	Strong oxidizing agents

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Chemical name	ACGIH TLV	OSHA PEL	NIOSH	Mexico
2-Methylnaphthalene* (91-57-6)	TWA: 0.5 ppm	-	-	Mexico: TWA 0.5 ppm
Carfentrazone-ethyl (128639-02-1)	TWA: 1 mg/m ³	-	-	-
1-Methylnaphthalene* (90-12-0)	TWA: 0.5 ppm	-	-	Mexico: TWA 0.5 ppm
n-Butanol (71-36-3)	TWA: 20 ppm	TWA: 100 ppm TWA: 300 mg/m ³	IDLH: 1400 ppm Ceiling: 50 ppm Ceiling: 150 mg/m ³	Mexico: TWA 20 ppm
Naphthalene* (91-20-3)	TWA: 10 ppm	TWA: 10 ppm TWA: 50 mg/m ³	IDLH: 250 ppm TWA: 10 ppm TWA: 50 mg/m ³ STEL: 15 ppm STEL: 75 mg/m ³	Mexico: TWA 10 ppm Mexico: TWA 50 mg/m ³ Mexico: STEL 15 ppm
Chemical name	British Columbia	Quebec	Ontario TWAEV	Alberta
2-Methylnaphthalene* (91-57-6)	TWA: 0.5 ppm Skin	-	TWA: 0.5 ppm Skin	-
1-Methylnaphthalene* (90-12-0)	TWA: 0.5 ppm Skin	-	TWA: 0.5 ppm Skin	-
n-Butanol (71-36-3)	TWA: 15 ppm Ceiling: 30 ppm	Ceiling: 50 ppm Ceiling: 152 mg/m ³ Skin	TWA: 20 ppm	TWA: 20 ppm TWA: 60 mg/m ³
Naphthalene* (91-20-3)	TWA: 10 ppm Skin	TWA: 10 ppm TWA: 52 mg/m ³ STEL: 15 ppm STEL: 79 mg/m ³	TWA: 10 ppm Skin	TWA: 10 ppm TWA: 52 mg/m ³ STEL: 15 ppm STEL: 79 mg/m ³ Skin

Legend

Skin (S*) - Skin Absorber

Appropriate engineering controls**Engineering measures**

Apply technical measures to comply with the occupational exposure limits. When working in confined spaces (tanks, containers, etc.), ensure that there is a supply of air suitable for breathing and wear the recommended equipment.

Individual protection measures, such as personal protective equipment**Eye/Face Protection**

For dust, splash, mist or spray exposure, wear chemical protective goggles.

Skin and Body Protection

Wear long-sleeved shirt, long pants, socks, and shoes.

Hand Protection

Protective gloves. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion and the contact time.

Respiratory Protection

For dust, splash, mist or spray exposures, wear a filtering mask.

Hygiene measures

Clean water should be available for washing in case of eye or skin contamination. Wash skin prior to eating, drinking, chewing gum or using tobacco. Shower or bathe at the end of working. Remove and wash contaminated clothing before re-use. Launder work clothing separately from regular household laundry.

General information If the product is used in mixtures, it is recommended that you contact the appropriate protective equipment suppliers.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance	Liquid
Physical State	Liquid
Color	Brown orange
Odor	Aromatic
Odor threshold	No information available
pH	5.3 (1% solution)
Melting point/freezing point	Not applicable
Boiling Point/Range	No information available
Flash point	75.6 °C / 168.08 °F Closed cup
Evaporation Rate	No information available
Flammability (solid, gas)	No information available
Flammability Limit in Air	
Upper flammability limit:	No information available
Lower flammability limit:	No information available
Vapor pressure	No information available
Vapor density	No information available
Relative density	9.0 lb/gal
Specific gravity	1.08
Water solubility	No information available
Solubility in other solvents	No information available
Partition coefficient	No information available
Autoignition temperature	No information available
Decomposition temperature	No information available
Viscosity, kinematic	No information available
Viscosity, dynamic	No information available
Explosive properties	No information available
Oxidizing properties	No information available
Molecular weight	No information available
Bulk density	No information available

10. STABILITY AND REACTIVITY

Reactivity	None under normal use conditions
Chemical Stability	Stable under recommended storage conditions.
Possibility of Hazardous Reactions	None under normal processing.
Hazardous polymerization	Hazardous polymerization does not occur.
Conditions to avoid	Heat, flames and sparks
Incompatible materials	Strong oxidizing agents.
Hazardous Decomposition Products	Carbon monoxide (CO). Carbon dioxide (CO ₂). Hydrogen chloride. Hydrogen fluoride. Nitrogen oxides (NO _x). Sulfur oxides.

11. TOXICOLOGICAL INFORMATION

Product Information

LD50 Oral	4077 mg/kg (rat)
LD50 Dermal	> 4000 mg/kg (rat)
LC50 Inhalation	> 6.31 mg/L 4 hr (rat)
Serious eye damage/eye irritation	Mildly irritating.
Skin corrosion/irritation	Mildly irritating (rabbit).
Sensitization	Non-sensitizing

Chemical name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Naphtha (petroleum), heavy aromatic (64742-94-5)	300-2000 mg/kg	> 2 mL/kg (Rabbit)	>5,2 mg/L
2-Methylnaphthalene* (91-57-6)	= 1630 mg/kg (Rat)		
1-Methylnaphthalene* (90-12-0)	= 1840 mg/kg (Rat)		
n-Butanol (71-36-3)	= 700 mg/kg (Rat) = 790 mg/kg (Rat)	= 3400 mg/kg (Rabbit) = 3402 mg/kg (Rabbit)	> 8000 ppm (Rat) 4 h
Naphthalene* (91-20-3)	= 1110 mg/kg (Rat) = 490 mg/kg (Rat)	= 1120 mg/kg (Rabbit) > 20 g/kg (Rabbit)	> 340 mg/m ³ (Rat) 1 h

Information on toxicological effects

Symptoms Signs of toxicity in laboratory animals included mydriasis, cyanosis, ataxia, dyspnea, lacrimation, and diarrhea.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Chronic toxicity Long-term exposure caused neurotoxicity (body tremors, decreased motor activity), decreased body weight and increased liver and spleen weight.

Mutagenicity Carfentrazone-ethyl : Not genotoxic in laboratory studies.

Carcinogenicity Carfentrazone-ethyl : No evidence of carcinogenicity from animal studies. There was no evidence of carcinogenic activity of naphthalene in male mice, but there was some evidence of carcinogenic activity in female mice and clear evidence of carcinogenic activity in male and female rats in 2-year inhalation studies conducted by the National Toxicology Program (NTP).

Neurological effects Carfentrazone-ethyl : Not neurotoxic.

Reproductive toxicity Carfentrazone-ethyl : No toxicity to reproduction in animal studies.

Developmental toxicity Carfentrazone-ethyl : Not teratogenic in animal studies.

STOT - single exposure Not classified.

STOT - repeated exposure Not classified.

Neurological effects Carfentrazone-ethyl : Not neurotoxic.

Aspiration hazard Potential for aspiration if swallowed. Vomiting after ingestion of this product may cause aspiration of aromatic hydrocarbons into the lungs, which may result in fatal pulmonary edema.

Chemical name	ACGIH	IARC	NTP	OSHA
Naphthalene* 91-20-3	A3	Group 2B	Reasonably Anticipated	X

Legend:

- ACGIH (American Conference of Governmental Industrial Hygienists)
- A3 - Animal Carcinogen
- IARC (International Agency for Research on Cancer)
- Group 2B - Possibly Carcinogenic to Humans
- NTP (National Toxicology Program)
- Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen
- OSHA (Occupational Safety and Health Administration of the US Department of Labor)
- X - Present

12. ECOLOGICAL INFORMATION

Ecotoxicity

Carfentrazone-ethyl (128639-02-1)				
Active Ingredient(s)	Duration	Species	Value	Units
	72 h EC50	Algae	0.012	mg/L
	96 h LC50	Fish	1.6	mg/L
	48 h LC50	Daphnia	>9.8	mg/L
	96 h NOEC	Algae	1.0	µg/L
	21 d NOEC	Fish	0.0187	mg/L
	21 d NOEC	Crustacea	0.22	mg/L

Chemical name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia and other aquatic invertebrates
Naphtha (petroleum), heavy aromatic 64742-94-5	72 h EC50: = 2,5 mg/L (Skeletonema costatum)	96 h LC50: = 1740 mg/L (Lepomis macrochirus) static 96 h LC50: = 19 mg/L (Pimephales promelas) static 96 h LC50: = 2,34 mg/L (Oncorhynchus mykiss) 96 h LC50: = 41 mg/L (Pimephales promelas) 96 h LC50: = 45 mg/L (Pimephales promelas) flow-through	48 h EC50: = 0,95 mg/L (Daphnia magna)
n-Butanol 71-36-3	72 h EC50: > 500 mg/L (Desmodesmus subspicatus) 96 h EC50: > 500 mg/L (Desmodesmus subspicatus)	96 h LC50: 100000 - 500000 µg/L (Lepomis macrochirus) static 96 h LC50: 1730 - 1910 mg/L (Pimephales promelas) static 96 h LC50: = 1740 mg/L (Pimephales promelas) flow-through 96 h LC50: = 1910000 µg/L (Pimephales promelas) static	48 h EC50: 1897 - 2072 mg/L (Daphnia magna) Static 48 h EC50: = 1983 mg/L (Daphnia magna)
Naphthalene* 91-20-3	72 h EC50: = 0.4 mg/L (Skeletonema costatum)	96 h LC50: 0.91 - 2.82 mg/L (Oncorhynchus mykiss) static 96 h LC50: 5.74 - 6.44 mg/L (Pimephales promelas) flow-through 96 h LC50: = 1.6 mg/L (Oncorhynchus mykiss) flow-through 96 h LC50: = 1.99 mg/L (Pimephales promelas) static 96 h LC50: = 31.0265 mg/L (Lepomis macrochirus) static	48 h EC50: 1.09 - 3.4 mg/L (Daphnia magna) Static 48 h EC50: = 1.96 mg/L (Daphnia magna) Flow through 48 h LC50: = 2.16 mg/L (Daphnia magna)

Persistence and degradability Carfentrazone-ethyl : Non-persistent. Readily hydrolyzed. Not readily biodegradable.

Bioaccumulation Carfentrazone-ethyl : The substance does not have a potential for bioconcentration.

Mobility Carfentrazone-ethyl : Mobility in soil: Not relevant.

13. DISPOSAL CONSIDERATIONS

Waste disposal methods Improper disposal of excess pesticide, spray mixture, or rinsate is prohibited. If these wastes cannot be disposed of by use according to label instructions, contact appropriate disposal authorities for guidance. Proper personal protective equipment, as described in Sections 7 and 8, must be worn while handling materials for waste disposal.

Contaminated Packaging Containers must be disposed of in accordance with local, state and federal regulations. Refer to the product label for container disposal instructions. Do not reuse or refill this container.

14. TRANSPORT INFORMATION

DOT Not regulated for transportation if shipped in Non Bulk packaging. The classification below pertains to the shipment in Bulk packaging.

UN/ID no UN3082
Proper Shipping Name Environmentally hazardous substance, liquid, n.o.s. (Carfentrazone-ethyl)
Hazard class 9

Packing Group III
Reportable Quantity (RQ) Naphthalene (100 lb)
Marine Pollutant Carfentrazone-ethyl .
Description UN3082, Environmentally hazardous substance, liquid, n.o.s. (Carfentrazone-ethyl), 9, III

TDG Classification below is only applicable when shipped by vessel and is not applicable when shipped by road or rail only.
UN/ID no UN3082
Proper Shipping Name Environmentally hazardous substance, liquid, n.o.s. (Carfentrazone-ethyl)
Hazard class 9
Packing Group III
Marine Pollutant Carfentrazone-ethyl .
Description UN3082, Environmentally hazardous substance, liquid, n.o.s. (Carfentrazone-ethyl), 9, III, Marine Pollutant

ICAO/IATA
UN/ID no UN3082
Proper Shipping Name Environmentally hazardous substance, liquid, n.o.s. (Carfentrazone-ethyl)
Hazard class 9
Packing Group III
Description UN3082, Environmentally hazardous substance, liquid, n.o.s. (Carfentrazone-ethyl), 9, III, Marine Pollutant

IMDG/IMO
UN/ID no UN3082
Proper Shipping Name Environmentally hazardous substance, liquid, n.o.s. (Carfentrazone-ethyl)
Hazard class 9
Packing Group III
EmS No. F-A, S-F
Marine Pollutant Carfentrazone-ethyl
Description UN3082, Environmentally hazardous substance, liquid, n.o.s. (Carfentrazone-ethyl), 9, III, Marine Pollutant

15. REGULATORY INFORMATION

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical name	CAS-No	Weight %	SARA 313 - Threshold Values %
n-Butanol - 71-36-3	71-36-3	1-5	1.0
Naphthalene* - 91-20-3	91-20-3	0.1-1	0.1

SARA 311/312 Hazard Categories

Acute health hazard Yes
Chronic health hazard Yes
Fire hazard Yes
Sudden release of pressure hazard No
Reactive Hazard No

Clean Water Act

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42):

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Naphthalene*	100 lb	X	X	X

91-20-3			
---------	--	--	--

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302):

Chemical name	Hazardous Substances RQs	Extremely Hazardous Substances RQs
n-Butanol 71-36-3	5000 lb 2270 kg	
Naphthalene* 91-20-3	100 lb 45.4 kg	

FIFRA Information

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

CAUTION

Harmful if swallowed, absorbed through the skin or inhaled. Causes moderate eye irritation.
 Carfentrazone-ethyl is very toxic to algae and moderately toxic to fish.

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals.

Chemical name	California Prop. 65
Naphthalene* - 91-20-3	Carcinogen

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
2-Methylnaphthalene* 91-57-6	X		
1-Methylnaphthalene* 90-12-0	X	X	X
n-Butanol 71-36-3	X	X	X
Naphthalene* 91-20-3	X	X	X

International Inventories

Chemical name	TSCA (United States)	DSL (Canada)	EINECS/ELINCS (Europe)	ENCS (Japan)	China (IECSC)	KECL (Korea)	PICCS (Philippines)	AICS (Australia)
Naphtha (petroleum), heavy aromatic 64742-94-5	X	X	X		X	X	X	X
2-Methylnaphthalene* 91-57-6	X	X	X	X	X		X	X
Carfentrazone-ethyl 128639-02-1					X			
1-Methylnaphthalene* 90-12-0	X	X	X	X	X		X	X
n-Butanol 71-36-3	X	X	X	X	X	X	X	X

Naphthalene* 91-20-3	X	X	X	X	X	X	X	X
-------------------------	---	---	---	---	---	---	---	---

Mexico - Grade Serious risk, Grade 3

Chemical name	Carcinogen Status	Mexico
2-Methylnaphthalene*		Mexico: TWA 0.5 ppm
1-Methylnaphthalene*		Mexico: TWA 0.5 ppm
n-Butanol		Mexico: TWA 20 ppm
Naphthalene*		Mexico: TWA 10 ppm Mexico: TWA 50 mg/m ³ Mexico: STEL 15 ppm

CANADA

WHMIS Statement

This product has been classified in accordance with the Hazardous Products Regulations (HPR) and the SDS contains all the information required by the HPR.

WHMIS Hazard Class B3 - Combustible liquid
 D2A - Very toxic materials



16. OTHER INFORMATION

NFPA	Health Hazards 1	Flammability 2	Instability 0	Special Hazards -
HMIS	Health Hazards 1*	Flammability 2	Physical hazard 0	Personal Protection X

*Indicates a chronic health hazard.

NFPA/HMIS Ratings Legend Severe = 4; Serious = 3; Moderate = 2; Slight = 1; Minimal = 0

Revision date: 2019-05-01
 Reason for revision: SDS sections updated

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. NO WARRANTY OF FITNESS FOR ANY PARTICULAR PURPOSE, WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESSED OR IMPLIED, IS MADE CONCERNING THE INFORMATION PROVIDED HEREIN. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. Further, since the conditions and methods of use are beyond the control of FMC Corporation, FMC corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

Prepared By:

FMC Corporation

FMC Logo - Trademark of FMC Corporation

© 2019 FMC Corporation. All Rights Reserved.

End of Safety Data Sheet



Nufarm Koril 235 Liquid Herbicide Safety Data Sheet

Issue Date: 2017-12-21

Supersedes Date: 2017-05-17

{Reserved}

1. Identification

Product Name: Nufarm Koril 235 Liquid Herbicide

PCP Registration No.: 25341

Refer to the approved product label for handling and use instructions.

Product Type: Herbicide

Supplier: Nufarm Agriculture Inc.
Suite 350, 2618 Hopewell Place NE
Calgary, Alberta, T1Y 7J7, Canada
1-800-868-5444

Telephone Numbers: 24 Hour Emergency Response Number, Chemtrec, 1-800-424-9300.
For medical emergencies, ProPharma Group, 1-877-325-1840.
For product and use information, Nufarm Agriculture Inc.,
1-800-868-5444.

2. Hazard Identification

Classified according to UN GHS Version 5.

Physical Hazards:

Flammable liquid Category 4

Health Hazards:

Serious eye damage Category 1
Skin irritation Category 2
Skin sensitizer Category 1A
Acute toxicity (Oral) Category 4
Acute toxicity (Inhalation) Category 4

Environmental Hazards:

Hazardous to aquatic environment, acute Category 1

Signal Word:

DANGER

Hazard Statements:

Combustible liquid. Causes serious eye damage. Causes skin irritation. May cause an allergic skin reaction. Harmful if swallowed. Harmful if inhaled. Very toxic to aquatic life.



Nufarm Koril 235 Liquid Herbicide Safety Data Sheet

Issue Date: 2017-12-21

Supersedes Date: 2017-05-17

{Reserved}

Precautionary Statements:

Keep away from flames and hot surfaces.

Avoid contact with skin, eyes and clothing. Wear goggles or face shield during mixing/loading.

Wear coveralls over a long-sleeved shirt, long pants, socks, shoes and chemical-resistant gloves.

Rinse gloves before removal. After use, wash hands and other exposed skin. Remove and wash contaminated clothing before reuse. Avoid breathing spray mist. Use only outdoors or in a well-ventilated area. Do not eat, drink or smoke when using this product. Harmful if swallowed.

This product contains an active ingredient and petroleum distillates which are toxic to aquatic organisms.

3. Composition / Information on Ingredients

Hazardous Components	CAS No.	Wt. %
Solvent naphtha (petroleum), heavy aromatic, naphthalene depleted	64742-94-5	59-63
Bromoxynil octanoate	1689-99-2	31-33
Chemical Synonyms: 2,6-dibromo-4-cyanophenyl octanoate		

Other ingredients are considered non-hazardous.

Content as Expressed on Product Label

Bromoxynil, present as octanoate ester ... 235 g/L

4. First Aid Measures

If swallowed, call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give **any** liquid to the person. Do not give anything by mouth to an unconscious person.

If on skin or clothing, take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice.

If in eyes, hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

If inhaled, move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

Take container, label or product name and Pest Control Product Registration Number with you, when seeking medical attention.

Do not induce vomiting. This product contains petroleum distillates. Vomiting may cause aspiration pneumonia. Treat symptomatically.

Nufarm Koril 235 Liquid Herbicide

Safety Data Sheet

Issue Date: 2017-12-21

Supersedes Date: 2017-05-17

{Reserved}

5. Fire-fighting Measures

Extinguishing Media: Water fog, alcohol foam, carbon dioxide, dry chemical.

Special Firefighting Procedures: Firefighters should wear self-contained breathing apparatus and full protective clothing when fighting chemical fires. Minimize and contain water runoff.

Flash Point:..... 65 C

Conditions of Flammability: Combustible liquid. May burn under fire conditions.

Hazardous Decomposition Products: ... Under fire conditions, may produce gases such as hydrogen bromide or other bromine compounds, hydrogen chloride, nitrogen oxides and carbon oxides.

National Fire Protection Association (NFPA) Hazard Rating:

Rating for this product: Health: 2 Flammability: 2 Reactivity: 0

Hazards Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe

6. Accidental Release Measures

Use safety equipment and procedures appropriate to the size of the spill. Keep unnecessary people away. Avoid runoff to natural waters and sewers. Surround and absorb spills with inert material such as perlite, sawdust, clay granules, vermiculite, sand or dirt. Contain all affected material in a closed, labeled container for proper disposal. Isolate from other waste materials. Clean contaminated area such as hard surfaces with detergent and water, collecting cleaning solution for proper disposal. Large spills to soil or similar surfaces may necessitate removal of top soil.

7. Handling and Storage

Handling: Avoid contact with skin, eyes and clothing. Wear goggles or face shield during mixing/loading. Wear coveralls over a long-sleeved shirt, long pants, socks, shoes and chemical-resistant gloves. Rinse gloves before removal. After use, wash hands and other exposed skin. Remove and wash contaminated clothing before reuse. Avoid breathing spray mist. Do not eat, drink or smoke when using this product.

Storage: Store the container tightly closed away from seeds, fertilizer, plants and foodstuffs. May be stored at any temperature. Shake well before using.

8. Exposure Controls / Personal Protection

Engineering Controls: Use only outdoors or in a well-ventilated area.

Personal Protective Equipment: Goggles or face shield, coveralls, long-sleeved shirt, long pants, socks, shoes and chemical-resistant gloves. Rinse gloves before removal.

Exposure Guidelines:

Component	TWA*	STEL**	Reference/Note
Solvent naphtha (petroleum), heavy aromatic, naphthalene depleted	50 mg/m ³	N/E	Supplier recommendation

Nufarm Koril 235 Liquid Herbicide Safety Data Sheet

Issue Date: 2017-12-21

Supersedes Date: 2017-05-17

{Reserved}

Bromoxynil octanoate	0.21 mg/m ³	N/E	Supplier recommendation
----------------------	------------------------	-----	-------------------------

*Time-weighted Average, 8-hour unless otherwise noted.

**Short Term Exposure Limit

NE = Not Established

Refer to approved product label for additional exposure control guidance.

9. Physical and Chemical Properties

NOTE: Physical data are typical values, but may vary from sample to sample. A typical value should not be construed as a guaranteed analysis or as a specification. If no value is determined for the formulation, the value listed is the most relevant value of the predominant ingredient(s).

Appearance (physical state, colour, etc.)	clear amber liquid
Odour	hydrocarbon-like
Odour threshold	not available
pH	4 - 5 (1% w/w dilution)
Melting point / Freezing point	~-20C
Initial boiling point and boiling range	>185C (bromoxynil octanoate)
Flash point	65C
Evaporation rate	<0.01 (n-butyl acetate = 1) (solvent)
Flammability (solids, gases)	not applicable
Upper / Lower flammability or explosive limits ...	LEL = 0.7, UEL = 5.6 vol. % in air (solvent)
Vapour pressure	4.0 Pa @ 20C (solvent) < 10 ⁻⁷ Pa @ 25C (bromoxynil octanoate)
Vapour density	5.6 @ 101 kPa (air = 1) (solvent)
Relative density	1.039
Solubility(ies)	negligible in water, emulsifiable highly soluble in organic solvents (bromoxynil octanoate)
Partition coefficient: n-octanol/water	logP = 5.9 @ pH 7, 25C (bromoxynil octanoate)
Autoignition temperature	375C
Decomposition temperature	>180C (bromoxynil octanoate)
Viscosity (kinematic)	4.54 cSt @ 20C

10. Stability and Reactivity

Reactivity: Not reactive.

Chemical Stability: Stable under normal handling and storage conditions.

Possibility of Hazardous Reactions: Hazardous polymerization will not occur.

Conditions to Avoid: Excessive heat. Do not store near heat or flame.

Incompatible Materials: Avoid contact with strong acidic, basic or oxidizing agents.

Hazardous Decomposition Products: Under fire conditions, may produce gases such as hydrogen bromide or other bromine compounds, hydrogen chloride, nitrogen oxides and carbon oxides.

11. Toxicological Information

Likely routes of exposure: Inhalation, ingestion, skin and eye contact.

Eye contact: Causes severe eye irritation / corrosion. Causes redness and tearing.

Skin contact: Causes skin irritation. May cause an allergic skin reaction.

Ingestion: Harmful if swallowed. May cause headache, dizziness, nausea, vomiting, gastrointestinal irritation, weakness, central nervous system depression, unconsciousness, respiratory failure, or in extreme cases, death.

Inhalation: Harmful if inhaled. Vapours could cause coughing, burning, headache, dizziness, respiratory irritation and symptoms similar to those from ingestion.

Medical Conditions Aggravated by Exposure: Skin exposure may aggravate preexisting skin conditions. Inhalation of mist may aggravate preexisting respiratory conditions.

Toxicological Data:

Data are from laboratory studies conducted on similar products.

Acute oral LD₅₀ (mg/kg) 984 mg/kg (Rat, combined male & female)

Acute dermal LD₅₀ (mg/kg) >5000 (Rat, male & female)

Acute inhalation LC₅₀ (mg/l) >1.2 (Rat, male & female, 4-hour, nose-only exposure)

Skin corrosion/irritation Severely irritating to the skin (Rabbit)

Serious eye damage/irritation Severely irritating to the eye (Rabbit)

Respiratory or skin sensitization ... Potential skin sensitizer (Guinea pig)

Germ cell mutagenicity The weight of evidence is that bromoxynil is not mutagenic. Products similar to the hydrocarbon component are not considered to be mutagenic.

Carcinogenicity Bromoxynil phenol has been classified by U.S. EPA in Group C, possible human carcinogen. Products similar to the hydrocarbon component are not considered to be mutagenic and are unlikely to cause tumors.

Reproductive toxicity Animal reproduction studies with bromoxynil phenol and bromoxynil octanoate indicate there is no increased sensitivity of the young relative to maternal animals.

12. Ecological Information

Ecotoxicity:

Data are from laboratory studies conducted on bromoxynil octanoate technical.

Aquatic Invertebrate: 48-Hour EC₅₀ (mg/L) 0.46 (*Daphnia*)

Fish: 96-Hour LC₅₀ (mg/L) 0.041 (Rainbow Trout), 0.06 (Bluegill Sunfish)

Algae: 120-Hour EC₅₀ (mg/L) 0.22 (*Selenastrum*), 0.043 (*Navicula*)

Birds: Oral LD₅₀ (mg/kg) 170 (Bobwhite), 2350 (Mallard); 5-d Dietary LC₅₀ (ppm) 1315 (Bobwhite), 2150 (Mallard)

Bees: LD₅₀ >100 µg/bee (48 h contact), >119.8 µg/bee (96 h oral)

Persistence and Degradability: Bromoxynil octanoate degrades readily to bromoxynil phenol by abiotic hydrolysis, photolytic degradation, and microbially-mediated metabolism, in both aerobic and anaerobic environments. Representative soil half-lives are 2 days for the octanoate and 14 days for the phenol.

Nufarm Koril 235 Liquid Herbicide Safety Data Sheet

Issue Date: 2017-12-21

Supersedes Date: 2017-05-17

{Reserved}

Mobility in Soil: Moderate to high mobility potential, but rapidly degraded.

Bioaccumulation Potential: Bromoxynil octanoate can bioaccumulate, but will deplete.

13. Disposal Considerations

For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Disposal should be made in accordance with federal, provincial and local regulations.

Do not reuse container for any purpose. If applicable, return container in accordance with return program. If a recyclable container, dispose of at a container collection site. Contact local distributor, dealer or municipality for the location of the nearest collection site. Before taking the container to the collection site, triple or pressure rinse the empty container adding rinsings to spray tank, and make container unsuitable for further use. If there is no container collection site in your area, dispose of the container in accordance with provincial requirements.

14. Transport Information

Canadian TDG Description (Road & Rail):

UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., (bromoxynil), Class 9, PG III

Marine Pollutant.

Section 1.45.1 of the TDG Regulations provides an exemption from documentation and safety marks only for this product and only when transported by a road or railway vehicle.

United States:

DOT Description:

< 119 gallons per complete package

Non Regulated – See 49 CFR 173.132(b)(3) & 172.101 Appendix A

≥ 119 gallons per complete package

NA1993, Combustible, Liquid, n.o.s., (Naphthalene), 3, III Marine Pollutant

IMDG

UN3082, Environmentally hazardous substance, liquid, n.o.s., (Bromoxynil octanoate), 9, III, Marine Pollutant

IATA

UN3082, Environmentally hazardous substance, liquid, n.o.s., (Bromoxynil octanoate), 9, III, Marine Pollutant

15. Regulatory Information

**Nufarm Koril 235 Liquid Herbicide
Safety Data Sheet**

Issue Date: 2017-12-21

Supersedes Date: 2017-05-17

{Reserved}

Pest Control Products Act Registration Number: 25341

Read the approved label, authorized under the Pest Control Products Act, prior to using or handling the pest control product.

This chemical is a pest control product registered by Health Canada Pest Management Regulatory Agency and is subject to certain labelling requirements under the Pest Control Products Act. These requirements differ from the classification criteria and hazard information required for GHS-consistent safety data sheets. Following is the hazard information required on the pest control product label:



WARNING POISON
DANGER: EYE AND SKIN IRRITANT
POTENTIAL SKIN SENSITIZER

WHMIS exempt.

16. Other Information

This Safety Data Sheet (SDS) is designed to comply with the Globally Harmonized System (GHS) of classification, and the *Hazardous Products Regulations*.

This SDS provides important health, safety and environmental information for employers, employees, emergency responders and others handling large quantities of the product in activities generally other than product use. The product labeling provides that information specifically for product use as intended.

Company and published information is used in the development of this SDS. The information herein is presented in good faith and believed accurate at the date of publication. However, no warranty, expressed or implied, is given.

Revisions to the last issue: Addition of PMRA guidance info to Section 15.

Issue Date: 2017-12-21

Supersedes Date: 2017-05-17