

For growers to help manage drydown at harvest time in pulses and oilseed crops.

Registered crops

- Canola
- Chickpeas
- Dry beans
- Flax
- Lentils
- Mustard (condiment use only)
- Oats (corn spurry control)
- Peas
- Soybeans
- Sunflower

Application information

USE RATES

Chickpeas:

Ground: 0.5-0.7 L/ac.

Air: 0.7 L/ac.

Lentils, dry beans, soybeans, peas, canola, mustard, flax, sunflowers, oats:

Ground: 0.5-0.7 L/ac.

Air: 0.7-0.9 L/ac.

HARVEST TIMING**

Peas: 5-7 days after application

Lentils: 4-10 days after application

Chickpeas: 4-7 days after application

Dry beans and soybeans:

When crop is ready (does not mature beans or lower moisture content)

Canola and mustard: No later than 14 days after application

Flax: When flaxseed tests "dry"

Sunflower: 15-20 days after application

**days to harvest may vary based on environmental conditions

Application timing

Refer to label for various timing of application on registered crops.

Benefits

- **FASTER HARVEST** typically 4-10 days after application
- **CONTACT ACTIVITY** that provides fast drydown of green material
- **SAFE** to use on crops that will be used for seed

Performance tips

1. Water volume

- Ground: minimum 20 gal./ac.
- Air: minimum 4 gal./ac.

2. Use of adjuvant is required

- Add non-ionic surfactant such as AGRAL 90 at 1 L per 1,000 L, LI 700 at 2.5 L per 1,000 L

3. Performance may be enhanced when applied in the evenings or on cloudy days

ACTIVE INGREDIENT

- > Group 22 (diquat)

RAINFAST

- > 15 minutes

PRODUCT RATE

- > 0.5-0.9 L/ac.

TREATMENT AREA

- > One 115 L drum treats 127-230 acres
- > One 500 L tote treats 555-1,000 acres

TANK-MIX ORDER

- > DriFast
- > Non-ionic surfactant