



The best pre-emergent herbicide for IP soybeans providing triple action on a wide range of grass and broadleaf weeds.

### Registered crops

- Soybeans

### Weeds controlled

- Barnyard grass
- Canada fleabane (suppression) (including glyphosate-resistant biotypes)
- Carpetweed\*
- Cheatgrass
- Crabgrass
- Chickweed
- Cocklebur
- Common ragweed (including glyphosate-resistant biotypes)
- Dandelion (seedling)
- Eastern black nightshade (including Group 2-resistant biotypes)
- Fall panicum
- Giant ragweed (including glyphosate-resistant biotypes)
- Green and redroot pigweed
- Green and yellow foxtail
- Jimsonweed
- Johnson grass (seedling)
- Lady's-thumb
- Lamb's-quarters
- Palmer amaranth
- Prickly mallow\*
- Prostrate pigweed
- Russian thistle
- Shepherd's-purse
- Stinkweed
- Velvetleaf
- Waterhemp
- Wild buckwheat
- Wild mustard
- Witch grass
- Yellow woodsorrel

### Benefits

- **ONE BOX, ONE SOLUTION, THREE ACTIVE INGREDIENTS**
- **MORE RESIDUAL MODES OF ACTION** than other leading products on both broadleaf and grass weeds
- **LONGER RESIDUAL WEED CONTROL** for up to 8 weeks
- **STRONGER RESISTANCE MANAGEMENT** with three active ingredients, including Group 14 chemistry (flumioxazin) on Group 2-, 5- and glyphosate-resistant biotypes
- Effective in-season residual control of grass and broadleaf weeds
- Tank-mixable with most burndown and pre-emergent herbicides (i.e. glyphosate and BlackHawk®)
- No surfactant required

### ACTIVE INGREDIENTS

- > Group 14 (flumioxazin)
- > Group 5 (metribuzin)
- > Group 2 (imazethapyr)

### TREATMENT AREA

- > One case treats 26 acres

### APPLICATION TIMING

- > Pre-plant or pre-emergent for soybeans

### TANK-MIX ORDER

- > Valtera™
- > TriCor®
- > Nu-Image®
- > BlackHawk® (if used)
- > Glyphosate

### PCP #

- > 30661
- > 29230
- > 30420

\*including Group 2- and 5-resistant biotypes