

CONQUER® II

CONQUER® II pre-seed herbicide adds more power to your glyphosate for burndown ahead of seeding canola.

Registered crops

Can be applied pre- or post-seeding before the emergence of these crops:

- Canola
- Barley
- Canary seed
- Corn
- Fall rye
- Oats
- Summerfallow
- Triticale
- Wheat (spring, durum, winter)

Weeds controlled with a glyphosate tank-mix

- Annual sow-thistle (suppression)
- Chickweed
- Cleavers (including Group 2- and glyphosate-resistant biotypes)
- Cow cockle (suppression)
- Dandelion (spring germinated)
- Flixweed
- Kochia (including Group 2-, 4- and glyphosate-resistant biotypes)
- Lamb's-quarters (including Group 2-, 5- and glyphosate-resistant biotypes)
- Narrow-leaved hawk's-beard (suppression)
- Night-flowering catchfly
- Pineapple weed (suppression)
- Redroot pigweed (including Group 2- and 5-resistant biotypes)
- Shepherd's-purse
- Stinkweed
- Volunteer canola (all herbicide-tolerant biotypes)*
- Wild buckwheat
- Wild mustard

Benefits

- **VOLUNTEER CANOLA CONTROL**
- **EXCELLENT WEED CONTROL** including all Group 2-, 4- and glyphosate-resistant biotypes of volunteer canola, kochia and cleavers
- **NON-RESIDUAL ACTIVITY** eliminates any risk to the emerging canola crop
- **NEW CONVENIENT** all-in-one formulation will make load times quicker at spraying time
- Protects long-term viability of agronomic tools such as glyphosate and glyphosate-tolerant traits
- No surfactant required when used with glyphosate

*Use up to 242 mL/ac. of CONQUER II herbicide if volunteer canola is beyond the 3-leaf stage.

**Nufarm supports 2 hour rainfast with CONQUER II.

ACTIVE INGREDIENTS

- > Group 14 (pyraflufen-ethyl)
- > Group 6 (bromoxynil)

TREATMENT AREA

- > One case treats 160 acres at 121 mL/ac.
- > One drum treats 640 acres at 121 mL/ac.

TANK-MIX ORDER

- > CONQUER II
- > Glyphosate


RAINFAST

- > 2 hours**

NOTES

- > Canola can be seeded immediately after an application of CONQUER II
- > CONQUER II can be applied up to 3 days after seeding
- > For best results, spray in the heat of the day when the weeds are actively growing and less than 5 cm tall or across
- > Use a minimum of 10 gal./ac water volume for adequate coverage of target weeds
- > Droplet size should be fine to medium using a combination of nozzle type and sprayer speed, adjust sprayer speed to optimize spray coverage



Brought to you by 

Save **40¢/acre**

1.800.868.5444 | Nufarm.ca |  [NufarmCA](https://twitter.com/NufarmCA)

Always read and follow label directions.

CONQUER® is a registered trademark of Nufarm Agriculture Inc.
Bayer, Bayer Cross, Mix It Up™ are registered trademarks of Bayer Group. Used under license.
73969-0121

 **Nufarm**
Grow a better tomorrow