

Keep container- and field-grown ornamentals and many bare ground areas weed free.

# SureGuard® EZ

SureGuard® EZ provides outstanding weed control in field and container-grown ornamentals. The liquid formulation pre-emergent herbicide controls select broadleaf and grass weeds in and around outdoor ornamental deciduous and coniferous trees, including non-bearing fruit and nut trees. SureGuard EZ also offers expanded vegetative management uses, including several bare ground application areas.

SureGuard EZ is proven to provide long-lasting pre-emergence control of a broad spectrum of weeds, including common chickweed and waterhemp, plus the suppression of moss and liverwort. SureGuard EZ can be applied in the late fall or winter (after two hard freezes up to bud break in the spring) to deliver control that activates in the spring and lasts through early summer.

### KEY BENEFITS

- Long-lasting, pre-emergent control of annual broadleaf weeds and grasses
- Low water solubility for long residual control of tough weeds in a nursery setting
- Binds tightly to soil to reduce runoff
- Proven pre-emergent weed control that saves costly hand weeding
- Broad-spectrum control of tough broadleaf weeds
- Excellent crop safety (when used as per label)
- When tank mixed with glyphosate, provides superior knockdown and long residual control even on glyphosate resistant weeds

| WEEDS CONTROLLED  | APPLICATION RATES                                 | APPLICATION NOTES  |
|---|---|--|
| Canada fleabane<br>Chickweed (common)<br>Dandelion<br>Eastern black nightshade<br>Green foxtail<br>Hairy nightshade<br>Kochia<br>Lamb's-quarters (common)<br>Palmer amaranth<br>Pigweed (green, redroot)<br>Ragweed (common)<br>Waterhemp<br><b>SUPPRESSED:</b><br>Liverwort<br>Moss<br>Volunteer canola (including tolerant varieties) | <b>COARSE-TEXTURE SOIL:</b><br>298 mL/ha          | <b>Pre-emergence:</b> Apply prior to weed emergence.<br><b>Post-emergence:</b> When weeds are already emerged, apply as a tank mix with glyphosate product, present as isopropyl amine or potassium salt, at 1.2 kg a.e./ha.<br>Apply only as a directed, shielded or hooded spray to established trees. Moisture is necessary to activate SureGuard EZ herbicide in soil for residual weed control. When adequate moisture is not received after application, weed control may be improved by irrigation with at least 1/2-1 cm of water. |
|   | <b>MEDIUM AND FINE-TEXTURE SOIL:</b><br>448 mL/ha |  |

### ACTIVE INGREDIENT

- flumioxazin (479.2 g/L)

### FORMULATION

- suspension concentrate

### CHEMICAL FAMILY

- N-phenylphthalimide

### PACKAGE SIZE

- 8 x 437 mL case

### RAINFAST

- adequate moisture needed for activation
- avoid application when heavy rain is forecast

### APPLICATION / SEASON

- two

### SURFACTANT NEEDED

- as needed

### PCP #

- 34035

### WSSA GROUP #

- 14

### KEY USES

- outdoor container- and field-grown ornamentals, bare ground non-crop areas



### APPLICATION FLEXIBILITY



Apply SureGuard EZ after two hard freezes (late fall to early winter) until bud break in the spring to deliver control that activates in the spring and lasts through early summer.

### LEGEND



# SureGuard® EZ

## MORE APPLICATION USES

### Bare ground applications

- Bare ground in and around ornamental nurseries
- Bare ground areas around buildings and other structures.  
Do not apply within any enclosed structure.
- Bare ground around farm buildings and along fence rows
- Gravel surfaces and driveways
- Road surfaces and gravel shoulders

### Ornamental applications

- Established container-grown ornamental deciduous and coniferous trees, including non-bearing fruit and nut trees
- Established field-grown ornamental deciduous and coniferous trees, including Christmas trees and trees produced for reforestation
- Non-crop areas in and around ornamental nurseries

### NOTE:


- Only apply over top of dormant plants after two frost events. If plant is actively growing a guard should be used so that no product touches the actively growing plant
- Do not apply to trees established less than 1 year, unless protected from spray contact by non-porous wraps, grow tubes or wax containers

## SEE THE RESULTS IN FIELD-GROWN ORNAMENTALS



## LIVERWORT CONTROL IN GROWTH ROOM

University of Guelph conducted a growth-room study of the effectiveness of 15 herbicide treatments for liverwort. SureGuard's active ingredient, flumioxazin, was observed to have excellent control of liverwort 14 days following application.



## KEEP ORNAMENTALS WEED FREE

Once applied and activated by rain or irrigation, SureGuard forms a herbicide layer on the soil surface. As weeds germinate they come in contact with the herbicide layer and sunlight exposure which disrupts cell membranes and causes seedling death.

### Tolerant coniferous tree species

- Cedars
- Firs
- Hemlock
- Junipers
- Pines
- Spruce
- Yew

\* see label for additional species and details

### Tolerant deciduous tree species

- Non-bearing fruit trees
- Ash
- Dogwood
- Lilac
- Maple
- Oak
- Poplar

\* see label for additional species and details

## GLYPHOSATE PARTNER

Proven to be an excellent tank mix partner with glyphosate herbicides to enhance knockdown performance and add long-lasting residual control (even on glyphosate-resistant weeds).



1.800.868.5444 | nufarm.ca

Always read and follow label directions.

©2026 Nufarm. SureGuard® EZ is a registered trademark of Valent U.S.A. LLC.

All other products are trademarks of their respective companies.

Nufarm Agriculture Inc. is a distributor of Valent Canada Inc. products in Canada.

