

ThunderHawk® EZ

ThunderHawk® EZ energizes pre-seed burndown with glyphosate ahead of cereals. With three modes of action it delivers fast-acting control on a wide spectrum of broadleaf weeds and provides longer residual activity on volunteer canola.

REGISTERED CROPS

- Barley
- Oats
- Wheat (spring, winter, durum)

WEEDS CONTROLLED WITH A GLYPHOSATE TANK-MIX

- | | |
|---|---|
| • Annual sow thistle (suppression) | • Mustards (except dog and tansy) |
| • Canada thistle | • Narrow-leaved hawk's-beard |
| • Cleavers (including Group 2- and glyphosate-resistant biotypes) | • Night-flowering catchfly |
| • Chickweed | • Redroot pigweed (including Group 2- and 5-resistant biotypes) |
| • Cow cockle | • Stinkweed |
| • Dandelion (suppression) | • Shepherd's-purse |
| • Flixweed | • Smartweed |
| • Hemp-nettle | • Volunteer canola (all herbicide-tolerant biotypes) |
| • Kochia (including Group 2-, 4- and glyphosate-resistant biotypes) | • Wild buckwheat |
| • Lamb's-quarters (including Group 2- and 5-resistant biotypes) | • Wild mustard (including Group 2-resistant biotypes) |
| • Mallow | |

BENEFITS

- **FASTER ACTIVITY** on a wide range of broadleaf weeds compared to other Group 2 or Group 2 and 4 pre-seed burndown herbicides
- **MANAGES VOLUNTEER CANOLA** (all herbicide-tolerant biotypes) with soil residual activity up to three weeks after application
- **AN EXCELLENT RESISTANCE MANAGEMENT TOOL** with three active ingredients that work well in combination on tough-to-kill weeds
- Unsurpassed crop safety for registered crops
- Controls Group 2-resistant weeds (kochia, cleavers, lamb's-quarters, redroot pigweed, wild mustard), Group 4-resistant weeds (kochia) and glyphosate-resistant broadleaf weeds (kochia, volunteer canola)

For specific crop usage information see label for details.

ACTIVE INGREDIENTS

- Group 14 (pyraflufen-ethyl)
- Group 4 (MCPA ester)
- Group 2 (florasulam)

RAINFAST

- 2 hours

TREATMENT AREA

- One case (2 x 10.8 L) treats 60-80 acres at 270-360 mL/ac.

APPLICATION TIMING

- Can be applied up to 2 days after seeding

TANK-MIX ORDER

- ThunderHawk EZ
- Glyphosate

NOTES

- No surfactant required when tank-mixed with glyphosate
- Use a minimum of 10 gal./ac. water volume for adequate coverage of target weeds
- For durum and lighter soil zones, use 80 acre rate (270 mL/ac.) for reduced risk of carryover
- Recommended seeding depth after a ThunderHawk EZ application is 1-2 inches deep

**NUFARM
NATION**

SAVE UP TO 12%



1.800.868.5444 | nufarm.ca

Always read and follow label directions.
ThunderHawk® is a registered trademark of Nufarm Agriculture Inc.