# HARMFUL KEEP OUT OF REACH OF CHILDREN

# FREEWAY



www.agrecovery.co.nz



12-15/PS/A01749-1I N71 2



Active Ingredient: 1020g/L modified organosilicone compound.

Organosilicone surfactant which improves the uptake of ReTain® plant growth regulator.

Net: 1 litre



Approved pursuant to the HSNO Act 1996, Approval Code HSR002503 See www.epa.govt.nz for approval controls.

®ReTain is a registered trademark of Valent BioSciences Corporation, Illinois, USA @Freeway is a registered trademark of Nufarm Limited

### CONDITIONS OF SALE CAUTION: READ THIS NOTICE BEFORE OPENING THE CONTAINER

If you open this container you will be deemed to have accepted the conditions below. The results from use of this product may be affected by factors

beyond Nufarm's control, including mixing, use, climatic conditions, time of application, crop or crop stage and the possible development of resistance to the active ingredient, even though the product is reasonably fit for the purposes stated in this label, and even though label directions are followed. Nufarm will replace, free of charge, any product which is found to have a manufacturing defect. To the extent permitted by law, all other warranties, guarantees, representations and conditions, whether expressed or implied by law, trade, custom or otherwise are expressly excluded. When you use this product, you agree that neither Nufarm Limited nor any manufacturer of any component of the product will be liable for any damage, injury or loss including consequential loss which arises in any way from the storage, handling, or use of the product. This exclusion of liability includes loss caused by negligent acts or omissions of Nufarm Limited or any supplier or manufacturer of the product or any of their employees and agents

Marketed by: Nufarm Limited, 6 Manu Street, Otahuhu, Auckland, NZ Telephone: 09 270 4157, www.nufarm.co.nz. Nufarm Emergency Phonelink: 0800 651 911 toll free 24 hours.

Batch No.: D O M:

l≾ HAZARD CLASS UN No. PROPER SHIPPING NAME
ENVIRONMENTALLY HAZARDOUS
SUBSTANCE, LIQUID, N.O.S.
(polyether-modified polysiloxane 1020g/L)

GROUP

HAZCHEM PACKING

### HAZARD CLASSIFICATION: 6.1D, 6.3A, 6.4A, 9.1B,

This product must not be used for any purpose or in any manner, contrary to this label unless authorised under

appropriate legislation. TOXICITY: Harmful - may be harmful if swallowed inhaled or absorbed through the skin. May cause skin and eve irritation.

STORAGE: Store in original container

tightly closed and in a dry, cool, area

HANDLING PRECAUTIONS

FIRST AID If swallowed do NOT induce vomiting. For advice, contact the National

Poisons Centre 0800 POISON (0800 764 766) or a doctor immediately. If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water. If splashed in eyes, wash out immediately with water.

SPILLAGE

Wear appropriate protective clothing and prevent material from entering

**FRFFWAY®** 

waterways. Absorb spills with inert material, Dispose of waste safely.

DIRECTIONS FOR USE WITH RETAIN

Read and follow all directions and precautions on the ReTain label. Use 50ml Freeway per 100 litres on Gala, Royal Gala, Jazz, Envy and related varieties including all crosses and sports. Use 50-100ml Freeway per 100 litres water on other apple varieties. Use the lower rate in hot.

away from foodstuffs. Stores containing 1000 litres require secondary containment and signage and more than dry growing seasons where the surfactant and other products such as 1000 litres require emergency response calcium may persist longer on the fruit. On new apple varieties only a small area should be sprayed over a number of seasons to determine the PERSONAL PROTECTION: Avoid skin

product.

and eve contact and inhalation of spray mist. When using wear eve protective clothing such as googles or face shield. NOTE: Fruit Spotting Risk: Due to factors such as but not limited to impervious gloves, overalls and boots. Remove protective clothing and wash hands and face thoroughly before meals

EQUIPMENT: Apply using well maintained

and accurately calibrated equipment. DISPOSAL: Triple rinse empty container and add rinsate to the spray tank. Recycle empty container. Otherwise crush and bury in a suitable landfill. Dispose of product only by using according to the label or at an approved landfill.

and after work

suitability of ReTain and surfactant on that variety. Reduced surfactant rate will marginally reduce the performance of ReTain. Do not use more than 100ml/100 litres water.

calcium use, sunburn, variety and climatic conditions (eg high humidity and low rainfall) the use of Freeway may in some circumstances increase the risk of fruit spotting. Higher surfactant rates and increasing use of calcium, especially during periods on warm dry weather when calcium sprays are not washed off, can increase this risk. Growers must determine their own risk of fruit spotting and accept responsibility for any spotting as a result of the decision to spray. To minimise foaming, add Freeway to the tank last when it is nearly full of water. Do not apply ReTain/Freeway mixture in late afternoon if the

fruit is still warm. Do not apply with any other product. Allow 24 hours

## between the application of ReTain/Freeway and any other agricultural 12-15/PS/A01749-11 NZ2.2