

# ECOTOXIC

KEEP OUT OF REACH OF CHILDREN

# DIMILIN<sup>®</sup>

## 2L

Active Ingredient: 240g/litre diflubenzuron  
in the form of a suspension concentrate.

An insect growth regulator which disrupts chitin  
deposition and prevents moulting of porina caterpillar,  
clover flea of pasture and sciarid fly of mushrooms.



AGRECOVERY

[www.agrecovery.co.nz](http://www.agrecovery.co.nz)



9 414614 350214

Net: 500ml

04-17/EP/03502-500mlNZ1.2



Nufarm

Grow a better tomorrow.

**HAZARD CLASSIFICATION:** 6.4A, 6.9B, 9.1A

This product must not be used for any purpose, or in any manner, contrary to this label unless authorised under appropriate legislation.

**TOXICITY**

- Harmful – may cause eye irritation. May cause damage to the blood system from repeated oral exposure at high doses.

**ECOTOXIC**

- Very toxic to aquatic organisms. Avoid contamination of any water supply with product or empty container.

**HANDLING PRECAUTIONS****STORAGE**

- Keep out of reach of children. Store in original container, tightly closed, in a locked, cool, dry place away from foodstuffs. Store in accordance with NZS 8409 Management of Agrichemicals.
- Stores containing 100L of Dimilin 2L require signage and secondary containment, and more than 100L require emergency response plans.

**PERSONAL PROTECTION**

- Avoid skin and eye contact, and inhalation of spray mist. When mixing or applying wear eye protection, impervious gloves, boots and overalls. Do not eat, drink or smoke while using. Remove protective clothing and wash hands and exposed skin before meals and after work.

**EQUIPMENT**

- Apply using well-maintained spray equipment. Calibrate equipment to give the desired application rate and full coverage.

**DISPOSAL**

- Triple rinse empty container and add rinsate to the spray tank. Recycle empty container. Otherwise crush and bury in a suitable landfill.
- Dispose of product only by using according to the label or at an appropriate landfill.

**First Aid:** If swallowed do NOT induce vomiting. For advice, contact the National Poisons Centre 0800 POISON (0800 764 766) or a doctor immediately. If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water. If splashed in eyes, wash out immediately with water.

Registered pursuant to the ACVM Act 1997, No. P7723.

See [www.foodsafety.govt.nz](http://www.foodsafety.govt.nz) for registration conditions.

Marketed by:

Nufarm Limited

6 Manu St., Otahuhu

Auckland, New Zealand

[www.nufarm.co.nz](http://www.nufarm.co.nz)

Telephone 0-9-270 4157

Nufarm emergency phonenumber: 0800-651 911 toll free 24 hours

Batch No:

D.O.M:

**PROPER SHIPPING NAME**

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Diflubenzuron 24%)

**HAZARD CLASS**

9

**UN NO.**

3082

**HAZCHEM**

2X

**PACKING GROUP**

III

**Spillage:** Wear appropriate protective clothing and prevent material from entering waterways. Contain liquid spills and absorb with inert material. Dispose of waste safely.

**Transport:** Do not carry more than 1L of Dimilin 2L on a passenger service vehicle.

**Record Keeping:** Records of use as described in NZS 8409 Management of Agrichemicals must be kept if 3L or more of Dimilin 2L is applied within 24 hours.

**Mixing:** Shake container thoroughly before use. Partially fill the spray tank with water, and while filling wash the correct amount of Dimilin 2L through the "filler screen" of the spray tank. Keep agitated during use. Agitate thoroughly after a stoppage and before recommencing spraying.

**Compatibility:** Dimilin 2L is compatible with most commonly used insecticides, herbicides and fungicides.

**Directions for Use:**

**PASTURE**

**Porina caterpillar:** Apply 50ml/ha. Applications should be directed against late surface or early tunnelling stages, ideally before the caterpillars have grown to 20-25mm long. Where peak moth flights occur during October-November, tunnels can be found in January-February. When flights occur in January-March, tunnels appear between May-July. Sprays should be applied to short, dry, fresh pasture, preferably following rain.

**Clover flea:** Apply 50ml/ha at first signs of the pest. Applications are most effective when applied in April to early May when nymphs emerge from resting eggs, to reduce the reproductive opportunity of subsequent generations in winter.

**MUSHROOMS**

**Sciariid flies:**

- (1) For incorporation into compost:** Apply 40ml per cubic metre. Thorough mixing of the compost is essential.
- (2) As a drench:** Apply immediately after casing at a rate of 4ml Dimilin 2L in 2.5 litres of water per square metre.

**WITHHOLDING PERIOD:** Pasture: 7 days

**It is an offence for users of this product to cause residues exceeding the relevant MRL in the Food Notice: Maximum Residue Levels for Agricultural Compounds.**

**It is an offence to use this product on animals.**

Approved pursuant to the HSNO Act 1996, Approval Code HSR000953 See [www.epa.govt.nz](http://www.epa.govt.nz) for approval controls.

**CONDITIONS OF SALE:**

**CAUTION: READ THIS NOTICE BEFORE OPENING THE CONTAINER**

If you open this container you will be deemed to have accepted the conditions below.

The results from use of this product may be affected by factors beyond Nufarm's control, including mixing, use, climatic conditions, time of application, crop or crop stage and the possible development of resistance to the active ingredient, even though the product is reasonably fit for the purposes stated in this label, and even though label directions are followed. Nufarm will replace, free of charge, any product which is found to have a manufacturing defect. To the extent permitted by law, all other warranties, guarantees, representations and conditions, whether expressed or implied by law, trade, custom or otherwise are expressly excluded.

When you use this product, you agree that neither Nufarm Limited nor any manufacturer of any component of the product will be liable for any damage, injury or loss including consequential loss which arises in any way from the storage, handling, or use of the product. This exclusion of liability includes loss caused by negligent acts or omissions of Nufarm Limited or any supplier or manufacturer of the product or any of their employees and agents.

\*Dimilin is a registered trademark of Chemtura Corporation.

# **DIMILIN**

**2L**

## **HAZARD CLASSIFICATION: 6.4A, 6.9B, 9.1A**

This product must not be used for any purpose, or in any manner, contrary to this label unless authorised under appropriate legislation.

## **TOXICITY**

- Harmful – may cause eye irritation. May cause damage to the blood system from repeated oral exposure at high doses.

## **ECOTOXIC**

- Very toxic to aquatic organisms. Avoid contamination of any water supply with product or empty container.

## **HANDLING PRECAUTIONS**

### **STORAGE**

- Keep out of reach of children. Store in original container, tightly closed, in a locked, cool, dry place away from foodstuffs. Store in accordance with NZS 8409 Management of Agrichemicals.
- Stores containing 100L of Dimilin 2L require signage and secondary containment, and more than 100L require emergency response plans.

### **PERSONAL PROTECTION**

- Avoid skin and eye contact, and inhalation of spray mist. When mixing or applying wear eye protection, impervious gloves, boots and overalls. Do not eat, drink or smoke while using. Remove protective clothing and wash hands and exposed skin before meals and after work.

### **EQUIPMENT**

- Apply using well-maintained spray equipment. Calibrate equipment to give the desired application rate and full coverage.

### **DISPOSAL**

- Triple rinse empty container and add rinsate to the spray tank. Recycle empty container. Otherwise crush and bury in a suitable landfill.
- Dispose of product only by using according to the label or at an appropriate landfill.

**First Aid:** If swallowed do NOT induce vomiting. For advice, contact the National Poisons Centre 0800 POISON (0800 764 766) or a doctor immediately. If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water. If splashed in eyes, wash out immediately with water.

Registered pursuant to the ACVM Act 1997, No. P7723  
See [www.foodsafety.govt.nz](http://www.foodsafety.govt.nz) for registration conditions.

Marketed by: Nufarm Limited  
6 Manu St., Otahuhu, Auckland, New Zealand  
Telephone 0-9-270 4157

Nufarm emergency phonenumber:

0800-651 911 toll free 24 hours

04-17/EP/03502-500mINZ2.2