

WARNING – COMBUSTIBLE LIQUID

HARMFUL • ECOTOXIC

Keep out of reach of children

CORASIL™

Active Ingredient: 25g/litre dichlorprop-p as the 2 ethyl hexyl ester in the form of an emulsifiable concentrate.

**A plant growth regulator for the improvement of fruit size
in oranges and mandarins.**



Net: 5 Litres

L60540610



HAZARD CLASSIFICATION: 3.1D, 6.1E, 6.3B, 6.4A, 6.5B, 6.9B, 9.1B, 9.2A

This product must not be used for any purpose, or in any manner, contrary to this label unless authorised under appropriate legislation.

FLAMMABLE

- Warning – combustible liquid. Keep away from sources of ignition.

TOXICITY

- Harmful – may be harmful if swallowed, inhaled, or absorbed through the skin. May cause eye or skin irritation or sensitisation from prolonged skin contact. May cause damage to the blood system from repeated oral exposure at high doses.

ECOTOXIC

- Toxic to aquatic organisms with long-lasting effects. Corasil must not be applied into or onto water.
- Very toxic to the soil environment. Sensitive plants may be damaged or killed by foliar or root uptake of this product. Beware: Apply this product carefully. Spray drift may cause serious damage to desirable plants. Do not allow drift to occur outside the target area.

HANDLING PRECAUTIONS**STORAGE**

- Do not store near heat or flame. Store in original container tightly closed and in a locked, dry, cool area away from foodstuffs, seeds and fertilizers. Store in accordance with NZS 8409 Management of Agrichemicals. Do not store with Class 1, 2, 3, 2, 4, or 5 substances.
- Stores containing 100 litres of Corasil require signage and secondary containment and more than 100 litres require emergency response plans.
- Stores containing more than 500 litres of Corasil require 2 fire extinguishers.

PERSONAL PROTECTION

- Avoid contact with skin or eyes and inhalation of spray mist. When handling wear eye protection, waterproof gloves, overalls and boots. Do not eat, drink or smoke while using. Wash hands and exposed skin before meals and after work.

EQUIPMENT

- Apply using well maintained and accurately calibrated equipment. Equipment that has been used to apply Corasil must be thoroughly decontaminated before it is used to apply other products to sensitive crops.

DISPOSAL

- Triple rinse empty container and add rinsate to the spray tank. Recycle empty container, otherwise crush and bury in a suitable landfill.
- Dispose of product only by using according to the label, or at an approved landfill.

First Aid: If swallowed do not induce vomiting. For advice contact the National Poisons Centre 0800 POISON (0800 764 766) or a doctor immediately. If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water. If splashed in eyes, wash out immediately with water.

Spillage: Wear appropriate clothing. Extinguish all ignition sources, exclude all bystanders from the vicinity of the spill, and prevent material from entering waterways or coming into contact with Class 1, 2, 3, 2, 4, or 5 substances. Absorb spills with inert material. Wash area with water and detergent and absorb with further inert material. Dispose of waste safely in an approved landfill.

™Corasil is a trademark of Nufarm Australia Limited

Registered pursuant to the ACVM Act 1997, No. P8075
See www.nzfsa.govt.nz/acvm for registration conditions.


Approved pursuant to HSN0 Act 1996, Approval Code HSR008027
See www.ermanz.govt.nz for approval controls.

Batch No:

D.O.M:

Marketed by: Nufarm Limited
6 Manu Street, Otahuhu, Auckland, NZ
Telephone: 0-9-270 4157
Fax: 0-9-270 4159
www.nufarm.co.nz

Nufarm Emergency Phonenumber: 0800 651 911 toll free 24 hours



PROPER SHIPPING NAME	HAZARD CLASS	UN No.	HAZCHEM	PACKING GROUP
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (dichloroprop-p 2.5%)	9	3082	2X	III

CORASIL™

Transport: Do not carry this product on a passenger service vehicle.

Record Keeping: Records of use as described in NZS 8409 Management of Agrichemicals must be kept if 3 litres or more of Corasil is used within 24 hours.

Compatibility & Mixing: Do not tank mix other crop protection products or fertilizers with Corasil. With the agitator operating add the correct amount of Corasil to clean water in the half filled spray tank. Continue agitation while adding the remainder of the water. Add the non-ionic surfactant last to avoid foaming.

Sprayer Decontamination: After thoroughly washing the tank and flushing the system with clean water, wash out the tank, pump, spray lines and nozzles with 1% ammonia solution, followed by several clean water rinses.

Shelf Life: When stored appropriately this product should show no significant degradation for 2 years from the date of manufacture. Contact your supplier for further information about the use of any product that is older than this.

GENERAL INFORMATION

The active ingredient in Corasil, dichlorprop-p, is an auxin based plant growth regulator that stimulates cell growth and increases fruit size. Additional benefits such as improved rind colour, higher juice content, increased stem strength and an earlier, more even harvest may also result.

DIRECTIONS FOR USE:

Corasil should be applied to fruitlets in the recommended size range towards the end of natural fruit drop. Treatments in the earlier part of the application window are generally more effective than later applications. Do not apply more than one application per year.

Apply Corasil alone in a medium to coarse quality spray. Apply to the point of runoff and ensure thorough coverage of the fruit and foliage. Use 2500-3000 litres water per hectare for trees approximately 4 meters high. The use of a non-ionic surfactant is recommended. Results are better when warm weather (+18°C) occurs during and following spraying. Do not apply to trees under stress.

CROP	Rate / 100L	Timing
Mandarins	100-200ml	Fruitlets 8-20mm. Use the low rate only at early timings. Do not apply when mature fruit from the previous season are still present on the tree.
Oranges	200ml	Fruitlets 12-30mm. Do not apply when mature fruit from the previous season are still present on the tree

Registered pursuant to the ACVM Act 1997, No. P8075

See www.nzfsa.govt.nz/acvm for registration conditions.

Approved pursuant to HSNO Act 1996, Approval Code HSR008027

See www.ermanz.govt.nz for approval controls.

™Corasil is a trademark of Nufarm Australia Limited

CONDITIONS OF SALE:

CAUTION: READ THIS NOTICE BEFORE OPENING THE CONTAINER

If you open this container you will be deemed to have accepted the conditions below.

The results from use of this product may be affected by factors beyond Nufarm's control, including mixing, use, climatic conditions, time of application, crop or crop stage and the possible development of resistance to the active ingredient, even though the product is reasonably fit for the purposes stated in this label, and even though label directions are followed. Nufarm will replace, free of charge, any product which is found to have a manufacturing defect. To the extent permitted by law, all other warranties, guarantees, representations and conditions, whether expressed or implied by law, trade, custom or otherwise are expressly excluded.

When you use this product, you agree that neither Nufarm Limited nor any manufacturer of any component of the product will be liable for any damage, injury or loss including consequential loss which arises in any way from the storage, handling, or use of the product. This exclusion of liability includes loss caused by negligent acts or omissions of Nufarm Limited or any supplier or manufacturer of the product or any of their employees and agents.