

**HARMFUL • CORROSIVE • ECOTOXIC**  
**Keep out of reach of children**

**Nufarm**

**TRIBAL™**  
**GOLD**



**Active Ingredients: 300g/litre MCPB, 20g/litre MCPA and 10g/litre flumetsulam as the dimethylamine salts in the form of a soluble concentrate**

Selective herbicide for controlling broadleaf weeds in new and established pastures.

**20 Litres**

01-17/PS/A0824-20LNZ1.2



Grow a better tomorrow.

# TRIBAL<sup>™</sup> GOLD

<p><b>HAZARD CLASSIFICATION</b> 6.1D, 6.3A, 6.5B, 6.8B, 6.9B, 8.3A, 9.1A, 9.2A, 9.3C</p> <p><b>APPROVED HANDLER</b> This product must be under the control of an approved handler during use.</p> <p>This product must not be used for any purpose, or in any manner, contrary to this label unless authorised under appropriate legislation.</p> <p><b>TOXICITY</b></p> <ul style="list-style-type: none"> <li>Harmful - may be harmful if swallowed, inhaled or absorbed through the skin. May cause skin irritation or sensitisation from prolonged skin contact. May cause liver damage from repeated oral exposure at high doses. May cause reproductive/development damage from repeated oral exposure.</li> </ul> <p><b>CORROSIVE</b></p> <ul style="list-style-type: none"> <li>Danger – this product is corrosive and may cause eye damage.</li> </ul> <p><b>ECOTOXIC</b></p> <ul style="list-style-type: none"> <li>Very toxic to aquatic organisms. Avoid contamination of any water supply with product or empty container.</li> <li>Selective herbicide – very toxic to some plant species.</li> </ul> <p><b>Beware: Apply this product carefully. Spray drift may cause serious damage to other desirable plants.</b> Ensure compliance with relevant regional air management plans.</p> <p>To minimise the risk of damage from drift of this product, especially where susceptible vegetation is within 0.5km, use low drift nozzles which minimise the production of small droplets (less than 100 microns). Maintain a water rate of at least 50 litres/ha for aerial spraying. Do not add additional wetter unless specified on the label. Preferred wind conditions for spraying are a light constant breeze away from any sensitive crop.</p> <ul style="list-style-type: none"> <li>Harmful to terrestrial vertebrates.</li> </ul> <p><b>HANDLING PRECAUTIONS</b></p> <p><b>STORAGE</b></p> <ul style="list-style-type: none"> <li>Store in original container tightly closed and in a locked, dry, cool area away from foodstuffs, seeds and fertilizers. Storage must be in accordance with NZS 8409 Management of Agrichemicals.</li> <li>Stores containing 100L of Tribal Gold require signage and secondary containment and more than 100L require emergency response plans.</li> </ul> <p><b>PERSONAL PROTECTION</b></p> <ul style="list-style-type: none"> <li>Avoid skin or eye contact and inhalation of spray mist. When handling wear eye protection, waterproof gloves, boots, hat and overalls. Do not eat, drink or smoke while using. Remove protective clothing and wash hands and face thoroughly before meals and after work.</li> </ul> <p><b>EQUIPMENT</b></p> <ul style="list-style-type: none"> <li>Apply with well-maintained and calibrated equipment.</li> </ul> <p><b>DISPOSAL</b></p> <ul style="list-style-type: none"> <li>Triple rinse empty container and add rinsate to spray tank. Recycle empty container, otherwise crush and bury in a suitable landfill.</li> <li>Dispose of product only by using according to the label, or at an appropriate landfill.</li> </ul>
--

**First Aid:** If swallowed do NOT induce vomiting. For advice contact the National Poisons Centre 0800 POISON (0800 764 766) or a doctor immediately. If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water. If splashed in eyes, flush with running water immediately. If inhaled move the victim to fresh air immediately. Begin artificial respiration if breathing has stopped.

**Spillage:** Wear appropriate protective clothing and prevent material from entering waterways. Contain liquid spills and absorb with inert material. Dispose of waste safely in an approved landfill.

**Transport:** Do not carry this product on a passenger service vehicle.

**Record Keeping:** Records of use, as described in NZS 8409 Management of Agrichemicals, must be kept if 3L or more is applied within 24 hours.

**Resistant weeds warning:** Tribal Gold contains two **GROUP 01 HERBICIDES** belonging to the phenoxy group of chemistry, with the disruption of plant cell growth mode of action. It also contains a

**GROUP B HERBICIDE** belonging to the triazolopyrimidine (sulfonamide) group of chemistry, with the inhibition of acetolactate synthase (ALS) mode of action. Naturally occurring biotypes resistant to phenoxy and sulfonamide herbicides are known to exist. Resistance to these herbicides could develop from excessive use. To minimise this risk use strictly in accordance with label instructions and resistance management strategies at [www.resistance.nzpps.org/](http://www.resistance.nzpps.org/)

**Mixing:** Pour the measured quantity of Tribal Gold into the partially filled spray tank and with the agitator running top up with the remainder of the water. Maintain agitation during spraying.

**Tank Cleaning:** Flush spray equipment thoroughly with clean water after use. Decontaminate equipment before using it to spray plants which are sensitive to phenoxy herbicides.

**Decontamination:** After thoroughly washing the tank and flushing the system with clean water, quarter fill the tank, add 500g/100 litres water of an alkali detergent and circulate throughout the system for 15 minutes. Drain the system. Remove filters and nozzles and clean them separately. Then flush the system with clean water and drain.

## GENERAL INFORMATION

It is an offence for users of this product to cause residues exceeding the relevant MRL in the Food Notice: Maximum Residue Levels for Agricultural Compounds.

Tribal Gold is slow acting and may take several weeks to effect control. Treat small seedling or early rosette stage actively growing weeds. Use the lower rate on seedling weeds in new pasture and the higher rate where weeds are more advanced. Ensure complete spray coverage for best results.

Do not spray weeds under stress (drought, water logging etc.), or if rainfall is expected within 2 hours of application.

Poisonous plants (e.g. ragwort, giant buttercup or black nightshade) may become more palatable after spraying and stock should be kept away from the area until plants have died down.

## WEEDS CONTROLLED:

Weed	Rate/Ha	Notes
Chickweed, cleavers, fathen, fleabane, hedge mustard, mallow, plantain, redroot, shepherd's purse, spurrey, wild radish	4L	Controlled as seedlings
Annual buttercup, creeping yellow cress, Scotch thistle, yellow gromwell	4L	Apply before flowering
Black nightshade, giant buttercup, twin cress	4-5L	Controlled as seedlings. Useful suppression of older stages.
Thistles - nodding, winged, variegated	5L	Controlled as seedlings. Useful suppression of older stages.
Californian thistle	5L	Treat at flower bud stage before flowers open.
Cornbind, docks, nettles, sorrel, sow thistle, stinking mayweed, storkbill, wild turnip, willow weed, wire weed	5L	Controlled only as seedlings.
Tribal pansy, henbit, oxeeye daisy	5L	Apply to young seedlings, suppression only

## DIRECTIONS FOR USE:

Crop	Rate/Ha	Notes
Pasture	4-5L in 200 litres water	Apply when clover has at least 2 true trifoliolate leaves, and weeds are still at the seedling stage. <b>Always add Bonza® at 500ml/100 litres water.</b> Some short term clover suppression may occur.

**Withholding Period:** Do not graze treated pasture for 14 days after treatment.

**Crop Rotation:** Do not plant susceptible crops until three months after the application of Tribal Gold. Susceptible crops include, but are not limited to, all brassica species, sunflowers, lupins and beans.

Bonza® is registered trademark of Nufarm Limited  
Tribal® Gold is a registered trademark of Nufarm Limited.

Registered pursuant to the ACVM Act 1997, No. P8965  
See [www.foodsafety.govt.nz](http://www.foodsafety.govt.nz) for registration conditions

Approved pursuant to the HSN0 Act 1996, Approval Code HSR100906.

See [www.epa.govt.nz](http://www.epa.govt.nz) for approval controls.

## CONDITIONS OF SALE:

### CAUTION: READ THIS NOTICE BEFORE OPENING THE CONTAINER

**If you open this container you will be deemed to have accepted the conditions below.**

The results from use of this product may be affected by factors beyond Nufarm's control, including mixing, use, climatic conditions, time of application, crop or crop stage and the possible development of resistance to the active ingredient, even though the product is reasonably fit for the purposes stated in this label, and even though label directions are followed. Nufarm will replace, free of charge, any product which is found to have a manufacturing defect. To the extent permitted by law, all other warranties, guarantees, representations and conditions, whether expressed or implied by law, trade, custom or otherwise are expressly excluded.

When you use this product, you agree that neither Nufarm Limited nor any manufacturer of any component of the product will be liable for any damage, injury or loss including consequential loss which arises in any way from the storage, handling, or use of the product. This exclusion of liability includes loss caused by negligent acts or omissions of Nufarm Limited or any supplier or manufacturer of the product or any of their employees and agents.

PROPER SHIPPING NAME	HAZARD CLASS	UN No.	HAZCHEM	PACKING GROUP
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (MCPB 30%, MCPA 2%)	9	3082	2X	III

## Marketed by:

Nufarm Limited  
6 Manu Street, Otahuhu  
Auckland, NZ  
Telephone 0-9-270 4157  
[www.nufarm.co.nz](http://www.nufarm.co.nz)

DOM:

Batch No.:

Nufarm emergency phonenumber: 0800-651 911 toll free 24 hours