WARNING

KEEP OUT OF REACH OF CHILDREN. READ LABEL BEFORE USE.

SELCOTE ULTRA

SELENIUM GRANULES

HIGH PERFORMANCE SLOW RELEASE FORMULA

To correct livestock selenium deficiency. Apply to pasture or fodder crops.

SCAN ME



Active ingredient: 10g/kg selenium as sodium and barium selenate (90% minimum) and sodium and barium selenite (10% maximum).





Selcote Ultra Version: 28 January 2025 Page 1

SELCOTE ULTRA Selenium Granules

GHS CLASSIFICATION



Acute oral toxicity Category 4, Acute dermal toxicity Category 4, Acute inhalation toxicity Category 4, Germ cell mutagenicity Category 2, Specific target organ toxicity (repeated exposure) Category 2. Hazardous to soil organisms, Hazardous to terrestrial vertebrates,

Hazardous to the aquatic environment chronic Category 3.

This product must not be used for any purpose, or in any manner contrary to this label unless authorised under appropriate legislation.

WARNING

- Harmful if swallowed, in contact with skin or inhaled. Suspected of causing genetic defects. May cause damage to organs through prolonged or repeated exposure.
- Harmful to aquatic life with long lasting effects. Avoid contamination of any water supply with product
 or empty container. Do not apply directly into or onto water. Take all reasonable steps to ensure that
 the substance does not cause any significant adverse effects to the environment beyond the
 application area.
- Harmful to the soil environment.
- Harmful to terrestrial vertebrates.

HANDLING PRECAUTIONS

Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required.

STORAGE

- Store in original container tightly closed in a locked, dry, cool area away from foodstuffs. Store in accordance with NZS8409 Management of Agrichemicals.
- Stores containing more than 1000kg require emergency response plans, secondary containment and signage.

PERSONAL PROTECTION

- Use only outdoors or in a well-ventilated area.
- Avoid contact with skin and eyes and do not breathe dust.
- Wear protective clothing such as impervious gloves, overalls and boots when using.
- Do not eat drink or smoke while using the product.
- Remove protective clothing and wash hands and face thoroughly before meals and after work. Wash protective clothing daily after work.

EQUIPMENT

Apply using well maintained and accurately calibrated equipment.

DISPOSAL

- Ensure container is completely empty. Burn in an appropriate incinerator if circumstances such as wind direction permit. Otherwise crush and bury in a suitable landfill.
- Dispose of product only by using according to the label, or at an approved treatment facility.

First Aid: If medical advice is needed, have product container or label at hand.

IF SWALLOWED: Call the National Poisons Centre 0800 POISON (0800 764 766) or a doctor if you feel unwell. Rinse mouth. **IF ON SKIN:** wash with plenty of soap and water. Wash contaminated clothing before re-use. **IN INHALED:** Remove to fresh air and keep at rest in a position comfortable for breathing. IF exposed or concerned or if you feel unwell: call the National Poisons Centre 0800 POISON (0800 764 766) or a doctor. Get medical advice if you fee unwell. For advice contact the National Poisons Centre 0800 POISON (0800 764 766) or a doctor.

SPILLAGE:

Wear appropriate protective clothing and prevent material from entering waterways. Sweep up solids without creating dust. Wash area with water and absorb with inert material. Dispose of waste safely in an approved landfill.

TRANSPORT:

Do not carry this product on a passenger service vehicle.

DIRECTIONS FOR USE

Do not administer directly to animals and do not graze animals during application.

FOR PASTURE / FODDER CROPS

Use 0.5kg/ha every year, or 1kg/ha every 2 years, either direct or with granular fertiliser. This provides 12 months selenium supplementation for all grazing livestock (*except dairy animals) and 24 months supplementation when applied at 1kg/ha.

*Dairy: for intensive dairy pasture situations apply at 1kg/ha every year.

Apply during active pasture growth (spring, autumn).

Uniform coverage is advisable.

TO SUPPLEMENT SELENIUM IN WHEAT GRAINS

For both autumn and spring sown crops broadcast 500g – 1kg/ha Selcote Ultra at stem elongation (GS31).

Selcote Ultra can be mixed and applied with urea.

Alternatively for spring sown wheat apply 1kg/ha Selcote Ultra with the base fertiliser at sowing.

Approved pursuant to the HSNO Act 1996, Approval Code HSR002521 See www.epa.govt.nz for approval controls.

[®] Selcote is a registered trademark of Nufarm Technologies USA Pty Ltd.

Selcote Ultra Version: 28 January 2025 Page 3

CONDITIONS OF SALE: CAUTION: READ THIS NOTICE BEFORE OPENING THE CONTAINER

If you open this container you will be deemed to have accepted the conditions below.

The results from use of this product may be affected by factors beyond Nufarm's control, including mixing, use, climatic conditions, time of application, crop or crop stage even though the product is reasonably fit for the purposes stated in this label, and even though label directions are followed. Nufarm will replace, free of charge, any product which is found to have a manufacturing defect. To the extent permitted by law, all other warranties, guarantees, representations and conditions, whether expressed or implied by law, trade, custom or otherwise are expressly excluded.

When you use this product, you agree that neither Nufarm Limited nor any manufacturer of any component of the product will be liable for any damage, injury or loss including consequential loss which arises in any way from the storage, handling, or use of the product. This exclusion of liability includes loss caused by negligent acts or omissions of Nufarm Limited or any supplier or manufacturer of the product or any of their employees and agents.

NZ Patent No: 214840

Marketed by:

Nufarm Limited
Central Park,
Building 3, Level 4,
666 Great South Road,
Ellerslie,
Auckland, 1051 NZ
Telephone 09 270 4157
www.nufarm.co.nz

Nufarm Emergency Phonelink: 0800 651 911 toll free 24 hours