

<b>HAZARD CLASSIFICATION</b> 6.1D, 6.3B, 6.4A, 6.5B, 6.9B, 9.1A, 9.2A, 9.3C	
<b>APPROVED HANDLER</b> This product must be under the control of an approved handler during use. This product must not be used for any purpose, or in any manner, contrary to this label unless authorised under appropriate legislation.	
<b>TOXICITY</b>	• Warning - this substance may be harmful if swallowed, inhaled or absorbed through the skin. May cause kidney or liver damage from repeated oral exposure at high doses. May cause eye irritation or mild skin irritation or sensitisation from prolonged skin contact. Avoid contact with skin and eyes.
<b>ECOTOXIC</b>	• Very toxic to aquatic organisms. Avoid contamination of any water supply with product or empty container. • <b>SELECTIVE HERBICIDE</b> - very toxic to some plant species. Certain plants may be damaged or killed from root uptake of this product. Do not allow drift outside the target area.
<b>HANDLING PRECAUTIONS</b>	
<b>STORAGE</b>	• Store in original container, tightly closed and in a locked, dry, cool, area away from foodstuffs. Store in accordance with NZS 8409 Management of Agrichemicals. • Stores containing 100 litres of Roustabout require secondary containment and signage, and more than 100 litres require emergency response plans.
<b>PERSONAL PROTECTION</b>	• When mixing or applying wear eye protection, waterproof gloves, boots and overalls. Do not eat, drink or smoke while using. Remove protective clothing and wash hands and face thoroughly before meals and after work.
<b>EQUIPMENT</b>	• Apply using well maintained spray equipment that is accurately calibrated to apply up to 300 litres of water/ha. Water rates of less than 50 litres/ha are not recommended. Avoid spray overlap e.g. corners. • Clean equipment thoroughly after use.
<b>DISPOSAL</b>	• Triple rinse empty container and add rinsate to spray tank. Recycle empty container, otherwise crush and bury in a suitable landfill. • Dispose of product only by using according to the label, or at an approved landfill.

FOR POSITION ONLY

94 14853 000161

# HARMFUL - ECOTOXIC

Keep out of reach of children.


# Roustabout®

**For selective pre-emergence weed control of annual grasses and many broadleaf weeds in maize and sweetcorn.**

Active ingredient: 840 g/litre acetochlor in the form of an emulsifiable concentrate. Also contains 2-3% 3-(dichloroacetyl)-5-(2-furanyl)-2,2-dimethylloxazolidine.

**AGRECOVERY**

Net contents **10 litres**



## UN 3082

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., (acetochlor), Class 9, PG III, HAZCHEM 2X

SHELF LIFE: When stored appropriately this product should show no significant degradation for 2 years from the date of manufacture. Contact your supplier for further information about the use of any product that is older than this.

### CONDITIONS OF SALE

**CAUTION: READ THIS NOTICE BEFORE OPENING THE CONTAINER.**

If you open this container you will be deemed to have accepted the conditions below.

The results from use of this product may be affected by factors beyond Nufarm's control, including mixing, use, climatic conditions, time of application, crop or crop stage and the possible development of resistance to the active ingredient, even though the product is reasonably fit for the purposes stated in this label, and even though label directions are followed. Nufarm will replace, free of charge, any product which is found to have a manufacturing defect. To the extent permitted by law, all other warranties, guarantees, representations and conditions, whether expressed or implied by law, trade, custom or otherwise are expressly excluded. When you use this product, you agree that neither Nufarm Limited nor any manufacturer of any component of the product will be liable for any damage, injury or loss including consequential loss which arises in any way from the storage, handling, or use of the product. This exclusion of liability includes loss caused by negligent acts or omissions of Nufarm Limited or any supplier or manufacturer of the product or any of their employees and agents.

**Emergency Phonenumber**  
For 24-hour specialist emergency advice call freephone  
**0800 651 911**

Registered pursuant to the ACVM Act 1997, No. P4288. See [www.nzfsa.govt.nz/acvm/](http://www.nzfsa.govt.nz/acvm/) for registration conditions. Approved pursuant to the HSNO Act 1996, Approval Code HSR000385. See [www.ermanz.govt.nz](http://www.ermanz.govt.nz) for approval controls.

Read the entire label and Conditions of Sale before buying or using.

Marketed by:  
**Nufarm Limited**

6 Manu Street, Otahuhu, Auckland, New Zealand  
[www.nufarm.co.nz](http://www.nufarm.co.nz)  
Telephone 0-9-270 4157 Fax 0-9-270 4159

©Roustabout is a registered trademark of Nufarm Limited.  
©Kamba is a registered trademark of Nufarm Australia Limited.

™Nu-Trazine is a trademark of Nufarm Limited.  
L82060409

**Controls the following weeds:**

- Annual poa (*Poa annua*)
- Summer grass (*Digitaria sp.*)
- Smooth witchgrass (*Panicum dichotomiflorum*)
- Redroot (*Amaranthus retroflexus*)
- Barnyard grass (*Echinochloa crus-galli*)
- Black nightshade (*Solanum nigrum*)
- Broadleaf dock (*Rumex sp.*)
- Roustabout will suppress fathen (*Chenopodium album*) and willow weed (*Polygonum persicaria*)
- Perennial weeds are not controlled by Roustabout.

**FIRST AID**  
If swallowed do NOT induce vomiting. For advice, contact the National Poisons Centre 0800 POISON (0800 764 766) or a doctor immediately. If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water. If splashed in eyes, wash out immediately with water.

**DIRECTIONS FOR USE**  
Apply 2.5-3.0 litres/ha immediately after sowing and prior to crop and weed emergence. Use the higher rate on soils high in clay or organic matter content.  
For best results apply Roustabout within seven days of last cultivation. The soil surface should be firm and free of trash and clods.  
Under very dry conditions a preplant soil incorporated application may be beneficial.  
Paddocks that have high fathen and willow weed populations may require a follow-up treatment of Kamba®, Nu-Trazine™ 900DF or Flowable Atrazine.  
When Roustabout is used on raw peat, it is recommended that the soil is cultivated prior to establishing pasture following harvest of crop.

**SPILLAGE**  
Wear appropriate protective clothing and prevent material from entering waterways.  
Absorb spills with inert material and place in waste containers. Wash area with water and detergent and absorb with further inert material. Dispose of waste safely in an approved landfill.

**TRANSPORT**  
Do not carry this product on a passenger service vehicle.

**RECORD KEEPING**  
Records of use as described in NZS 8409 Management of Agrichemicals must be kept if using 3 litres or more of Roustabout within 24 hours.

**COMPATIBILITY AND MIXING**  
Roustabout is compatible with Nu-Trazine™ 900DF and Flowable Atrazine. Half fill the spray tank and with the agitator operating add the required amount of atrazine and ensure complete dispersion. Then add Roustabout and continue agitation while filling and using.

36007H8-1