

# HARMFUL • ECOTOXIC

KEEP OUT OF REACH OF CHILDREN



AGRECOVERY

[www.agrecovery.co.nz](http://www.agrecovery.co.nz)



05-18/PS/A1158-5LNZ1.2

Active Ingredient: 350g/litre imidacloprid in the form of a suspension concentrate.

**A systemic insecticide for the control of aphids in vegetable brassica and lettuce transplants and thrips on onions and mealy bugs on non-bearing grapevines or vines destined for removal.**

**Net: 5 Litres**



**Nufarm**

Grow a better tomorrow.

**READ ENTIRE BOOKLET BEFORE USING****HAZARD CLASSIFICATION: 6.1D, 6.9B, 9.1A, 9.2A, 9.3A, 9.4A****APPROVED HANDLER:**

This product must be under the control of an approved handler when it is applied in a wide dispersive manner or used by a commercial contractor. This product must not be used for any purpose, or in any manner, contrary to this label unless authorised under appropriate legislation.

**TOXICITY**

• Harmful – may be harmful if swallowed, inhaled or absorbed through the skin. May cause liver damage from repeated oral exposure at high doses.

**ECOTOXIC**

- Very toxic to aquatic organisms with long lasting effects. Avoid contamination of any water supply with product or empty container.
- Very toxic to the soil environment.
- Very toxic to terrestrial vertebrates and terrestrial invertebrates.
- Spray must not be applied to plants in flower if they are likely to be visited by bees.

**HANDLING PRECAUTIONS****STORAGE**

- Store in original container tightly closed and in a locked, dry, cool area away from foodstuffs. Store in accordance with NZS 8409 Management of Agrichemicals.
- Stores containing 100 litres of Nuprid 350SC require secondary containment and signage, and more than 100 litres require emergency response plans.

**PERSONAL PROTECTION**

- Avoid contact with skin or eyes and inhalation of spray mist.
- When handling wear impervious gloves, appropriate eye protection, boots and overalls. Do not eat, drink or smoke while using. Remove protective clothing and wash hands and face thoroughly before meals and after work.

**EQUIPMENT**

- Apply using well maintained and accurately calibrated equipment.

**DISPOSAL**

- Triple rinse empty container and add rinsate to the spray tank. Recycle empty container. Otherwise crush and bury in a suitable landfill.
- Dispose of product only by using according to the label, or at an approved landfill.

**First Aid:** If swallowed do NOT induce vomiting. For advice contact the National Poisons Centre 0800 POISON (0800 764 766) or a doctor immediately. If hair or skin contact occurs, remove contaminated clothing and flush skin and hair with running water. If splashed in eyes, wash out immediately with water. Obtain medical attention. If inhaled move victim to fresh air immediately. Begin artificial respiration if breathing has stopped.

**Spillage:** Wear appropriate protective clothing and prevent material from entering waterways. Contain liquid spills and absorb with inert material. Wash area with water and absorb with further inert material. Dispose of waste safely in a suitable landfill.

Registered pursuant to the ACVM Act 1997, No. P7477.

See [www.foodsafety.govt.nz](http://www.foodsafety.govt.nz) for registration conditions.

Approved pursuant to the HSNO Act 1996, Approval Code HSR002691.

See [www.epa.govt.nz](http://www.epa.govt.nz) for approval controls.

Marketed by: Nufarm Limited

6 Manu Street, Otahuhu, Auckland, NZ


Telephone: 0-9-270 4157

[www.nufarm.co.nz](http://www.nufarm.co.nz)

Nufarm Emergency Phonenumber: 0800 651 911 toll free 24 hours

Batch No:

D.O.M:



PROPER SHIPPING NAME	HAZARD CLASS	UN No.	HAZCHEM	PACKING GROUP
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (imidacloprid 35%)	9	3082	2X	III

# Nuprid® 350SC

**Transport:** Do not carry more than 10 litres of Nuprid 350SC on a passenger service vehicle.

**Record Keeping:** Records of use as described in NZS 8409 Management of Agrichemicals must be kept if 3 litres or more of Nuprid 350SC is used within 24 hours.

**Mixing:** Shake container thoroughly before use. Half fill the spray tank with water and while agitating, add the correct amount of Nuprid 350SC. Complete filling the tank. Keep agitated during use and agitate thoroughly after a stoppage before recommencing spraying.

**Resistance Management:** Nuprid 350SC contains a **GROUP 4A HERBICIDE** and belongs to the neonicotinoid group of chemicals. Resistance to this insecticide could develop from excessive use. To minimise the risk use strictly in accordance with label instructions and resistance management strategies ([www.nzpdp.org/resistance](http://www.nzpdp.org/resistance)) that exist for any insect pest on this label.

**It is an offence to use this product on animals.**

## DIRECTIONS FOR USE:

CROP	PEST	RATE	NOTES
Onions	Thrips	225ml/ha	Make the first application when monitoring indicates that the threshold has been reached. Repeat at 7-10 day intervals for up to 4 applications. Use 500-600 litres of water/ha. Ensure complete coverage. The addition of Contact™ Low Foam wetting agent at 25ml/100 litres is recommended.
Vegetable brassicas (cell transplants)	Aphids	9ml/2.5L of water per 1000 plants	Apply evenly in a watering can to seedling trays one day before transplanting.
Lettuce (cell transplants)	Aphids	20-30ml/2.5 litres of water per 1000 plants	Apply evenly in a watering can to seedling trays one day before transplanting.

## DIRECTIONS FOR USE (continued):

CROP	PEST	RATE	NOTES
Grapes – young non bearing vines and vines for removal	Mealybug	1.5ml/vine in 500ml water per vine	Apply as a single drench treatment in autumn or winter to the base of non-bearing replant vines or vines awaiting removal. If rainfall or overhead irrigation is not likely in the 2 days after drenching, apply 2L of water per vine once the drench has soaked in. Treated vines must be clearly identified. Any crop set on treated vines must be destroyed within 10 weeks of fruit set.

**It is an offence for users of this product to cause residues exceeding the relevant MRL in the Food Notice: Maximum Residue Levels for Agricultural Compounds.**

**Withholding Periods:** Onions - 7 days. Vegetables brassicas (cell transplants) - 70 days.

Lettuce (cell transplants) - 49 days. Grapes – fruit from treated vines must be destroyed, with no fruit harvested for human or animal consumption until the next season.

® Nuprid is a registered trademark of Nufarm Australia Limited.

™ Contact is a trademark of Nufarm Limited.

### CONDITIONS OF SALE:

#### CAUTION: READ THIS NOTICE BEFORE OPENING THE CONTAINER

If you open this container you will be deemed to have accepted the conditions below.

The results from use of this product may be affected by factors beyond Nufarm's control, including mixing, use, climatic conditions, time of application, crop or crop stage and the possible development of resistance to the active ingredient, even though the product is reasonably fit for the purposes stated in this label, and even though label directions are followed. Nufarm will replace, free of charge, any product which is found to have a manufacturing defect. To the extent permitted by law, all other warranties, guarantees, representations and conditions, whether expressed or implied by law, trade, custom or otherwise are expressly excluded.

When you use this product, you agree that neither Nufarm Limited nor any manufacturer of any component of the product will be liable for any damage, injury or loss including consequential loss which arises in any way from the storage, handling, or use of the product. This exclusion of liability includes loss caused by negligent acts or omissions of Nufarm Limited or any supplier or manufacturer of the product or any of their employees and agents.

**READ ENTIRE BOOKLET BEFORE USING****HAZARD CLASSIFICATION: 6.1D, 6.9B, 9.1A, 9.2A, 9.3A, 9.4A****APPROVED HANDLER:**

This product must be under the control of an approved handler when it is applied in a wide dispersive manner or used by a commercial contractor.

This product must not be used for any purpose, or in any manner, contrary to this label unless authorised under appropriate legislation.

**TOXICITY**

- Harmful – may be harmful if swallowed, inhaled or absorbed through the skin. May cause liver damage from repeated oral exposure at high doses.

**ECOTOXIC**

- Very toxic to aquatic organisms with long lasting effects. Avoid contamination of any water supply with product or empty container.
- Very toxic to the soil environment.
- Very toxic to terrestrial vertebrates and terrestrial invertebrates.
- Spray must not be applied to plants in flower if they are to be visited by bees.

**HANDLING PRECAUTIONS****STORAGE**

- Store in original container tightly closed and in a locked, dry, cool area away from foodstuffs. Store in accordance with NZS 8409 Management of Agrichemicals.
- Stores containing 100 litres of Nuprid 350SC require secondary containment and signage, and more than 100 litres require emergency response plans.

**PERSONAL PROTECTION**

- Avoid contact with skin or eyes and inhalation of spray mist.
- When handling wear impervious gloves, appropriate eye protection, boots and overalls. Do not eat, drink or smoke while using. Remove protective clothing and wash hands and face thoroughly before meals and after work.

**EQUIPMENT**

- Apply using well maintained and accurately calibrated equipment.

**DISPOSAL**

- Triple rinse empty container and add rinsate to the spray tank. Recycle empty container. Otherwise crush and bury in a suitable landfill.
- Dispose of product only by using according to the label, or at an approved landfill.


**First Aid:** If swallowed do NOT induce vomiting. For advice contact the National Poisons Centre 0800 POISON (0800 764 766) or a doctor immediately. If hair or skin contact occurs, remove contaminated clothing and flush skin and hair with running water. If splashed in eyes, wash out immediately with water. Obtain medical attention. If inhaled move victim to fresh air immediately. Begin artificial respiration if breathing has stopped.

**Spillage:** Wear appropriate protective clothing and prevent material from entering waterways. Contain liquid spills and absorb with inert material. Wash area with water and absorb with further inert material. Dispose of waste safely in a suitable landfill.

Registered pursuant to the ACVM Act 1997, No. P7477.  
See [www.foodsafety.govt.nz](http://www.foodsafety.govt.nz) for registration conditions.

Approved pursuant to the HSN0 Act 1996, Approval Code HSR002691.  
See [www.epa.govt.nz](http://www.epa.govt.nz) for approval controls.

Marketed by: Nufarm Limited  
6 Manu Street, Otahuhu, Auckland, NZ  
Telephone: 0-9-270 4157  
[www.nufarm.co.nz](http://www.nufarm.co.nz)



PROPER SHIPPING NAME	HAZARD CLASS	UN No.	HAZCHEM	P.G.
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (imidacloprid 35%)	9	3082	2X	III