

HARMFUL
KEEP OUT OF REACH OF CHILDREN

MAINMAN®

SCAN ME ▼



ACTIVE INGREDIENT: contains
500 g/kg FLONICAMID

IN THE FORM OF A WATER
DISPERSIBLE GRANULE

For the control of
aphids and psyllids
(TPP) in potatoes

Net Contents:

1 KG



HSNO Classifications: 6.4A, 9.3C
Harmful – May cause eye irritation. Avoid contact with the eyes.

Ecotoxicity
Avoid spray drift to reduce harmful effects on beneficial insects in nearby habitats. Do not apply Mainman to any plant likely to be visited by bees at the time of application; or immediately after application until the spray has dried; or in areas where bees are foraging.
MAINMAN shall not be applied directly onto, into or over surface water. Avoid contamination of any water supply with product or empty container

PRECAUTIONS

Do not eat, drink or smoke while using. Avoid contact with eyes and skin and inhalation of spray mist.
When mixing and applying, wear long-sleeved cotton overalls, gloves and face shield.
After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water. After each day's use, wash protective clothing.
Application and storage should be as described in the Management of Agrichemicals NZS8409.

STORAGE

Store in the closed, original container in a cool, well-ventilated area.
Do NOT store for prolonged periods in direct sunlight.
Store in a locked room or place away from children, animals, food, feedstuffs, seed and fertilizers.
When stored appropriately this product should show no significant degradation for 2 years from the date of manufacture. Contact your supplier for further information about the use of any product that is older than this.

SPILLAGE

Wear suitable protective clothing including face shield, impervious gloves and boots. Prevent the product or spilled material from entering water bodies. Absorb liquid spills with inert materials such as earth or sand and place in waste

containers. Wash area with water and absorb with further inert material. Dispose of safely.

CONTAINER DISPOSAL

Ensure the container is empty.
Triple or preferably pressure rinse the container before disposal. Add rinsate to spray tank mix. Recycle empty container through Agrecovery (0800 247 326, www.agrecovery.co.nz). Otherwise crush and bury in a suitable landfill. Do NOT reuse this container for any other purpose.

PRODUCT DISPOSAL

Dispose of this product only by using according to the label, at an approved landfill or other approved facility.

FIRST AID: If swallowed, do NOT induce vomiting. For advice contact the National Poisons Centre 0800 POISON (0800 764 766) or a doctor immediately.
If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water. If splashed in eyes, rinse out slowly and gently with water for 15 minutes.
If inhaled, move person to fresh air. If necessary seek medical attention.

GENERAL INFORMATION

MAINMAN is an insecticide that provides control of Aphids and Psyllids (TPP) in potatoes. The active ingredient flonicamid exhibits systemic and translaminar activity. MAINMAN controls target pests by contact and ingestion provoking rapid and irreversible feeding cessation. Although Aphids and Psyllids could remain on the plant until they desiccate, they are not causing any damage.

RE-ENTRY PERIOD: Do not allow entry into treated areas until the spray has dried, unless wearing complete long-sleeved cotton overalls and chemical resistant gloves.

It is an offence to use this product on animals.

DIRECTIONS FOR USE

The maximum application rate of Mainman is 160 g/ha

Crop	Pest	Rate	Critical Comments
Potato	Aphids	160 g/ha	At the first sign of Aphid infestation apply a single spray or a pair of sprays at 7 to 14 days interval. The closer interval is recommended under high Aphid pressure. Apply no more than 2 applications per crop. Apply as a broadcast spray in sufficient water to give thorough coverage without excessive run-off.
	Tomato/ Potato Psyllids	160 g/ha	At the first sign of insect presence apply 2 sprays at 7 days interval. Apply no more than 2 applications per crop. Apply as a broadcast spray in sufficient water to give thorough coverage without excessive run-off.

It is an offence for users of this product to cause residues exceeding the relevant MRL in the Food Notice: Maximum Residue Levels for Agricultural Compounds

WITHHOLDING PERIOD

Potatoes7 days
Do NOT graze or feed treated crops to animals.

RESISTANCE MANAGEMENT

MAINMAN must be applied according to the label directions. MAINMAN belongs to a unique and new chemical class of insecticides with a novel mode of action, a selective homopteran feeding blocker (Group 29). However, to minimise the risk of resistance, apply MAINMAN as recommended for the specific crop. If further control of the pest is required, use an insecticide with a different mode of action.
Since the occurrence of resistant insects is difficult to detect prior to use, ISK accepts no liability for any losses that may result from the failure of this product to control resistant insects. MAINMAN may be subject to specific resistance management strategies. For further information contact your local supplier or local agricultural agronomist.

MIXING: Add the required amount of MAINMAN to a partly filled tank and agitate the spray mixture while adding the remaining water towards the end of mixing. Add a suitable adjuvant to prevent foaming.

COMPATIBILITY: MAINMAN is compatible with most commonly used fungicides and insecticides.

MATERIAL SAFETY DATA SHEET: Additional information is listed in the Material Safety Data Sheet which can be obtained from the supplier.

CONDITIONS OF SALE: CAUTION: READ THIS NOTICE BEFORE OPENING THE CONTAINER

If you open this container you will be deemed to have accepted the conditions below.

The results from use of this product may be affected by factors beyond Nufarm's control, including mixing, use, climatic conditions, time of application, crop or crop stage and the possible development of resistance to the active ingredient, even though the product is reasonably fit for the purposes stated in this label, and even though label directions are followed. Nufarm will replace, free of charge, any product which is found to have a manufacturing defect. To the extent permitted by law, all other warranties, guarantees, representations and conditions, whether expressed or implied by law, trade, custom or otherwise are expressly excluded.
When you use this product, you agree that neither Nufarm Limited nor any manufacturer of any component of the product will be liable for any damage, injury or loss including consequential loss which arises in any way from the storage, handling, or use of the product. This exclusion of liability includes loss caused by negligent acts or omissions of Nufarm Limited or any supplier or manufacturer of the product or any of their employees and agents.

Registered pursuant to the ACVM Act 1997, No. P8742.
See www.foodsafety.govt.nz for registration conditions.
Approved pursuant to the HSNO Act 1996, Approval Code: HSR101027
See www.epa.govt.nz for approval conditions.

Batch No.

DOM

Registrant:
ISK New Zealand Ltd
P O Box 246
Christchurch 8140

Distributor:
Nufarm Limited, 6 Manu Street Otahuhu,
Auckland 2024
Nufarm Emergency Phonelink:
0800 651 911 toll free 24 hours

©Mainman is a registered trademark of Ishihara Sangyo Kaisha Ltd, Japan.
© Copyright ISK Ltd, Japan, March 2015. 09-20/PS/03650-1KNZ1.2