

POISON**KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING****ACTIVE CONSTITUENT:**
720 g/L EPTC**GROUP J HERBICIDE**

For the pre-emergence control of certain grasses and broadleaf weeds as a pre-plant application in crops as per Directions for Use.



APVMA Approval No.: 48771/0102

DIRECTIONS FOR USE**RESTRAINTS****DO NOT** use Eptam on Cowpeas, Soybeans, Lima beans or other flat podded beans.**DO NOT** use on pure sands or "wallum" soils with a high peat content.**DO NOT** plant sensitive crops such as Cowpeas, Soybeans, Lima beans or other flat podded beans, Tomatoes, Tobacco, Egg Fruit and Peppers, for 3 months after application.

CROP/SITUATION	WEEDS CONTROLLED	STATE	RATE	CRITICAL COMMENTS
Beans, Potatoes, Maize, Sweet Corn	ANNUAL GRASSES: Barnyard grass (<i>Echinochloa</i> spp.), Crowsfoot grass (<i>Eleusine indica</i>), Summer grass (<i>Digitaria</i> spp.), Wild Oats* (<i>Avena fatua</i>), Wimmera Ryegrass* (<i>Lolium rigidum</i>), Winter grass (<i>Poa annua</i>) ANNUAL BROADLEAVED WEEDS: Amaranth (<i>Amaranthus</i> spp.), Blackberry nightshade (<i>Solanum nigrum</i>), Chickweed* (<i>Stellaria media</i>), Cudweed (<i>Gnaphalium</i> spp.), Deadnettle* (<i>Lamium amplexicaule</i>), Fat hen (<i>Chenopodium album</i>), Indian Hedge Mustard (<i>Sisymbrium orientale</i>), Mexican Poppy (<i>Argemone mexicana</i>), Giant pigweed (<i>Trianthema portulacastrum</i>), Pigweed (<i>Portulaca oleracea</i>), Shepherd's Purse* (<i>Capsella bursa-pastoris</i>), Smartweed* (<i>Polygonum hydropiper</i>) PERENNIAL WEEDS: Couch grass (<i>Cynodon dactylon</i>), Nutgrass (<i>Cyperus rotundus</i>), Quackgrass (<i>Agropyron repens</i>)	NSW, ACT only	5.5L	Use higher rate on heavier soils (Qld only). Mechanically incorporate immediately after application to a depth of 5-10 cm. See separate entry for Nutgrass and Couch grass control. NOTE: Maize and Sweet Corn are initially susceptible to Eptam – delay sowing until 7 days after application. DO NOT sow deeper than 5 cm.
		Qld only	5.5-7L	
Dryland safflower, Dryland Oil Seed Rape (<i>Brassica napus</i> var. only)	Hedge Mustard (<i>Sisymbrium orientale</i>), Mexican Poppy (<i>Argemone mexicana</i>), Giant pigweed (<i>Trianthema portulacastrum</i>), Pigweed (<i>Portulaca oleracea</i>), Shepherd's Purse* (<i>Capsella bursa-pastoris</i>), Smartweed* (<i>Polygonum hydropiper</i>)	NSW, ACT, Vic. only	2.8L	Mechanically incorporate immediately after application to a depth of 5–10cm. See separate entry for Nutgrass and Couch grass control.
Furrow irrigated Sunflower			4L	
Beans, Lucerne	Couch grass (<i>Cynodon dactylon</i>), Nutgrass (<i>Cyperus rotundus</i>), Quackgrass (<i>Agropyron repens</i>)	Vic. only	3-5L or 4-5L	Use higher rate on heavier soils. Mechanically incorporate immediately after application to a depth of 5–10 cm. See separate entry for Nutgrass and Couch grass control.
Duboisia		Qld only	5.5L	

CROP/SITUATION	WEEDS CONTROLLED	STATE	RATE	CRITICAL COMMENTS
Lotus – forage and seed crops	As above	Qld only	5-7L	Pre-plant: Incorporate into the soil within 1 hour of spraying.
General Crop and Non-crop situations Nutgrass and Couch grass control		Qld, NSW, ACT, Vic. only	5.5L	Cultivate soil thoroughly and deeply so as to chop up existing stands of these weeds. Set rotary hoe to cut to 15cm or discs to cut to 20–25 cm. Set as deeply as possible for Nutgrass control. In southern areas, apply when the tubers and roots commence to sprout in Spring.
* Eptam is not registered for control of these weeds in Queensland. NOTE: Summer grass, Pigweed and the perennial grasses listed may only be suppressed by Eptam and not completely controlled.				

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

WITHHOLDING PERIOD: NOT REQUIRED WHEN USED AS DIRECTED

GENERAL INSTRUCTIONS

APPLICATION

This product must be applied to soil which is dry and loose to permit thorough mechanical incorporation. The soil should be free of weeds and trash. Thoroughly work trash, weeds and crop stubble into the soil before application. This product will not control emergent weed growth. Apply Eptam as a broadcast or band application, using a boom spray carefully calibrated to apply 100 to 700L of water per hectare at a pressure not exceeding 250 kPa. Spray boom should only be as wide as incorporating equipment.

Apply as a broadcast or band spray. When band spraying avoid mixing untreated soil and seeds into the treated bands. The use of shields during incorporation is advised. Incorporate immediately after application to minimise herbicide loss by evaporation.

CLEANING UP

Equipment which has been used for this chemical should not be used for application of other materials to sensitive plants. When separate equipment is not available and when used with reasonably tolerant plants, all non-metal parts, leather, washers and hoses should be replaced or renewed and the remainder of the equipment cleaned by washing with a suitable preparation prior to further use.

RESISTANT WEEDS WARNING

GROUP	J	HERBICIDE
-------	----------	-----------

Eptam Selective Pre-Emergent Herbicide is a member of the thiocarbamate group of herbicides. Eptam has the inhibitor of fat synthesis mode of action. For weed resistance management Eptam is a Group J herbicide. Some naturally occurring weed biotypes resistant to Eptam and other Group J herbicides may exist through normal genetic variability in any weed population. The resistant individuals can eventually dominate the weed population if these herbicides are used repeatedly. These resistant weeds will not be controlled by Eptam or other Group J herbicides. Since the occurrence of resistant weeds is difficult to detect prior to use, Nufarm Australia Limited accepts no liability for any losses that may result from the failure of Eptam to control resistant weeds.

COMPATIBILITY

DO NOT tank mix this product with insecticides or fungicides.

PROTECTION OF CROPS, NATIVE AND OTHER NON-TARGET PLANTS

DO NOT apply under weather conditions or from spraying equipment which may cause spray drift onto nearby susceptible plants/crops, cropping lands or pastures.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

DO NOT contaminate streams, rivers or waterways with the chemical or used containers. DO NOT use the container for any other purpose.



spraywisedecisions.com.au is an online weather forecasting program and is recommended for use when planning your pesticide application.

STORAGE AND DISPOSAL

Store in the closed, original container in a cool, well ventilated area. DO NOT store for prolonged periods in direct sunlight. Store in a locked room or place away from children, animals, food, feedstuffs, seed and fertilisers. Triple or preferably pressure rinse containers before disposal. Add rinsings to spray tank. DO NOT dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush or puncture and bury empty containers in a local authority landfill. If no landfill is available, bury the containers below 500mm in a disposal pit specifically marked and set up for this purpose, clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt.

SAFETY DIRECTIONS

Avoid contact with eyes and skin. Do not inhale spray mist. After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water.

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 131126.

ADDITIONAL STATEMENTS (WHS REGULATIONS 2011)

Harmful if swallowed. Causes serious eye damage. May be fatal if swallowed and enters airways. Do not eat, drink or smoke when using this product. Wear protective gloves, clothing, eye and face protection. IF SWALLOWED: Do NOT induce vomiting. Rinse mouth. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

SAFETY DATA SHEET

For further information refer to the Safety Data Sheet (SDS) which can be obtained from your supplier or from the Nufarm website – www.nufarm.com.au

In case of emergency: Phone 1800 033 498 Ask for shift supervisor. Toll free 24 hours.

CONDITIONS OF SALE

"Any provisions or rights under the Competition and Consumer Act 2010 or relevant state legislation which cannot be excluded by those statutes or by law are not intended to be excluded by these conditions of sale. Subject to the foregoing, all warranties, conditions, rights and remedies, expressed or implied under common law, statute or otherwise, in relation to the sale, supply, use or application of this product, are excluded. Nufarm Australia Limited and/or its affiliates ("Nufarm") shall not accept any liability whatsoever (including consequential loss), or howsoever arising (including negligence) for any damage, injury or death connected with the sale, supply, use or application of this product except for liability which cannot be excluded by statute."

Nufarm Australia Limited
ACN 004 377 780
103-105 Pipe Road
Laverton North Victoria 3026
Tel: (03) 9282 1000

Eptam® trade mark owned or used under license by Nufarm Australia Limited.

POISON**KEEP OUT OF REACH OF CHILDREN****READ SAFETY DIRECTIONS BEFORE OPENING OR USING****ACTIVE CONSTITUENT:**
720 g/L EPTC**GROUP J HERBICIDE**

For the pre-emergence control of certain grasses and broadleaf weeds as a pre-plant application in crops as per Directions for Use.



Nufarm Australia Limited
ACN 004 377 780
103-105 Pipe Road
Laverton North Victoria 3026
Tel: (03) 9282 1000
nufarm.com.au

Contents: 5L
Contents: 20L

APVMA Approval No.: 48771/0102

STORAGE AND DISPOSAL

Store in the closed, original container in a cool, well ventilated area. DO NOT store for prolonged periods in direct sunlight. Store in a locked room or place away from children, animals, food, feedstuffs, seed and fertilisers. Triple or preferably pressure rinse containers before disposal. Add rinsings to spray tank. DO NOT dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush or puncture and bury empty containers in a local authority landfill. If no landfill is available, bury the containers below 500mm in a disposal pit specifically marked and set up for this purpose, clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt.

SAFETY DIRECTIONS

Avoid contact with eyes and skin. Do not inhale spray mist. After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water.

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 131126.

ADDITIONAL STATEMENTS (WHS REGULATIONS 2011)

Harmful if swallowed. Causes serious eye damage. May be fatal if swallowed and enters airways. Do not eat, drink or smoke when using this product. Wear protective gloves, clothing, eye and face protection. IF SWALLOWED: Do NOT induce vomiting. Rinse mouth. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

SAFETY DATA SHEET

For further information refer to the Safety Data Sheet (SDS), which can be obtained from your supplier or from the Nufarm website – www.nufarm.com.au

In case of emergency: Phone 1800 033 498 Ask for shift supervisor. Toll free 24 hours.

CONDITIONS OF SALE

"Any provisions or rights under the Competition and Consumer Act 2010 or relevant state legislation which cannot be excluded by those statutes or by law are not intended to be excluded by these conditions of sale. Subject to the foregoing, all warranties, conditions, rights and remedies, expressed or implied under common law, statute or otherwise, in relation to the sale, supply, use or application of this product, are excluded. Nufarm Australia Limited and/or its affiliates ("Nufarm") shall not accept any liability whatsoever (including consequential loss), or howsoever arising (including negligence) for any damage, injury or death connected with the sale, supply, use or application of this product except for liability which cannot be excluded by statute."

Eptam® trade mark owned or used under license by Nufarm Australia Limited.

BN / DOM / Barcode / /