

# POISON

KEEP OUT OF REACH OF CHILDREN  
READ SAFETY DIRECTIONS BEFORE OPENING OR USING



**ACTIVE CONSTITUENT:**  
150 g/L PHOSMET (An anti-cholinesterase compound).  
**SOLVENT:**  
568 g/L LIQUID HYDROCARBONS

**GROUP 1B INSECTICIDE**

For the control of blue oat mite, red legged earth mite and lucerne flea as per the directions for use.



APVMA Approval No.: 46192/57588

**DIRECTIONS FOR USE**

CROP	PEST CONTROLLED	STATE	RATE	WITHHOLDING PERIOD	CRITICAL COMMENTS
Cereals	Red legged earth mite	All States	250 to 350mL/ha	7 days (grazing)	Apply 3-5 weeks after autumn rains commence and when low temperatures favour pest development. Use the higher rate only when severe infestations are present.  Further treatment may be necessary later in the season if re-infestation occurs.
Lucerne Pasture Seed crops	Red legged earth mite	Vic., SA, WA & Tas. Only		2 days (grazing)	
	Lucerne flea				
	Blue oat mite			Qld, NSW & WA only	
Pasture	Red legged earth mite	All States	2 days (grazing)	Apply 3-5 weeks after autumn rains commence and when low temperatures favour pest development. Use the higher rate only when severe infestations are present. Further treatment may be necessary later in the season if re-infestation occurs.	
	Lucerne flea	NSW, Vic., SA, WA & Tas. only			
	Blue oat mite	Qld & WA only			

**NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.**

**WITHHOLDING PERIODS**

PASTURES - DO NOT GRAZE OR CUT FOR STOCK FOOD FOR 2 DAYS AFTER APPLICATION

CEREALS - DO NOT GRAZE OR CUT FOR STOCK FOOD FOR 7 DAYS AFTER APPLICATION

**GENERAL INSTRUCTIONS**

**APPLICATION**

Boomspray - apply in 50-100 L water/ha

Misting machine - apply in 20-40 L water/ha

Aerial application - apply in a minimum of 11 L water/ha

In low volume applications ensure water volume is sufficient to provide adequate coverage for control of target pests.

#### INSECTICIDE RESISTANCE WARNING

GROUP **1B** INSECTICIDE

For insecticide resistance management Imidan Insecticide/Miticide is a Group 1B insecticide. Some naturally occurring insect biotypes resistant to Imidan Insecticide/Miticide and other Group 1B insecticides may exist through normal genetic variability in any insect population. The resistant individuals can eventually dominate the insect population if Imidan Insecticide/Miticide or other Group 1B insecticides are used repeatedly. The effectiveness of Imidan Insecticide/Miticide on resistant individuals could be significantly reduced. Since occurrence of resistant individuals is difficult to detect prior to use, Nufarm Australia Limited accepts no liability for any losses that may result from the failure of Imidan Insecticide/Miticide to control resistant insects. Imidan Insecticide/Miticide may be subject to specific resistant management strategies. For further information contact your local supplier, Nufarm representative or local agricultural department agronomist.

#### COMPATIBILITY

This product may be applied in combination with one of the following: Astral®, Shirquat®, Revolver®, Spray•Seed\*, Gramoxone\*, Fusilade\*, 500g/kg copper as copper oxychloride, non-ionic wetting agents, Urea (low biuret contents). A mixture with more than any one of the above products may be ineffective or cause serious damage. The use of such a mixture is therefore not recommended and entirely at the user's risk.

#### COMPATIBILITY with Selective Herbicides

This product may be used at up to 350 mL (55g active ingredient) per 80 litres water minimum per hectare in combination with: 500g/L 2,4-D as amine-soft and hard water (1000 ppm); 800g/L 2,4-D as ester; 500g/L 2,4-D as ester; 400g/L 2,4-DB as sodium-soft water only; 500g/L 2,4-DB as amine; 500g/L MCPB as amine; 242g/L MCPA as sodium soft water only; 500g/L MCPA as amine.

#### PROTECTION OF LIVESTOCK

Dangerous to bees. Do NOT spray any plants in flower while bees are foraging.

#### PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

DO NOT contaminate streams, rivers or waterways with the chemical or used container. Any spillage of concentrate should be immediately well covered with soil and placed in a waste dump approved for pesticide disposal.

#### PROTECTION OF CROPS, NATIVE AND OTHER NON-TARGET PLANTS

Avoid spray drift from target area.



[spraywisedecisions.com.au](http://spraywisedecisions.com.au) is an online weather forecasting program and is recommended for use when planning your pesticide application.

#### STORAGE AND DISPOSAL

Store in the closed, original container in a cool, well-ventilated area. Do not store for prolonged periods in direct sunlight. Triple or (preferably) pressure rinse containers before disposal. Add rinsings to spray tank. Do not dispose of undiluted chemicals on-site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush or puncture and bury empty containers in a local authority landfill. If no landfill is available, bury the containers below 500mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt.

#### SAFETY DIRECTIONS

Product is poisonous if absorbed by skin contact, inhaled or swallowed. Repeated minor exposure may have a cumulative poisoning effect. Avoid contact with eyes and skin. Do not inhale spray mist. When opening the container and preparing spray wear cotton overalls buttoned to the neck and wrist and washable hat, elbow-length PVC gloves and face shield. If product on skin, immediately wash area with soap and water. After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water. After each day's use, wash gloves, face shield and contaminated clothing.

#### FIRST AID

If swallowed, splashed on skin or in eyes, or inhaled, contact a doctor or Poisons Information Centre. Phone Australia 131126. Remove any contaminated clothing and wash skin thoroughly. If swallowed, activated charcoal may be advised. Give atropine if instructed.

#### ADDITIONAL STATEMENTS (WHS REGULATIONS 2011)

**Suspected of causing cancer. May be fatal if swallowed and enters airways. Repeated exposure may cause skin dryness or cracking. May cause drowsiness or dizziness. May cause damage to organs.** Do not eat, drink or smoke when using this product. Do not breathe vapours or spray. IF SWALLOWED: Do NOT induce vomiting. Rinse mouth. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

#### SAFETY DATA SHEET

For further information refer to the Safety Data Sheet (SDS) which can be obtained from your supplier or from the Nufarm website – [www.nufarm.com.au](http://www.nufarm.com.au)

In case of emergency: Phone 1800 033 498 Ask for shift supervisor. Toll free 24 hours.

#### CONDITIONS OF SALE

"Any provisions or rights under the Competition and Consumer Act 2010 or relevant state legislation which cannot be excluded by those statutes or by law are not intended to be excluded by these conditions of sale. Subject to the foregoing, all warranties, conditions, rights and remedies, expressed or implied under common law, statute or otherwise, in relation to the sale, supply, use or application of this product, are excluded. Nufarm Australia Limited and/or its affiliates ("Nufarm") shall not accept any liability whatsoever (including consequential loss), or howsoever arising (including negligence) for any damage, injury or death connected with the sale, supply, use or application of this product except for liability which cannot be excluded by statute."

Nufarm Australia Limited  
ACN 004 377 780  
103-105 Pipe Road  
Laverton North Victoria 3026  
Tel: (03) 9282 1000

Imidan® trade mark owned or used under license by Nufarm Australia Limited.

# POISON

KEEP OUT OF REACH OF CHILDREN  
READ SAFETY DIRECTIONS BEFORE OPENING OR USING



**ACTIVE CONSTITUENT:**  
150 g/L PHOSMET (An anti-cholinesterase compound).  
**SOLVENT:**  
568 g/L LIQUID HYDROCARBONS

**GROUP 1B INSECTICIDE**

For the control of blue oat mite, red legged earth mite and lucerne flea as per the directions for use.



Nufarm Australia Limited  
ACN 004 377 780  
103-105 Pipe Road  
Laverton North Victoria 3026  
Tel: (03) 9282 1000  
nufarm.com.au

Contents: 20L  
Contents: 110L

APVMA Approval No.: 46192/57588

## STORAGE AND DISPOSAL

Store in the closed, original container in a cool, well-ventilated area. Do not store for prolonged periods in direct sunlight. Triple or (preferably) pressure rinse containers before disposal. Add rinsings to spray tank. Do not dispose of undiluted chemicals on-site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush or puncture and bury empty containers in a local authority landfill. If no landfill is available, bury the containers below 500mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt.

## SAFETY DIRECTIONS

Product is poisonous if absorbed by skin contact, inhaled or swallowed. Repeated minor exposure may have a cumulative poisoning effect. Avoid contact with eyes and skin. Do not inhale spray mist. When opening the container and preparing spray wear cotton overalls buttoned to the neck and wrist and washable hat, elbow-length PVC gloves and face shield. If product on skin, immediately wash area with soap and water. After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water. After each day's use, wash gloves, face shield and contaminated clothing.

## FIRST AID

If swallowed, splashed on skin or in eyes, or inhaled, contact a doctor or Poisons Information Centre. Phone Australia 131126. Remove any contaminated clothing and wash skin thoroughly. If swallowed, activated charcoal may be advised. Give atropine if instructed.

## ADDITIONAL STATEMENTS (WHS REGULATIONS 2011)

**Suspected of causing cancer. May be fatal if swallowed and enters airways. Repeated exposure may cause skin dryness or cracking. May cause drowsiness or dizziness. May cause damage to organs.** Do not eat, drink or smoke when using this product. Do not breathe vapours or spray. IF SWALLOWED: Do NOT induce vomiting. Rinse mouth. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

## SAFETY DATA SHEET

For further information refer to the Safety Data Sheet (SDS), which can be obtained from your supplier or from the Nufarm website – [www.nufarm.com.au](http://www.nufarm.com.au)

**In case of emergency: Phone 1800 033 498** Ask for shift supervisor. Toll free 24 hours.

**CONDITIONS OF SALE**

"Any provisions or rights under the Competition and Consumer Act 2010 or relevant state legislation which cannot be excluded by those statutes or by law are not intended to be excluded by these conditions of sale. Subject to the foregoing, all warranties, conditions, rights and remedies, expressed or implied under common law, statute or otherwise, in relation to the sale, supply, use or application of this product, are excluded.

Nufarm Australia Limited and/or its affiliates ("Nufarm") shall not accept any liability whatsoever (including consequential loss), or howsoever arising (including negligence) for any damage, injury or death connected with the sale, supply, use or application of this product except for liability which cannot be excluded by statute."

Imidan® trade mark owned or used under license by Nufarm Australia Limited.

\* Other trade marks.

BN / DOM / Barcode / /