

## **POISON**

KEEP OUT OF REACH OF CHILDREN  
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

## **Stabilan® 750SL** Plant Growth Regulant

**ACTIVE CONSTITUENT: 582 g/L CHLORMEQUAT  
present as CHLORMEQUAT CHLORIDE**

**As an aid in increasing grain yields and prevention of lodging in wheat.**

**Contents: 1 Litre, 5 Litres, 10 Litres, 20 Litres, 110 Litres**

Nufarm Australia Limited  
ACN 004 377 780  
103-105 Pipe Road, Laverton North Victoria 3026  
Tel: (03) 9282 1000  
nufarm.com.au

**DIRECTIONS FOR USE**

**RESTRAINTS:** DO NOT use if rain is likely within 2 hours of application.

DO NOT apply from aircraft if wind speed exceeds 16 km/hour.

CROP	RATE	STATES	TIMING	CRITICAL COMMENTS
Wheat	500mL to 1.3L/ha	NSW, ACT, Vic, Tas, SA, QLD, WA only	Zadoks stage Z 25 to Z 35	Apply using a minimum of 30 litres total spray per hectare for aerial application and 100 litres per hectare by ground rig. Use the higher rates in irrigated or potentially high-yielding crops. Addition of 1 mL non-ionic surfactant per litre of spray is desirable.

**NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.**

**WITHHOLDING PERIOD:**

**HARVEST: NOT REQUIRED WHEN USED AS DIRECTED**

**GRAZING: DO NOT GRAZE OR CUT FOR STOCK FOOD FOR 21 DAYS AFTER APPLICATION**

**GENERAL INSTRUCTIONS**

Use of Stabilan 750SL Plant Growth Regulant may result in improved yields of wheat. Treated plants generally have shorter, thicker stems and greater root development than untreated plants. Photosynthesis, translocation, nitrogen uptake and moisture utilisation are believed to be improved following use of Stabilan 750SL Plant Growth Regulant. Lodging may be reduced. Stabilan 750SL Plant Growth Regulant should be applied to vigorously growing crops that have an adequate supply of soil moisture and nutrients in irrigated wheat, high levels of nitrogen supplementation together with adequate irrigation improve results with Stabilan 750SL Plant Growth Regulant.

**MIXING**

Put half the required amount of hard or soft water in the spray tank, start agitation, add the recommended quantity of Stabilan 750SL then add the rest of the water. Add non-ionic surfactant last.

Use of Stabilan 750SL may result in improved yields of wheat. Treated plants generally have shorter, thicker stems and greater root development than untreated plants. Photosynthesis, translocation, nitrogen uptake and moisture utilisation are believed to be improved following use of Stabilan 750SL. Lodging may be reduced.

Stabilan 750SL Plant Growth Regulant should be applied to vigorously growing crops that have an adequate supply of soil moisture and nutrients in irrigated wheat, high levels of nitrogen supplementation together with adequate irrigation improve results with Stabilan 750SL.

**COMPATIBILITY**

For application to wheat, Stabilan 750SL Plant Growth Regulant may be applied as spray tank mixtures with commonly used herbicides for which timing coincides eg., diclofop methyl, 2,4-D amine, MCPA, bromoxynil, dicamba, terbutryne and linuron.

**PROTECTION OF CROPS, NATIVE AND OTHER NON-TARGET PLANTS**

DO NOT apply under weather conditions, or from spray equipment, that may cause spray to drift onto nearby susceptible plants/crops, cropping lands or pastures.

**PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT**

DO NOT contaminate dams, rivers, drains or streams with the chemical or used container.



**spraywisedecisions.com.au** is an online weather forecasting program and is recommended for use when planning your pesticide application.

#### **STORAGE AND DISPOSAL**

Store in the closed, original container in a cool, well-ventilated area. DO NOT store for prolonged periods in direct sunlight.

Triple or preferably pressure rinse containers before disposal. Add rinsings to spray tank. DO NOT dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point.

If not recycling, break, crush, puncture or shred and deliver empty packaging for appropriate disposal to an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging 500 mm below the surface in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots, in compliance with relevant Local, State or Territory government regulations. DO NOT burn empty containers or product.

#### **SAFETY DIRECTIONS**

Poisonous if swallowed. May irritate the eyes and skin. Avoid contact with eyes and skin. Wash hands after use.

#### **FIRST AID**

If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 13 11 26.

#### **ADDITIONAL STATEMENTS (WHS REGULATIONS 2011)**

**Harmful in contact with skin. May be corrosive to metals.** Keep only in original container. Wash hands and exposed skin thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective gloves, clothing, eye and face protection. Absorb spillage to prevent material damage. IF SWALLOWED: Rinse mouth. IF ON SKIN: Wash with plenty of soap and water. Wash contaminated clothing before reuse.

#### **SAFETY DATA SHEET**

For further information refer to the Safety Data Sheet (SDS), which can be obtained from your supplier or from the Nufarm website – [nufarm.com.au](http://nufarm.com.au)

**In case of emergency: Phone 1800 033 498** Ask for shift supervisor. Toll free 24 hours.

#### **CONDITIONS OF SALE**


"Any provisions or rights under the Competition and Consumer Act 2010 or relevant state legislation which cannot be excluded by those statutes or by law are not intended to be excluded by these conditions of sale. Subject to the foregoing, all warranties, conditions, rights and remedies, expressed or implied under common law, statute or otherwise, in relation to the sale, supply, use or application of this product, are excluded. Nufarm Australia Limited and/or its affiliates ("Nufarm") shall not accept any liability whatsoever (including consequential loss), or howsoever arising (including negligence) for any damage, injury or death connected with the sale, supply, use or application of this product except for liability which cannot be excluded by statute."

APVMA Approval No. : 67839/113642

Nufarm Australia Limited  
ACN 004 377 780  
103-105 Pipe Road, Laverton North Victoria 3026  
Tel: (03) 9282 1000  
[nufarm.com.au](http://nufarm.com.au)

BN / DOM / Barcode / Dummuster

Stabilan® trade mark owned or used under license by Nufarm Australia Ltd.

	CORROSIVE LIQUID, N.O.S. (CONTAINS CHLORMEQUAT CHLORIDE)
	UN No 1760
	PACKING GROUP: III
	HAZCHEM: 2 X
	IN AN EMERGENCY DIAL: 000 POLICE OR FIRE BRIGADE
	IN AN EMERGENCY, SPECIALIST ADVICE NUFARM AUSTRALIA LIMITED 1800 033 498