

NUFARM BANANA FUNGICIDE GUIDE

FAR NORTH QUEENSLAND

Croplife Guidelines - Resistance Management Strategy

- Apply a regular schedule of protectant sprays.
- When disease potential is high apply a maximum of two consecutive Group 3 sprays before changing to a fungicide of a different activity group.
- Group 11 fungicides should be applied in mixture with another fungicide from a different activity group registered for the control of Yellow Sigatoka at the full registered rate.
- DO NOT apply more than 6 Group 9 sprays in any 12 month period.
- Apply a minimum of two sprays from a different activity group between sprays of Group 11 fungicide.
- DO NOT apply more than 2 consecutive sprays of Group 9 fungicide before changing to a fungicide of a different activity group. When using consecutive applications of Group 9 fungicides, follow with at least as many different activity group fungicides before resuming with a Group 9 fungicide.

PENNCOZEB 750DF BANANA FUNGICIDE SPRAY GUIDE, 2018/2019

MONTH	WEEK	PRODUCT	PENNCOZEB 750DF	TRIFLOXYSTROBIN OR PYRACLOSTROBIN	DIGGER OR THROTTLE 500	COMMENTS		
OCTOBER	40	Penncozeb® 750DF + Oil	[Yellow background]	[Red background]	[Blue background]			
	41							
	42	Penncozeb 750DF + Oil						
	43							
NOVEMBER	44	Penncozeb 750DF + Oil						
	45							DE-LEAF
	46	Digger® + Penncozeb 750DF						
	47							
DECEMBER	48	Trifloxystrobin or Pyraclostrobin + Penncozeb 750DF						
	49							
	50	Penncozeb 750DF + Oil						DE-LEAF
	51							
	52	Digger + Penncozeb 750DF						
JANUARY	week 1							
	2	Penncozeb 750DF + Oil						
	3							
	4	Throttle® 500 + Penncozeb 750DF						
	5							
FEBRUARY	6	Penncozeb 750DF + Oil						DE-LEAF
	7							
	8	Digger + Penncozeb 750DF						
	9							
MARCH	10	Trifloxystrobin or Pyraclostrobin + Penncozeb 750DF						
	11							
	12	Penncozeb 750DF + Oil						
	13							
	14	Digger + Penncozeb 750DF						
APRIL	15							
	16	Penncozeb 750DF + Oil						
	17							DE-LEAF
	18	Throttle 500 + Penncozeb 750DF						
MAY	19							
	20	Penncozeb 750DF + Oil						
	21							
	22	Penncozeb 750DF + Oil						
JUNE	23							
	24	Penncozeb 750DF + Oil						DE-LEAF
	25							
	26	Penncozeb 750DF + Oil						
JULY	27							
	28							
	29	Penncozeb 750DF + Oil						
	30							
	31							
AUGUST	32	Penncozeb 750DF + Oil			DE-LEAF			
	33							
	34							
	35	Penncozeb 750DF + Oil						
SEPTEMBER	36							
	37							
	38	Penncozeb 750DF + Oil						
	39							

BARRACK® 720 BANANA FUNGICIDE SPRAY GUIDE, 2018/2019

MONTH	WEEK	PRODUCT	BARRACK 720	TRIFLOXYSTROBIN OR PYRACLOSTROBIN	DIGGER OR THROTTLE 500	COMMENTS		
OCTOBER	40	Barrack® 720	[Purple background]	[Red background]	[Blue background]			
	41							
	42	Barrack 720						
	43							
NOVEMBER	44	Barrack 720						
	45							DE-LEAF
	46	Digger + Penncozeb 750DF						
	47							
DECEMBER	48	Trifloxystrobin or Pyraclostrobin + Penncozeb 750DF						
	49							
	50	Barrack 720						DE-LEAF
	51							
	52	Digger + Penncozeb 750DF						
JANUARY	week 1							
	2	Barrack 720						
	3							
	4	Throttle 500 + Penncozeb 750DF						
	5							
FEBRUARY	6	Barrack 720						DE-LEAF
	7							
	8	Digger + Penncozeb 750DF						
	9							
MARCH	10	Trifloxystrobin or Pyraclostrobin + Penncozeb 750DF						
	11							
	12	Barrack 720						
	13							
	14	Digger + Penncozeb 750DF						
APRIL	15							
	16	Barrack 720						
	17							DE-LEAF
	18	Throttle 500 + Penncozeb 750DF						
MAY	19							
	20	Barrack 720						
	21							
	22	Barrack 720						
JUNE	23							
	24	Barrack 720						DE-LEAF
	25							
	26	Barrack 720						
JULY	27							
	28							
	29	Barrack 720						
	30							
	31							
AUGUST	32	Barrack 720			DE-LEAF			
	33							
	34							
	35	Barrack 720						
SEPTEMBER	36							
	37							
	38	Barrack 720						
	39							

DE-LEAFING & BAGGING

ALL FUNGICIDE SPRAYS MUST BE APPLIED TO A CLEAN CROP. MAKE DE-LEAFING A PRIORITY ESPECIALLY IN WEEKS 45 & 51 TO ENSURE MAXIMUM EFFICACY OF SPRAYS OVER THE WET SEASON. ALL FRUIT SHOULD BE BAGGED PRIOR TO ANY SPRAY. DE-LEAFING MUST BE CONDUCTED IN ACCORDANCE WITH INDUSTRY GUIDELINES



DO NOT APPLY ANY GROUP 11 SPRAYS IN MONTHS OF MAY TO SEPTEMBER



DO NOT APPLY ANY GROUP 3 SPRAYS IN MONTHS OF JUNE TO SEPTEMBER

For more information, contact your local Nufarm Area Sales Manager.

nufarm.com.au

The information and recommendations set out in this brochure are no substitute for professional or expert advice and are based on tests and data believed to be reliable at the time of publication. Results may vary, as the use and application of the products is beyond our control and may be subject to climatic, geographical or biological variables, and/or developed resistance. To the maximum extent permitted by law, Nufarm Australia Limited disclaims all warranties of any kind, whether express or implied, including but not limited to any warranty that the information is up-to-date, complete, true, legally compliant, accurate, non-misleading or suitable.

© 2017 Nufarm Australia Ltd. All trade marks (®/™) are owned by Nufarm Australia Ltd or used under license.



Want to stay updated? Follow us on our socials! @NufarmAustralia



Nufarm

Grow a better tomorrow.