

POISON

KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

Nufarm CORASIL™

Plant Growth Regulator

**ACTIVE CONSTITUENT: 25 g/L DICHLORPROP-P PRESENT
AS THE 2 ETHYL HEXYL ESTER
SOLVENT: 773 g/L LIQUID HYDROCARBON**

A Plant Growth Regulator for the improvement of
the size of Orange and Mandarin fruits.

**IMPORTANT: READ THE ATTACHED LEAFLET
BEFORE USING THIS PRODUCT.**

Contents: 5 Litres
10 Litres
20 Litres

Nufarm Australia Limited
ACN 004 377 780
103-105 Pipe Road
Laverton North Victoria 3026
Tel: (03) 9282 1000
Fax: (03) 9282 1001



Barcode
APVMA Approval No. 59999/*L/0907

STORAGE AND DISPOSAL:

Store in the closed, original container in a cool, well-ventilated area. DO NOT store for prolonged periods in direct sunlight. Triple or preferably pressure rinse containers before disposal. Add rinsings to spray tank. DO NOT dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush, or puncture and bury empty containers in a local authority landfill. If no landfill is available, bury the containers below 500 mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty containers and product should NOT be burnt.

SAFETY DIRECTIONS:

Will damage eyes. Will irritate the skin. Avoid contact with eyes and skin. Avoid inhaling vapour when opening the container and preparing spray. If product in eyes, wash it out immediately with water. If product on skin, immediately wash area with soap and water. Ensure adequate ventilation during use. When opening the container and preparing spray, wear elbow-length PVC gloves, goggles and half face piece respirator. After each day's use, wash gloves, goggles and respirator (if rubber, wash with detergent and warm water). Wash hands after use.

FIRST AID:

If poisoning occurs, contact a Doctor or Poisons Information Centre (Phone Australia 13 11 26). If in eyes, hold eyes open, flood with water for at least 15 minutes and see a doctor.

MATERIAL SAFETY DATA SHEET:

For further information refer to the Material Safety Data Sheet (MSDS), which can be obtained from your supplier, or from the Nufarm website – www.nufarm.com.au.

CONDITIONS OF SALE:

"Any provisions or rights under the Trade Practices Act 1974 or relevant state legislation which cannot be excluded by those statutes or by law are not intended to be excluded by these conditions of sale. Subject to the foregoing, all warranties, conditions, rights and remedies, expressed or implied under common law, statute or otherwise, in relation to the sale, supply, use or application of this product, are excluded. Nufarm Australia Limited and/or its affiliates ("Nufarm") shall not accept any liability whatsoever (including consequential loss), or howsoever arising (including negligence) for any damage, injury or death connected with the sale, supply, use or application of this product except for liability which cannot be excluded by statute."

In case of emergency: Phone 1800 033 498

Ask for shift supervisor. Toll free 24 hours.

™ Trademark of Nufarm Australia Limited.

POISON

KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

Nufarm CORASIL™

Plant Growth Regulator

**ACTIVE CONSTITUENT: 25 g/L DICHLORPROP-P PRESENT
AS THE 2 ETHYL HEXYL ESTER
SOLVENT: 773 g/L LIQUID HYDROCARBON**

A Plant Growth Regulator for the improvement of
the size of Orange and Mandarin fruits.

IMPORTANT: READ THIS LEAFLET BEFORE USING THIS PRODUCT.

Contents: 5 Litres
10 Litres
20 Litres

Nufarm Australia Limited
ACN 004 377 780
103-105 Pipe Road
Laverton North Victoria 3026
Tel: (03) 9282 1000
Fax: (03) 9282 1001



APVMA Approval No. 59999/*L/0907
Batch No.
Date of Manufacture

DIRECTIONS FOR USE:

Situation	Purpose	Rate per 100L of Water	Critical Comments
Mandarins	Plant growth regulator to increase fruit size	100 ml to 200 ml	Apply to fruit of the following sizes: Mandarins: 8 to 20 mm Oranges: 12 to 30 mm These size ranges approximate the period of physiological fruit drop. Only use the lower rate in mandarins at early timings. Application to small fruit may increase fruit drop. Apply in a spray volume of 2500 to 3000 L/ha for trees of 4 meters height with a MEDIUM to COARSE spray quality, ensuring thorough coverage of the foliage. If spraying at higher volumes (eg. 5000 to 6000 L/ha) then the rate of Corasil should be reduced in direct proportion to the spray volume increase. If spraying at a lower volume, the rate of Corasil should be increased in direct proportion to the spray volume decrease. See Application section.
Oranges		200 ml	

WITHHOLDING PERIOD

HARVEST: NOT REQUIRED WHEN USED AS DIRECTED.

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

GENERAL INSTRUCTIONS:

Before opening, carefully read Directions for Use, Pre-cautionary Statements, Safety Directions and First Aid Instructions.

Apply on trees in good health and nutrition, which have not undergone any significant modification in their vegetation.

RESIDUE MANAGEMENT IN EXPORT PRODUCE:

Treated citrus fruit destined for export may require extra time being allowed between application and harvest, to be accepted in some export markets.

Before you use Corasil you are advised to contact Nufarm Australia Limited and/or your industry body about any potential trade issues and their management.

MIXING INSTRUCTIONS:

Nufarm Corasil is readily miscible with both hard and soft water. Add the required amount of this product to water in the spray tank and stir thoroughly.

Add Activator Surfactant at the rate of 50 to 125 ml per 100 L of water or Spraymate LI700 at 100 ml per 100 L water. DO NOT add copper products to the mix if using Spraymate LI700.

APPLICATION:

Corasil should be applied in a spray volume of 2500 to 3000 L/ha for citrus trees of 4 meters height. The spray volume should be adjusted to suit larger or smaller trees but if a different volume is selected for trees of 4 meters height, the rate of Corasil must be changed in direct proportion to the change in spray volume eg. If a volume of 5000 to 6000 L/ha was applied to 4 meter trees the rate of Corasil would be halved. Spray volumes below 2500 to 3000 L/ha would require a rate increase to maintain the same amount of Corasil per hectare.

COMPATIBILITY:

DO NOT tank mix other crop protection products or fertilizers with Corasil.

EQUIPMENT MAINTENANCE AND USAGE:

Equipment that has been used for this chemical should not be used for the application of other materials to sensitive plants unless it has been washed out with Nufarm Tank and Equipment Cleaner or a 1% solution of ammonia, followed by several clear water rinses.

PRECAUTION:

Re-entry period

DO NOT allow entry into treated area until the spray has dried, unless wearing cotton overalls buttoned to the neck and wrist (or equivalent clothing) and chemical resistant gloves. Clothing must be laundered after each days use.

PROTECTION OF CROPS, NATIVE AND OTHER NON-TARGET PLANTS:

DO NOT apply under weather conditions, or from spraying equipment, that may cause spray to drift onto nearby susceptible plants/crops, cropping lands or pastures.

PROTECTION OF WILDLIFE, FISH, CRUSTACEA AND ENVIRONMENT:

DO NOT contaminate streams, rivers or waterways with the chemical or used containers.

STORAGE AND DISPOSAL:

Store in the closed, original container in a cool, well-ventilated area. DO NOT store for prolonged periods in direct sunlight. Triple or preferably pressure rinse containers before disposal. Add rinsings to spray tank. DO NOT dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush, or puncture and bury empty containers in a local authority landfill. If no

landfill is available, bury the containers below 500 mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty containers and product should NOT be burnt.

SAFETY DIRECTIONS:

Will damage eyes. Will irritate the skin. Avoid contact with eyes and skin. Avoid inhaling vapour when opening the container and preparing spray. If product in eyes, wash it out immediately with water. If product on skin, immediately wash area with soap and water. Ensure adequate ventilation during use. When opening the container and preparing spray, wear elbow-length PVC gloves, goggles and half face piece respirator. After each day's use, wash gloves, goggles and respirator (if rubber, wash with detergent and warm water). Wash hands after use.

FIRST AID:

If poisoning occurs, contact a Doctor or Poisons Information Centre (Phone Australia 13 11 26). If in eyes, hold eyes open, flood with water for at least 15 minutes and see a doctor.

MATERIAL SAFETY DATA SHEET:

For further information refer to the Material Safety Data Sheet (MSDS), which can be obtained from your supplier, or from the Nufarm website – www.nufarm.com.au.

CONDITIONS OF SALE:

"Any provisions or rights under the Trade Practices Act 1974 or relevant state legislation which cannot be excluded by those statutes or by law are not intended to be excluded by these conditions of sale. Subject to the foregoing, all warranties, conditions, rights and remedies, expressed or implied under common law, statute or otherwise, in relation to the sale, supply, use or application of this product, are excluded. Nufarm Australia Limited and/or its affiliates ("Nufarm") shall not accept any liability whatsoever (including consequential loss), or howsoever arising (including negligence) for any damage, injury or death connected with the sale, supply, use or application of this product except for liability which cannot be excluded by statute."

In case of emergency: Phone 1800 033 498

Ask for shift supervisor. Toll free 24 hours.

™ Trademark of Nufarm Australia Limited.