

**READ SAFETY DIRECTIONS BEFORE
OPENING OR USING**

BANJO[®]

Spray Adjuvant

ACTIVE CONSTITUENT: 725 g/L METHYL ESTERS OF CANOLA OIL FATTY ACIDS

An esterified oil based product with non-ionic surfactants to assist the effectiveness of Herbicides, and other agricultural chemicals. BANJO[®] improves your spray results by:

- Increasing penetration through waxy cuticles
- Increasing wetting and spreading of spray droplets
- Reducing spray droplet evaporation rates

IMPORTANT: READ THE ATTACHED LEAFLET BEFORE USING THIS PRODUCT.



Nufarm

Grow a better tomorrow.

DIRECTIONS FOR USE**HERBICIDES**

PRODUCT	BANJO RATE PER 100 L OF SPRAY VOLUME	CRITICAL COMMENTS
Archer® 750 Dual Salt	0.5 L/100 L	Refer to Archer 750 Dual Salt label.
Arvesta Motsa*	1 L/100 L	BANJO is recommended for all applications where Arvest Motsa or Motsa are used.
Atlantis*	1 L/100 L	Use BANJO for Brome grass and Barley grass suppression.
Blazer*	1 L/100 L	Recommended for use in Mung beans only.
Broadsword®	0.5 L/100 L	Refer to Broadsword label.
Cheetah® Gold	1 L/100 L	BANJO is recommended for all applications when Cheetah gold is used.
CRUCIAL® Advanced Technology Herbicide	0.5 – 1 L/100 L	Recommended for use in tank mixes with Terrain 500 and Nail 600EC, refer to CRUCIAL label.
Decision*	1 L/100 L	DO NOT use BANJO when using Decision in mixture with Tigrex* or Giant*. Apply with foliar zinc oxide.
Flame* or Spark® (240g/L product only)	1 L/100 L	Recommended for post-emergent use in Peanuts only.
Gesaprim* or Atradex®	0.5-1 L/100 L	Recommended for post-emergent use in TT Canola
Hammer* or Nail®	0.5-1 L/100 L	BANJO is recommended for use with Hammer to control volunteer cotton seedlings. See Hammer label or equivalent product for use rate and details.
Hussar*	1 L/100 L	BANJO is recommended for all applications where Hussar is used
Intervix* or Intercept®	0.5 L/100 L	BANJO is recommended for all applications where Intervix is used.
Logran® B-Power	0.5 L/100 L	BANJO is recommended for all applications where Logran B-Power is used.
Midas*	0.5 L/100 L	BANJO is recommended for all applications where Midas is used
Nail® 600EC	0.5 L/100 L	BANJO is compatible with Nail 600EC, refer to Nail 600EC label.
OnDuty* or Sentry®	0.5 L/100 L	BANJO is recommended for all applications where OnDuty or Sentry is used
Precept*	0.5-1 L/100 L	Refer to Precept label when tank mixing with other herbicides.
Raptor* WG or Claw® 350SL	0.5 or 1 L/100 L	There are some applications where BANJO should not be used with Raptor WG. Refer to Raptor WG or equivalent label.
Saracen®	1 L/100 L	BANJO is recommended for all applications where Saracen is used.
Select*, Havoc®, Sequence® or other 240EC g/L clethodim products	1 L/100 L	BANJO is recommended for all applications where Select is used, or for other Clethodim 240EC products which specify BANJO on their label.
Sempre®	1 L/100 L	BANJO is recommended for all applications where Sempre is used
Sequence® 360	1 L/100 L	BANJO is recommended for all applications where Sequence 360 is used
Shogun*	0.5 L/100 L	Refer to Shogun label.
Spinnaker*, Kyte® and other 700g/kg Imazethapyr products	0.5 L/100 L	Use BANJO for post-emergence applications in accordance with Spinnaker or 700 g/kg Imazethapyr product labels.
Targa*Bolt	1 L/100 L	BANJO is recommended for all applications where Targa Bolt is used.
Terbyne* or Terbazine®	1 L/100 L	For post-emergent applications.
Terrad'or®	1 L/100 L	BANJO is recommended for all applications where Terrad'or is used.
Thistrol® Gold	0.5 L/100 L	BANJO is recommended for all applications where Thistrol Gold is used.
Topik*	0.5 L/100 L	Refer to Topik Compatibility Chart available from Syngenta or reseller.
Valor* or Terrain®	0.5-1 L/100 L	Use the lower rate on actively growing weeds.
Velocity*	1 L/100 L	BANJO is recommended for all applications where Velocity is used.

USE OF BANJO WITH OTHER HERBICIDES, INSECTICIDES, FUNGICIDES, DEFOLIANTS OR DESICCANTS

BANJO may be used wherever an oil-based adjuvant is recommended on the label of the agricultural chemical, unless BANJO or esterified seed-oil adjuvants are specifically excluded. The recommended usage rate of BANJO for all such applications should be approximately 0.5-1 L/ha and should not be less than 0.2 L/ha (see Table below).

Spray Application	Spray Volume	Rate of BANJO L/100 L of Spray Volume
Low volume	10-20 L/ha	2-5 L
Broadacre Boom Spray	50-100 L/ha	0.5-2 L
High volume	200-500 L/ha	0.2-0.5 L

When spraying at volumes other than those shown above, apply BANJO at approximately 0.5-1 L/ha.

FUNGICIDE AND INSECTICIDE PRODUCTS

PRODUCT	BANJO RATE PER 100 L OF SPRAY VOLUME	CRITICAL COMMENTS
Movento*	0.5-1 L/ha	See Movento label for crop specific instructions
Prosaro*	1 L/100 L	See Prosaro label for specific instructions on adjuvant use.
Tazer® Xpert	1 L/100 L	See Tazer Xpert label for specific instructions on adjuvant use.

COTTON DEFOLIATION

COTTON DEFOLIATION		
PRODUCT	RATE	CRITICAL COMMENTS
Thidiazuron and Thidiazuron + Diuron products for defoliation: Dropp* and Dropp* Ultra Ethephon products for boll opening Prep* (when used with Thidiazuron products)	BANJO 0.5 L/ha	BANJO can be used to assist the performance of certain cotton defoliation products.

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

GENERAL INSTRUCTIONS

MIXING

Follow the directions on the agricultural chemical's label. Fill spray tank one-half full of water and add the required amount of the agricultural chemical while agitating. Add remainder of the water. Add the required amount of BANJO last and continue agitation until completion of spraying.

COMPATIBILITY

BANJO can provide enhanced performance when compared with mineral oil or vegetable oil based adjuvants. Under cold conditions (<10° C) BANJO is preferred to other crop oil adjuvants when used with certain herbicides as recommended on their label. BANJO is compatible with the above products, however all instructions on the agricultural chemical's label must be strictly followed.

CROP SAFETY

Refer to the directions on the agricultural chemical label. Caution must be exercised when applying BANJO with agricultural chemicals on sensitive crops during periods when plants are subject to drought stress, high temperatures or high humidity. If in doubt about the appropriateness of using BANJO, please test by application to a small area before using it on a full-scale basis.

SPILLAGE

In the event of a spillage absorb onto sand or chemical absorbent. Remove residue with detergent and hot water. Dispose of by normal waste disposal methods conforming to local authority codes.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

DO NOT contaminate streams, rivers or waterways with the chemical or used containers.

STORAGE AND DISPOSAL

KEEP OUT OF REACH OF CHILDREN

Store in the closed, original container in a cool, well ventilated area. **DO NOT** store for prolonged periods in direct sunlight.

Non-refillable containers

Triple rinse containers before disposal. Add rinsings to spray tank. **DO NOT** dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush, or puncture and deliver empty packaging to an approved waste management facility. If an approved waste management facility is not available bury the empty packaging 500 mm below the surface in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots, in compliance with relevant Local, State or Territory government regulations. **DO NOT** burn empty containers or product.

Refillable containers

Store in the closed, original container in a cool, well ventilated area. **DO NOT** store for prolonged periods in direct sunlight. Empty contents fully into application equipment. Close all valves and return to point of supply for refill or storage.

SAFETY DIRECTIONS

Will irritate the skin. May irritate the eyes, nose and throat. Avoid contact with eyes and skin. Avoid inhaling. When opening the container wear protective waterproof clothing and rubber gloves. When using together with other products consult their label safety directions. Wash hands after use. After each day's use wash gloves and contaminated clothing.

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 13 11 26, New Zealand 0800 764 766.

ADDITIONAL STATEMENTS (WHS REGULATIONS 2011)

Causes serious eye damage. Wear protective gloves, clothing, eye and face protection. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

SAFETY DATA SHEET

For further information refer to the Safety Data Sheet (SDS) which can be obtained from your supplier or from the Nufarm website – nufarm.com.au

In case of emergency: Phone 1800 033 498 Ask for shift supervisor. Toll free 24 hours.

CONDITIONS OF SALE

"Any provisions or rights under the Competition and Consumer Act 2010 or relevant state legislation which cannot be excluded by those statutes or by law are not intended to be excluded by these conditions of sale. Subject to the foregoing, all warranties, conditions, rights and remedies, expressed or implied under common law, statute or otherwise, in relation to the sale, supply, use or application of this product, are excluded. Nufarm Australia Limited and/or its affiliates ("Nufarm") shall not accept any liability whatsoever (including consequential loss), or howsoever arising (including negligence) for any damage, injury or death connected with the sale, supply, use or application of this product except for liability which cannot be excluded by statute."

Nufarm Australia Limited
ACN 004 377 780
103-105 Pipe Road
Laverton North Victoria 3026
Tel: (03) 9282 1000
nufarm.com.au

BANJO® trade mark owned or used under licence by Nufarm Australia Ltd.

* Other trade marks

APVMA Approval No.: 68451/129142