

Infosafe No™ 3NU5Z Issue Date : August 2019 ISSUED by NUFARM

Product Name **Throttle® 500 Fungicide**

Classified as hazardous

1. Identification

GHS Product Identifier	Throttle® 500 Fungicide
Product Code	5252
Product Type	Group 3 Fungicide
Company Name	NUFARM AUSTRALIA LIMITED. (ABN 80 004 377 780)
Address	103-105 Pipe Road Laverton North Victoria 3026 Australia
Telephone/Fax Number	Tel: +61 3 9282-1000 Fax: +61 3 9282-1001
Emergency phone number	1800 033 498 (24hr Australia)
Recommended use of the chemical and restrictions on use	For the control of certain fungal diseases of bananas, peanuts, pineapples, stone fruit, sugarcane, turf, wheat and other crops as per the Directions for Use table on the label.
Other Information	This Safety Data Sheet describes the properties of the concentrated product. The physical properties and the assessments may not apply to the properties of the product once it has been diluted for application.

2. Hazard Identification

GHS classification of the substance/mixture	OT4 Acute Toxicity - Oral: Category 4 SS-1 Sensitization - Skin: Category 1 ED2A Eye Damage/Irritation: Category 2A CA2 Carcinogenicity: Category 2 AH1 Aspiration Hazard: Category 1 SE-3NARC STOT Single Exposure Category 3 (narcotic) TR1 Toxic to Reproduction: Category 1 FL4 Flammable Liquids: Category 4
Signal Word (s)	DANGER
Hazard Statement (s)	H302 Harmful if swallowed. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H351 Suspected of causing cancer. H304 May be fatal if swallowed and enters airways. H336 May cause drowsiness or dizziness. AUH066 Repeated exposure may cause skin dryness or cracking H360 May damage fertility or the unborn child H227 Combustible liquid P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P103 Read label before use.
General Precautionary Statement (s)	
Pictogram (s)	Exclamation mark, Health hazard, Environment,



Precautionary statement – Prevention	P202 Do not handle until all safety precautions have been read and understood. P281 Use personal protective equipment as required. P264 Wash hands and exposed skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P261 Avoid breathing spray. P272 Contaminated work clothing should not be allowed out of the workplace. P280 Wear protective gloves, clothing, eye and face protection.
Precautionary statement – Response	P308+P313 IF exposed or concerned: Get medical advice/attention. P301+P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. P331 Do NOT induce vomiting. P330 Rinse mouth. P302+P352 IF ON SKIN: Wash with plenty of soap and water. P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

Infosafe No™ 3NU5Z	Issue Date : August 2019	ISSUED by NUFARM
--------------------	--------------------------	------------------

Product Name **Throttle® 500 Fungicide**

Classified as hazardous

P363 Wash contaminated clothing before reuse.
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P337+P313 If eye irritation persists: Get medical advice/attention.
 P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
 P312 Call a POISON CENTER or doctor/physician if you feel unwell.

Other Information Poisons Schedule S6

3. Composition/information on ingredients

Chemical Liquid

Characterization

Ingredients

<u>Name</u>	<u>CAS</u>	<u>Proportion</u>
Propiconazole	60207-90-1	500 g/L
Hydrocarbon Liquid	64742-94-5	426 g/L
Other ingredients (non-hazardous)		0-10 %

4. First-aid measures

Inhalation Remove affected person to fresh air until recovered. Obtain medical assistance.

Ingestion If swallowed DO NOT induce vomiting.
 Give a glass of water.
 Do not give anything by mouth to a semi-conscious or unconscious person.
 Obtain medical advice.

Skin Wash affected areas thoroughly with soap and water.
 Remove contaminated clothing and launder before re-use.

Eye contact If in eyes, hold eyelids open and wash with copious amounts of water for at least 15 minutes.

Seek medical advice if irritation develops or persists.

First Aid Facilities If poisoning occurs, contact a doctor or the Poisons Information Centre (Australia) on 13 11 26.

Advice to Doctor Treat symptomatically.
 If vomiting occurs, solvent present may cause pulmonary pneumonitis.
 Pulmonary oedema is possible and may be delayed.

5. Fire-fighting measures

Suitable extinguishing media Water fog, foam, carbon dioxide or dry chemical.

Hazards from Combustion Products If involved in a fire, it will emit oxides of carbon, oxides of nitrogen and possibly toxic fumes of hydrogen chloride and phosgene.

Special Protective Equipment for fire fighters Breathable air apparatus may have to be worn in confined spaces.

Other Information STOP FIRE WATER FROM ENTERING DRAINS OR WATER BODIES.

6. Accidental release measures

Spills & Disposal Contain spill and absorb with clay, sand, soil or proprietary absorbent (such as vermiculite).
 Collect spilled material and waste in sealable open-top type containers for disposal.

Personal Protection For appropriate personal protective equipment (PPE), refer Section 8.

Environmental Precautions Use earthen bunds or absorbent bunding to prevent spreading of spillage.

7. Handling and storage

Precautions for Safe Handling For personal protective equipment (PPE) and hygiene advice, refer Section 8.

Conditions for safe storage, including any incompatibilities Store in the closed, original container in a dry, well ventilated area, as cool as possible.

Do not store for prolonged periods in direct sunlight.

Infosafe No™ 3NU5Z	Issue Date : August 2019	ISSUED by NUFARM
--------------------	--------------------------	------------------

Product Name **Throttle® 500 Fungicide**

Classified as hazardous

Other Information Keep container tightly sealed and do not store with seed, fertilisers or foodstuffs.
Always read the label and any attached leaflet before use.

8. Exposure controls/personal protection

Occupational exposure limit values No exposure standards have been set for this product or the active ingredients.
The manufacturer of the solvent has recommended an occupational exposure limit of 100 mg/m³; 15ppm TWA, as total hydrocarbon.

Appropriate engineering controls Handle in well ventilated areas, generally natural ventilation is adequate.

Personal Protective Equipment When opening the container, preparing spray and using the prepared spray wear cotton overalls buttoned to the neck and wrist and a washable hat, elbow-length PVC, nitrile or neoprene gloves, goggles and disposable fume mask.
Re-entry period: Do not enter treated area until spray has dried.

Hygiene Measures After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water.
After each day's use, wash contaminated clothing and safety equipment.

Requirements Concerning Special Training Check State or Territory regulations that require people who use pesticides in their job or business to have training in the application of the materials.

9. Physical and chemical properties

Form Liquid

Appearance Clear yellow liquid

Odour Solvent odour

Boiling Point 180°C

Solubility in Water Disperses in water. Solubility is low, 100 mg/l.

Specific Gravity 1.065

pH 7.5 (1% in water)

Vapour Pressure 2.7 x 10⁻² mPa @ 20°C (propiconazole)

Partition Coefficient: n-octanol/water Kow Log P is 3.72 (propiconazole)

Flash Point 75°C

Flammability Combustible liquid C1. (AS1940 - 2017).

10. Stability and reactivity

Chemical Stability Stable under normal conditions.

Possibility of hazardous reactions Keep away from strong oxidising agents.

Hazardous Polymerization Hazardous polymerisation is not possible.

11. Toxicological Information

Toxicology Information No harmful effects are expected if the precautions on the label and this MSDS are followed.

Acute Toxicity - Oral LD50 (rat) 1517 mg/kg for propiconazole

Acute Toxicity - Dermal LD50 (rat) >4000 mg/kg for propiconazole

Acute Toxicity - Inhalation LC50 (rat) (4hr) 9.46 mg/l for propiconazole

Ingestion Amounts swallowed incidental to normal handling procedures and use are not expected to cause injury.
If aspirated into the lung, e.g. from vomiting, the presence of solvent may result in chemical pneumonitis or other lung damage.

Infosafe No™ 3NU5Z	Issue Date : August 2019	ISSUED by NUFARM
--------------------	--------------------------	------------------

Product Name **Throttle® 500 Fungicide**

Classified as hazardous

Inhalation	The components of the product are of low volatility and no adverse effects are expected from handling the concentrate. However, care should be taken to avoid the inhalation of excessive amounts of spray mist during field spraying, respiratory irritation may occur. Breathing vapour can result in headaches, dizziness and possible nausea.
Skin	Prolonged contact with the concentrate may cause irritation. Prolonged contact with the concentrate can cause defatting of the skin and may result in dermatitis.
Eye	May cause severe eye irritation.
Carcinogenicity	An incidence of liver tumours was noted in long-term studies with propiconazole in rodents. As the mechanism involved is not relevant to humans, and the dose levels were very high, the potential carcinogenic risk to humans is considered negligible. An impurity present in the solvent has been found to cause tumors in laboratory studies.
Reproductive Toxicity	Classified as toxic to reproduction based on tests on laboratory animals.
Mutagenicity	Data indicates no mutagenic effects.
Other Information	The Australian Acceptable Daily Intake (ADI) for propiconazole for a human is 0.07 mg/kg/day, set for the public for daily, lifetime exposure. This is based on the NOEL of 7 mg/kg/day, the level determined to show no effects during long term exposure for the most sensitive indicators and the most sensitive species. (Ref: Aust Govt Dept. of Health, Office of Chemical Safety, 'ADI List', March 2014).

12. Ecological information

Persistence and degradability	Average field half life of propiconazole is 40 - 70 days. Propiconazole will slowly degrade in soil and aquatic systems.
Known Harmful Effects on the Environment	Harmful to fish and other aquatic organisms.
Other Precautions	Do not spray in high winds. Do not contaminate dams, waterways or sewers with this product. Spray drift should be avoided, read the label for more information.
Environmental Protection	
Acute Toxicity - Fish	The following is data for the active ingredient, propiconazole. LC50 (96hr) for rainbow trout is 4.3-5.3 mg/l. EC50 (48hr) for daphnia is 10.2 mg/l.
Acute Toxicity - Daphnia	
Acute Toxicity - Algae	EC50 (72hr) for Selenastrum capricornutum is 17.0 mg/l for a similar formulation.
Acute Toxicity - Other Organisms	Birds: Not toxic to birds. LD50 for japanese quail is 2223 mg/kg LD50 for bobwhite quail is 2825 mg/kg LD50 for mallard duck is >2510 mg/kg Bees: Not toxic to bees. LD50 >100 µg/bee.

13. Disposal considerations

Product Disposal	On site disposal of the concentrated product is not acceptable. Ideally, the product should be used for its intended purpose. If there is a need to dispose of the product, approach local authorities who hold periodic collections of unwanted chemicals (ChemClear®).
Container Disposal	Do not use this container for any other purpose. Triple or preferably pressure rinse containers before disposal. Add rinsings to the spray tank. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, puncture or shred and bury containers in local authority landfill. If no landfill is available, bury the containers below 500mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt. drumMUSTER is the national program for the collection and recycling of

Infosafe No™ 3NU5Z	Issue Date : August 2019	ISSUED by NUFARM
--------------------	--------------------------	------------------

Product Name **Throttle® 500 Fungicide**

Classified as hazardous

empty, cleaned, non returnable crop production and on-farm animal health chemical containers. If the label on your container carries the drumMUSTER symbol, triple rinse the container, ring your local Council, and offer the container for collection in the program.
 Returnable containers: empty contents fully into application equipment. Replace cap, close all valves and return to the point of supply for refill or storage.

14. Transport information

Transport Information Storage and Transport	It is good practice not to transport agricultural chemical products with food, food related materials and animal feedstuffs. Considered non dangerous for road and rail transport (in packaging, including IBCs not greater than 3000 Lt each) by the Australian Code for the Transport of Dangerous Goods by Road and Rail. Ref: ADG7; SP No. AU01.
UN Number (Sea Transport)	For bulk shipments as Class 9, use UN 3082, HazChem code 2Z. 3082
IMO Class/Packing Group	Class 9; Packing Group III
IMO Marine Pollutant	Marine Pollutant
IMO Proper Shipping Name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains Propiconazole)

15. Regulatory information

Poisons Schedule	S6
Packaging & Labelling	POISON KEEP OUT OF REACH OF CHILDREN READ SAFETY DIRECTIONS BEFORE OPENING OR USING
Other Information	This product is registered with the Australian Pesticides and Veterinary Medicines Authority (APVMA). APVMA product number: 60401.

16. Other Information

Date of preparation or last revision of SDS	Revised 05/08/2019. This SDS replaces document dated August 2014.
Contact Person/Point	Normal Hours: SDS Coordinator Phone: +61 3 9282 1000 After Hours: Shift Supervisor Phone: 1800 033 498
Revisions Highlighted	Added classification as Toxic to Reproduction category 1B. ...End Of MSDS...

© Copyright ACOHS Pty Ltd

Copyright in the source code of the HTML, PDF, XML, XFO and any other electronic files rendered by an Infosafe system for Infosafe MSDS displayed is the intellectual property of Acohs Pty Ltd.

Copyright in the layout, presentation and appearance of each Infosafe MSDS displayed is the intellectual property of Acohs Pty Ltd. The compilation of MSDS's displayed is the intellectual property of Acohs Pty Ltd.

Copying of any MSDS displayed is permitted for personal use only and otherwise is not permitted. In particular the MSDS's displayed cannot be copied for the purpose of sale or licence or for inclusion as part of a collection of MSDS without the express written consent of Acohs Pty Ltd.