

# POISON

KEEP OUT OF REACH OF CHILDREN  
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

# VETERAN<sup>®</sup> C

## SEED DRESSING LIQUID

ACTIVE CONSTITUENTS: 25 g/L FLUTRIAFOL  
4 g/L CYPERMETHRIN  
SOLVENT: 495 g/L ETHYLENE GLYCOL

GROUP	<b>3</b>	FUNGICIDE
-------	----------	-----------

GROUP	<b>3A</b>	INSECTICIDE
-------	-----------	-------------

**Liquid seed dressing treatment for wheat, barley, oats and triticale to protect against smuts and bunt and for protection against insect pests of stored grain.**

## CONTENTS: 20, 100, 200 & 1000 LITRES

Nufarm Australia Limited  
ACN 004 377 780  
103-105 Pipe Road, Laverton North Victoria 3026  
Tel: (03) 9282 1000  
nufarm.com.au

Veteran<sup>®</sup> trade mark owned or used under license by Nufarm Australia Ltd.

## DIRECTIONS FOR USE

### Restraint

DO NOT apply 'Vydate'\* to seed pre-treated with this product.

Crop	Disease/Pest	State	Rate /100kg seed	Critical Comments
Wheat	Bunt ( <i>Tilletia foetida</i> , <i>T. caries</i> ) Loose smut ( <i>Ustilago segetum</i> var <i>tritici</i> ) Soilborne flag smut ( <i>Urocystis agropyri</i> ) Seedborne flag smut ( <i>Urocystis agropyri</i> )	All States	100mL	This product is to be applied to grain undiluted. Seed must be treated to ensure even coverage of all grains, using correctly calibrated seed treatment equipment.  Reduced emergence may occur if seed treated with flutriafol is sown to a depth greater than 5 cm or into soil at a temperature less than 5°C or greater than 20°C.
Barley	Covered smut ( <i>Ustilago segetum</i> var <i>segetum</i> ) Loose smut ( <i>Ustilago segetum</i> var <i>tritici</i> )			
Oats	Covered smut ( <i>Ustilago segetum</i> var <i>segetum</i> ) Loose smut ( <i>Ustilago segetum</i> var <i>avenae</i> )			
Triticale	Loose smut ( <i>Ustilago segetum</i> var <i>tritici</i> )			
Wheat, Barley, Oats & Triticale	Protection against insect pests of stored grains: Lesser grain borer ( <i>Rhyzopertha dominica</i> ) Granary weevil ( <i>Sitophilus granarius</i> ) Rice weevil ( <i>Sitophilus oryzae</i> ) Rust-red flour beetle ( <i>Tribolium castaneum</i> ) Saw toothed grain beetle ( <i>Oryzaephilus surinamensis</i> ) Tropical warehouse moth ( <i>Ephestia cautella</i> )			

**NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.**

### WITHHOLDING PERIOD

**DO NOT GRAZE PLANTS GROWN FROM TREATED SEED OR CUT FOR STOCK FOOD WITHIN 4 WEEKS OF SOWING.**

## GENERAL INSTRUCTIONS

Seed may be treated with Veteran C Seed Dressing Liquid at any time from harvesting to sowing. Treated seed may be held over for sowing in the following season. The product contains cypermethrin for protection against insect pests of stored grain. THIS PRODUCT IS NOT MISCIBLE WITH WATER AND CANNOT BE DILUTED. Equipment must be dry.

### Cleaning up

Equipment should be cleaned with methylated spirits, not water.

### Fungicide Resistance Warning

<b>GROUP</b>	<b>3</b>	<b>FUNGICIDE</b>
--------------	----------	------------------

Veteran C Seed Dressing Liquid is a member of the DMI group of fungicides. For fungicide resistance management the product is a Group 3 fungicide.

Some naturally occurring individual fungi resistant to the product and other Group 3 fungicides may exist through normal genetic variability in any fungal population. The resistant individuals can eventually dominate the fungal population if these fungicides are used repeatedly. These resistant fungi will not be controlled by this product or other Group 3 fungicides, thus resulting in a reduction in efficacy and possible yield loss.

Since the occurrence of resistant fungi is difficult to detect prior to use, Nufarm Australia Limited accepts no liability for any losses that may result from the failure of this product to control resistant fungi.

### Insecticide Resistance Warning

<b>GROUP</b>	<b>3A</b>	<b>INSECTICIDE</b>
--------------	-----------	--------------------

For insecticide resistance management Veteran C Seed Dressing Liquid is a Group 3A insecticide. Some naturally occurring insect biotypes resistant to Veteran C Seed Dressing Liquid and other Group 3A insecticides may exist through normal genetic variability in any insect population. The resistant individuals can eventually dominate the insect population if Veteran C Seed Dressing Liquid or other Group 3A insecticides are used repeatedly. The effectiveness of Veteran C Seed Dressing Liquid on resistant individuals could be significantly reduced. Since occurrence of resistant individuals is difficult to detect prior to use, Nufarm Australia Limited accepts no liability for any losses that may result from the failure of Veteran C Seed Dressing Liquid to control resistant insects.

Veteran C Seed Dressing Liquid may be subject to specific resistance management strategies. For further information contact your local supplier, Nufarm Australia Limited representative or local agricultural department agronomist.

## PROTECTION OF CROPS, NATIVE AND OTHER NON-TARGET PLANTS

Short coleoptile cultivars should not be sown too deep. In some situations trifluralin herbicides and triazol fungicides interact to suppress emergence, if possible avoid this contamination. Any seed not intended to be used for sowing should be destroyed.

## PROTECTION OF LIVESTOCK

Seed treated with this product must not be used for animal consumption or be allowed to contaminate seed intended for animal consumption. Seed should not be left exposed on the ground (particularly during sowing). Destroy treated seed not intended for sowing.

## PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

DO NOT feed or expose treated seed to wildlife and domestic animals, particularly birds. Harmful to fish. DO NOT contaminate streams, rivers or waterways with the chemical, or containers which have held the chemical or treated seed.

## **STORAGE AND DISPOSAL (20 & 200L only)**

Seed treated with this product must not be used for human consumption or be allowed to contaminate seed intended for human consumption. Treated seed when stored should be kept apart from other seed and the containers should be clearly marked to indicate the contents have been treated with this product. Containers which have held treated seed should not be used for any other purpose.

Store in the closed, original container in a cool, well ventilated area. Do not store for prolonged periods in direct sunlight. Triple or preferably pressure rinse containers before disposal. Dispose of rinsings in a disposal pit specifically marked and set up for this purpose, clear of waterways, desirable vegetation and tree roots. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush or puncture and bury empty containers in a local authority landfill. If no landfill is available, bury the containers below 500mm in a disposal pit. Empty containers and product should not be burnt.

## **STORAGE AND DISPOSAL (100 & 1000L only)**

Seed treated with this product must not be used for human consumption or be allowed to contaminate seed intended for human consumption. Treated seed when stored should be kept apart from other seed and the containers should be clearly marked to indicate the contents have been treated with this product. Containers which have held treated seed should not be used for any other purpose.

Store in the closed, original container in a cool, well ventilated area. Do not store for prolonged periods in direct sunlight. Empty contents fully into application equipment. Close all valves and return to point of supply for refill or storage.

## **SAFETY DIRECTIONS**

Product is poisonous if swallowed. May irritate the eyes and skin. Sensitive workers should use protective clothing. Avoid contact with eyes and skin. Do not inhale dust, vapour or spray mist. When preparing spray and using the product wear cotton overalls buttoned to the neck and wrist and a washable hat, elbow-length PVC gloves and face shield. After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water. After each day's use, wash gloves, face shield or goggles and contaminated clothing.

## **FIRST AID**

If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 13 11 26.

## **ADDITIONAL STATEMENTS (WHS REGULATIONS 2011)**

**May damage fertility or the unborn child. Causes skin irritation. Causes serious eye irritation. May cause respiratory irritation.** Wash hands and exposed skin thoroughly after handling. Do not eat, drink or smoke when using this product. IF SWALLOWED: Rinse mouth. IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

## **SAFETY DATA SHEET**

For further information refer to the Safety Data Sheet (SDS), which can be obtained from your supplier or from the Nufarm website – [nufarm.com.au](http://nufarm.com.au)

**In case of emergency: Phone 1800 033 498** Ask for shift supervisor. Toll free 24 hours.

## **CONDITION OF SALE**

"Any provisions or rights under the Competition and Consumer Act 2010 or relevant state legislation which cannot be excluded by those statutes or by law are not intended to be excluded by these conditions of sale. Subject to the foregoing, all warranties, conditions, rights and remedies, expressed or implied under common law, statute or otherwise, in relation to the sale, supply, use or application of this product, are excluded. Nufarm Australia Limited and/or its affiliates ("Nufarm") shall not accept any liability whatsoever (including consequential loss), or howsoever arising (including negligence) for any damage, injury or death connected

with the sale, supply, use or application of this product except for liability which cannot be excluded by statute.”

Veteran® trade mark owned or used under license by Nufarm Australia Ltd.

\* Other trade marks

Nufarm Australia Limited

ACN 004 377 780

103-105 Pipe Road, Laverton North Victoria 3026

Tel: (03) 9282 1000

nufarm.com.au

APVMA Approval No. : 60146/112783

BN / DOM / Barcode