



# NUFARM POTATO GUIDE

Grow better potatoes with the  
Nufarm range of pest and disease  
control solutions.



**Nufarm**

Grow a better tomorrow.



# POTATO SEGMENT GUIDE

PRODUCT AND DECISION SUPPORT FOR YOUR POTATO CROPPING PROGRAM

## GROWTH STAGE

Pre-plant

Plant

Seedling

Vegetative

## NUFARM PRODUCT GUIDE

### FUMIGATION

#### Metham

Pre-planting treatment for the control of soil-borne pests, weeds and diseases. 14-21 day WHP.

### WEED CONTROL

#### Shirquat® 250

For the control of a range of grasses and broadleaf weeds. 1 day WHP.

#### Tomahawk®

Early control of a range of grass and broadleaf weeds in-crop. Nil WHP.

### PRE-PLANT INSECTICIDES

#### Chlorpyrifos 500EC

For the control of African black beetle, wireworm and a wide range of other insect pests. Nil WHP.

#### Maestro® 200SC

For the control of wireworm, mole cricket, white fringed weevil and various other insect pests. Nil WHP.

### FUNGICIDES

#### Barrack Betterstick®

A highly-concentrated liquid ch... blight. Nil WHP.

#### Champ® Dry Prill

A flowable dry prill fungicide fo...

#### Digger®

A protectant fungicide for cont...

#### Downright®

A unique fungicide for the cont... fungicides. 14 day WHP.

#### Emblem®

A highly protectant fungicide w...

#### Fortress®

A highly effective fungicide fo...

#### Medley® 50G

For control of pink rot. Nil WHP.

#### Penncozeb 750DF

A highly compatible dry flowab...

#### Supernova™ 250SC

A powerful fungicide for contro...

#### Tri-Base® Blue

A unique liquid formulation of t...

### IN-CROP INSECTICIDES

#### Axe®

For the control of potato moth. 2...

#### Dimethoate

For the control of aphids, thrips,

#### Endgame®

For the control of green peach ap...

#### Lancer® 970

A broad spectrum contact insect...

#### Lannate® - L

For the control of potato moth (a...

#### Matador® with Zeon Technolo

For the control of vegetable jassi...

#### Nudrin® 225

For the control of potato moth a...

#### Nuprid® 350SC


For the control of green peach a...

## SPRAYWISE DECISIONS

Provides an up to date spray planner, meteogram and radar information from the convenience of your mobile.

Better decisions, better results. [spraywisedecisions.com.au](http://spraywisedecisions.com.au)

Nufarm  
**SprayWise®**  
Decisions



lorothalonil formulation with a built in sticker that controls early blight (target spot) and late

r the control of early blight and late blight. 1 day WHP.

rol of early blight. 7 day WHP.

rol of various diseases when mixed with Penncozeb® 750DF or Polyram®1 DF protectant

working on leaves, stems and tubers to protect against late blight and sclerotinia.14 day WHP.

control of both sclerotinia and early blight. 9 day WHP.

.

le formulation for control of early blight and late blight. Nil WHP.

ol of early blight and late blight and suppression of black scurf and silver scurf. Nil WHP.

ri-basic copper sulphate for control of early blight and late blight. 1 day WHP.

2 day WHP.

mites and other insect pests. 14 day WHP.

phid. Nil WHP.

icide for the control of potato moth (tobacco leafminer). 3 day WHP.

all states) and potato looper (Qld & WA only). Nil WHP

gy®  
ids. 7 day WHP.

nd potato looper. Nil WHP.

aphids. 7 day WHP.

## TOP CROPPERS

Australia's longest running agricultural loyalty program.  
Receive exclusive offers and product information.  
[topcroppers.com.au](http://topcroppers.com.au)

Nufarm

Top  
Croppers



# POTATO PRODUCT GUIDE

Grow better potatoes with the Nufarm range of pest and disease control solutions.

PRODUCT	ACTIVE	GROUP	REGISTERED PEST	ADJUVANT REQUIRED
<b>Axe</b>	500 g/L permethrin (40:60)	3A insecticide	Potato moth	Not required
<b>Barrack Betterstick</b>	720 g/L chlorothalonil	M5 fungicide	Early blight (target spot) and late blight (Irish spot)	Not required
<b>Champ Dry Prill</b>	375 g/kg copper (cu) present as cupric hydroxide	Y fungicide	Early blight (target spot) and late blight (Irish spot)	Du-Wett® for increased spreading, Designer® for increased spreading and adhesion
<b>Chlorpyrifos 500EC</b>	500 g/L chlorpyrifos	1B insecticide	African black beetle, white fringed weevil and wireworms	Not required
<b>Digger</b>	250 g/L difenoconazole	3 fungicide	Early blight	Du-Wett for increased spreading, Designer for increased spreading and adhesion
<b>Dimethoate</b>	400 g/L dimethoate	1B insecticide	Thrips, aphids, jassids and green vegetable bug	Collide® 700 for acidification of spray solution, spreading and penetration
<b>Downright</b>	500 g/L dimethomorph	40 fungicide	Late blight/Irish blight and early blight/target spot	Du-Wett for increased spreading, Designer for increased spreading and adhesion
<b>Emblem</b>	500 g/L fluazinam	29 fungicide	Late blight/Irish blight and sclerotinia	Not required
<b>Endgame</b>	500 g/kg pymetrozine	9B insecticide	Green peach aphid	Not required
<b>Fortress</b>	500 g/L procymidone	2 fungicide	Sclerotinia and early blight/target spot	Shirwet® 600 or Activator®
<b>Lancer 970</b>	970 g/kg acephate	1B insecticide	Potato moth (tobacco leafminer)	Du-Wett for increased spreading
<b>Lannate – L</b>	225 g/L methomyl	1A insecticide	Potato moth and potato looper	Activator or BS1000
<b>Maestro 200SC</b>	200 g/L fipronil	2B insecticide	Wireworm (various), mole cricket (various) and white fringed weevil	Not required
<b>Matador with Zeon Technology</b>	250 g/L lambda-cyhalothrin	3A insecticide	Vegetable jassid	Not required
<b>Medley 50G</b>	50 g/kg metalaxyl	D fungicide	Pink rot	Not required
<b>Metham</b>	423 g/L metham as sodium salt	Fumigant	Certain soil-borne pests including germinated weed seeds, nematodes, symphylids and fungal diseases	Not required
<b>Nudrin 225</b>	225 g/L methomyl	1A insecticide	Potato moth and looper	Activator or BS1000
<b>Nuprid 350SC</b>	350 g/L imidacloprid	4A insecticide	Green peach aphid	Not required
<b>Penncozeb 750DF</b>	750 g/kg mancozeb	M3 fungicide	Early blight/target spot and late blight/Irish blight	Du-Wett for increased spreading, Designer for increased spreading and adhesion
<b>Shirquat 250</b>	250 g/L paraquat	L herbicide	Annual grasses and broadleaf weeds	Not required
<b>Supernova 250SC</b>	250 g/L azoxystrobin	11 fungicide	Early blight/target spot, late blight/Irish blight (control) and black scurf, silver scurf (suppression only)	Not required
<b>Tomahawk</b>	750 g/kg metribuzin	C herbicide	Early control of a broad range of grass and broadleaf weeds	Not required
<b>Tri-Base Blue</b>	190 g/L tribasic copper sulphate	M1 fungicide	Early blight/target spot and late blight/Irish blight	Du-Wett for increased spreading, Designer for increased spreading and adhesion

The information and recommendations set out in this brochure are no substitute for professional or expert advice and are based on tests and data believed to be reliable at the time of publication. Results may vary, as the use and application of the products is beyond our control and may be subject to climatic, geographical or biological variables, and/or developed resistance. To the maximum extent permitted by law, Nufarm Australia Limited disclaims all warranties of any kind, whether express or implied, including but not limited to any warranty that the information is up-to-date, complete, true, legally compliant, accurate, non-misleading or suitable.

© 2017 Nufarm Australia Ltd. Polyram®1 is a registered trademark of BASF. All other trade marks (®,™) are owned by Nufarm Australia Ltd or used under license.



Grow a better tomorrow.