READ SAFETY DIRECTIONS BEFORE OPENING OR USING



ACTIVE CONSTITUENT: 500 g/L ETHYL ESTERS of CANOLA OIL FATTY ACID



An esterified oil based product with emulsifiers and surfactants

To assist effectiveness of Herbicides and other agriculture chemicals.

Nufarm CanDo™ Concentrate Adjuvant improves your spray results by

- Increasing penetration through waxy cuticles
- Increasing wetting and spreading of spray droplets
- Reducing spray droplet evaporation rates

EC

EMULSIFIABLE CONCENTRATE







Nufarm CanDo™ Concentrate Adjuvant
DIRECTIONS FOR USE
HERBICIDES

HERBICIDES		_ _	
PRODUCT	NUFARM CANDO™ RATE PER 100 L OF SPRAY VOLUME	CRITICAL COMMENTS	
Achieve® WG herbicide	0.5-1 L/100 L^	The normal rate is 0.5 L/100 L spray solution. Increase the rate to 1 L/100 L under drying conditions. Always use 1 L/100 L for aerial application. The use of Nufarm CanDo™ may assist in control of harder to wet and harder to kill weeds - such as Lippia, wild radish, variegated thistle and volunteer canola where listed as controlled on the relevant phenoxy herbicide product	
Amicide® Advance 700, Amine 625, Agritone®750, Cobber®475, Polo® 570 LVE,	0.5 L/100 L		
Estercide® Xtra 680 and other amine and ester formulations of phenoxy herbicides.		label. Refer to product label for specific use recommendations and contraindications. Avoid application to stressed plants.	
Archer® 750 Dual Salt Herbicide	0.5 L/100 L	Refer to label for specific use recommendations.	
Atlantis*	0.5 L/100 L	Use Nufarm CanDo™ for Brome grass and Barley grass suppression.	
Atradex® or Gesaprim*	0.5 L/100 L	Recommended for post-emergent use in TT Canola.	
Broadsword®	0.5 L/100 L	There are some applications where Nufarm CanDo™ should not be used with Broadsword. Refer to Broadsword label.	
CRUCIAL®	0.5 L/100 L	Recommended for use in tank mixes with Terrain 500 and Nail 600EC, refer to CRUCIAL label.	
Claw® 350SL or Raptor* WG	0.5 L/100 L	There are some applications where Nufarm CanDo™ should not be used with Claw 350. Refer to Claw 350 label.	
Comet 400® Herbicide	0.5 L/100 L	Refer to label for specific use recommendations.	
Conqueror® Herbicide	0.5 L/100 L	Refer to label for specific use recommendations.	
Exert®520 Herbicide	0.5 L/100 L	It is essential to add an adjuvant to Exert 520. Best results will be achieved with Nufarm CanDo™ at 0.5 L/100 L of spray solution. Use of an oil is not	
Factor®WG Herbicide	0.5-1 L/100 L^	always recommended. Refer to label for specific situation recommendations. The normal rate is 0.5 L/100 L spray solution. Always use 1 L/ha for aerial application.	
Havoc®, Select*, Sequence® or other 240EC g/L clethodim products	0.5 L/100 L^	Nufarm CanDo™ is recommended for all applications where Havoc is used.	
Hussar*	0.5 L/100 L	Nufarm CanDo™ is recommended for all applications where Hussar is used.	
Intercept® or Intervix*	0.5 L/100 L	Nufarm CanDo™ is recommended for all applications where Intercept is used.	
Kyte® Spinnaker* and other 700g/kg Imazethapyr products	0.5 L/100 L	Use Nufarm CanDo™ for post-emergence applications in accordance with Kyte label.	
Logran* B-Power	0.5 L/100 L	Nufarm CanDo™ is recommended for all applications where Logran B-Power is used.	
Nail®, Nail® 600EC or Hammer*	0.5 L/100 L	Nufarm CanDo™ is recommended for use with Nail. See Nail label or equivalent product for use rate and details.	
Precept*	0.5 L/100 L	Refer to Precept label when tank mixing with other herbicides.	
Saracen [®]	0.5 L/100 L	Nufarm CanDo™ is recommended for all applications where Saracen is used.	
Sempra®	0.5 L/100 L	Nufarm CanDo™ is recommended for all applications where Sempra is used.	
Sentry® or Onduty*	0.5 L/100 L	Nufarm CanDo™ is recommended for all post-emergent applications where Sentry is used.	
Sequence® 360 or other 360 g/L clethodim products	0.5 L/ 100 L^	Nufarm CanDo™ is recommended for all applications where Sequence 360 is used.	
Shogun*	0.5 L/100 L	Refer to Shogun label.	
Spark® (240g/L product only or Flame*)	0.5 L/100 L	Recommended for post-emergent use.	
Targa* Bolt and other quizalofop products	0.5 L/100 L	Nufarm CanDo™ is recommended for all applications where Targa Bolt is used.	
Terbazine® or Terbyne*	0.5 L/100 L	For post-emergent applications.	
Terrad'or®	0.5-1 L/100 L	Nufarm CanDo™ is recommended for all applications where Terrad'or is used. Nufarm CanDo™ should be used at 0.5 L/100 L under normal conditions. Increasing the rate to 1 L/100 L may improve performance under less than ideal conditions.	
Terrain [®] or Valor*	0.5 L/100 L	Use Nufarm CanDo™ for knockdown weed control use patterns on actively growing weeds.	
Thistrol® Gold	0.5 L/100 L	Recommended for all applications where Thistrol Gold is used.	
Topik* or other 240 g/L clodinafop-propargyl	0.5 L/100 L	Refer to label for specific use recommendations.	
Trooper® 75-D Selective Herbicide or other 75 g/L picloram plus 300 g/L 2,4-D products	0.5 L/100 L	Refer to label for specific use recommendations.	
Trooper® 242 Selective Herbicide or other 26 g/L picloram plus 420 g/L MCPA products	0.5 L/100 L	Refer to label for specific use recommendations.	
Velocity*	0.5 L/100 L^	Nufarm CanDo™ is recommended for all applications where Velocity is used.	
	TM		

[^] Increasing the rate of Nufarm CanDo™ to 1 L/100 L may improve performance.

Nufarm CanDo™ Concentrate Adjuvant FUNGICIDE AND INSECTICIDE PRODUCTS

PRODUCT	NUFARM CANDO™ RATE PER 100 L OF SPRAY VOLUME	CRITICAL COMMENTS	
Movento*	0.5 L/100 L^	See Movento label for crop specific instructions.	
Tazer Xpert®	0.5 L/100 L^	See Tazer Xpert label for specific instructions on adjuvant use.	

Approved: 27 SEP 2021

USE OF NUFARM CANDO™ WITH OTHER HERBICIDES, INSECTICIDES, FUNGICIDES, DEFOLIANTS OR DESICCANTS

Nufarm CanDo™ may be used wherever an oil-based adjuvant is recommended on the label of the agricultural chemical, unless Nufarm CanDo™ or esterified seed-oil adjuvants are specifically excluded. The recommended usage rate of Nufarm CanDo™ for all such applications should be approximately 0.5-1 L/ha and should not be less than 0.2 L/ha (see Table below).

Spray Application	Spray Volume	Rate of Nufarm CanDo™ L/100 L of Spray Volume
Low volume	10-20 L/ha	2-5 L
Broadacre Boom Spray	50-100 L/ha	0.5-2 L
High volume	200-500 L/ha	0.2-0.5 L

When spraying at volumes other than those shown above, apply Nufarm CanDo™ at approximately 0.5 L/100 L or up to 1 L/ha.

NOT TO BE USED FOR ANY PURPOSE OR IN ANY MANNER CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

GENERAL INSTRUCTIONS

MIXING

Follow the directions on the agricultural chemical's label. Fill spray tank one-half full of water and add the required amount of the agricultural chemical while agitating. Add remainder of the water. Add the required amount of Nufarm CanDo™ last and continue agitation until completion of spraying.

COMPATIBILITY

Nufarm CanDo™ can provide enhanced performance when compared with mineral oil or vegetable oil based adjuvants. Under cold conditions (<10°C) Nufarm CanDo™ is preferred to other crop oil adjuvants when used with certain herbicides as recommended on their label. Nufarm CanDo™ is compatible with the above products, however all instructions on the agricultural chemical's label must be strictly followed.

CROP SAFETY

Refer to the directions on the agricultural chemical label. Caution must be exercised when applying Nufarm CanDo™ with agricultural chemicals on sensitive crops during periods when plants are subject to drought stress, high temperatures or high humidity. If in doubt about the appropriateness of using Nufarm CanDo™, please test by application to a small area before using it on a full-scale basis.

SPILLAGE

In the event of a spillage absorb onto sand or chemical absorbent. Remove residue with detergent and hot water. Dispose of by normal waste disposal methods conforming to local authority codes.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

DO NOT contaminate streams, rivers or waterways with the chemical or used containers.

STORAGE AND DISPOSAL

KEEP OUT OF REACH OF CHILDREN.

Store in the closed, original container in a cool, well ventilated area. DO NOT store for prolonged periods in direct sunlight.

Non-refillable containers

Triple rinse containers before disposal. Add rinsings to spray tank. **DO NOT** dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush or puncture and deliver empty packaging to an approved waste management facility. If an approved waste management facility is not available bury the empty packaging 500 mm below the surface in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots, in compliance with relevant local, state or territory government regulations. **DO NOT** burn empty containers or product.

Refillable containers

Empty contents fully into application equipment. Close all valves and return to point of supply for refill or storage.

SAFETY DIRECTIONS

When using together with other products, consult their label safety directions. Wash hands after use.

FIRST AID

First aid is not generally required. If in doubt, contact a Poisons Information Centre (phone Australia 13 11 26; New Zealand 0800 764 766) or a doctor.

ADDITIONAL STATEMENTS (WHS REGULATIONS 2011)

Not required - Not classified as hazardous.

SAFETY DATA SHEET

For further information refer to the Safety Data Sheet (SDS), which can be obtained from your supplier or from the Nufarm website - nufarm.com.au

In case of emergency: Phone 1800 033 498 Ask for shift supervisor. Toll free 24 hours.

CONDITIONS OF SALE

"Any provisions or rights under the Competition and Consumer Act 2010 or relevant state legislation which cannot be excluded by those statutes or by law are not intended to be excluded by these conditions of sale. Subject to the foregoing, all warranties, conditions, rights and remedies, expressed or implied under common law, statute or otherwise, in relation to the sale, supply, use or application of this product, are excluded. Nufarm Australia Limited and/or its affiliates ("Nufarm") shall not accept any liability whatsoever (including consequential loss), or howsoever arising (including negligence) for any damage, injury or death connected with the sale, supply, use or application of this product except for liability which cannot be excluded by statute."

[^] Increasing the rate of Nufarm CanDo[™] to 1 L/100 L may improve performance.

Nufarm Australia Limited 103-105 Pipe Road Laverton North Victoria 3026 Tel: (03) 9282 1000 nufarm.com.au

 $\ensuremath{\mathfrak{B}}$ All trade marks owned or used under licence by Nufarm Australia Ltd. * Other trade marks

Approved: 27 SEP 2021

APVMA Approval No.: 89989/132868