

READ SAFETY DIRECTIONS BEFORE OPENING OR USING



ACTIVE CONSTITUENT: 500 g/L ETHYL ESTERS of CANOLA OIL FATTY ACID

ADJUVANT

An esterified oil based product with emulsifiers and surfactants.

To assist effectiveness of Herbicides and other agriculture chemicals.

Nufarm CanDo™ Adjuvant improves your spray results by

- Increasing penetration through waxy cuticles
- Increasing wetting and spreading of spray droplets
- Reducing spray droplet evaporation rates

EC

EMULSIFIABLE CONCENTRATE



 nufarm

**AUSTRALIAN
THROUGH
& THROUGH**

**DIRECTIONS FOR USE
HERBICIDES**

PRODUCT NAME	ACTIVE NAME/S	NUFARM CANDO [™] RATE	CRITICAL COMMENTS
Tralkoxydim products	Tralkoxydim	0.5 L/100L (boom sprayer application)^ 1 L/ha (aerial application)	The normal rate is 0.5 L/100 L spray solution. Increase the rate to 1 L/100 L under adverse conditions.
Nufarm Archer [®] 750 or other clopyralid products	Clopyralid	0.5 L/100L	Refer to clopyralid label for specific use recommendations.
Atlantis [™]	Mesosulfuron-methyl	0.5 L/100L	Use Nufarm CanDo [™] for Brome grass and Barley grass suppression.
Broadstrike [™] or other flumetsulam products	Flumetsulam	0.5 L/100L	There are some applications where Nufarm CanDo [™] should not be used with flumetsulam products, refer to flumetsulam label.
Nufarm CRUCIAL [®] , Nufarm weedmaster [®] DST or other glyphosate products	Glyphosate	0.5 L/100L	Recommended for use in tank mixes with Terrad [®] or [®] , Nufarm Terrain [®] Flow and Nufarm Nail [®] , refer to glyphosate label.
Nufarm Conqueror [®] or other picloram + triclopyr products	Picloram + Triclopyr	0.5 L/100L	Refer to picloram + triclopyr label for specific use recommendations.
Nufarm DROPZONE [®] , Nufarm Amicide [®] Advance 700, Nufarm 2,4-D Amine 625, Nufarm Cobber [®] , Nufarm 2,4-D Ester 680 and other amine and ester formulations of 2,4-D or other phenoxy herbicides.	2,4-D	0.5 L/100L	The use of Nufarm CanDo [™] may assist in control of harder to wet and harder to kill weeds - such as Lippia, wild radish, variegated thistle and volunteer canola where listed as controlled on the relevant phenoxy herbicide product label. Refer to product label for specific use recommendations and contraindications. Avoid application to stressed plants.
Nufarm Exert [®] or other haloxyfop products	Haloxyfop	0.5 L/100L	It is essential to add an adjuvant to haloxyfop. Best results will be achieved with Nufarm CanDo [™] at 0.5 L/100 L of spray solution. Use of an oil is not always recommended, refer to haloxyfop label.
Nufarm Factor [®]	Butroxydim	0.5 L/100L (boom sprayer application) 1 L/ha (aerial application)	Nufarm CanDo [™] is recommended for all applications where Nufarm Factor [®] is used.
Gesaprim [™] or other atrazine products	Atrazine	0.5 L/100L	Recommended for post-emergent use in TT Canola.
Nufarm Galaxy [®]	Pyrasulfotole	0.5 L/100L	Nufarm CanDo [™] is recommended for all applications where Nufarm Galaxy [®] is used.
Hussar [™] or other iodosulfuron products	Iodosulfuron	0.5 L/100L	Nufarm CanDo [™] is recommended for all applications where iodosulfuron is used.
Imazapic products	Imazapic	0.5 L/100L	Recommended for post-emergent use where product labels require the use of a spray oil adjuvant.
Intercept [®] or Intervix [™]	Imazamox & Imazapyr	0.5 L/100L	Nufarm CanDo [™] is recommended for all applications where Nufarm Intercept [®] or Intervix [™] is used.
Nufarm MCPA Amine 750, Nufarm MCPA LVE 570 and other amine and ester formulations of MCPA or other phenoxy herbicides.	MCPA	0.5 L/100L	The use of Nufarm CanDo [™] may assist in control of harder to wet and harder to kill weeds - such as Lippia, wild radish, variegated thistle and volunteer canola where listed as controlled on the relevant phenoxy herbicide product label. Refer to product label for specific use recommendations and contraindications. Avoid application to stressed plants.
Nufarm Nail [®] , Hammer [™] or other carfentrazone-ethyl products	Carfentrazone-ethyl	0.5 L/100L	Nufarm CanDo [™] is recommended for use with carfentrazone-ethyl. See carfentrazone-ethyl label for use rate and details.
Precept [™]	Pyrasulfotole + MCPA	0.5 L/100L	Refer to Precept [™] label when tank mixing with other herbicides.
Raptor [™] WG or other imazamox products	Imazamox	0.5 L/100L	There are some applications where Nufarm CanDo [™] should not be used with imazamox products, refer to imazamox label.
Nufarm Saracen [®]	Florasulam	0.5 L/100L	Nufarm CanDo [™] is recommended for all applications where Nufarm Saracen [®] is used.
Nufarm Semptra [®]	Halosulfuron-methyl	0.5 L/100L	Nufarm CanDo [™] is recommended for all applications where Nufarm Semptra [®] is used.
Nufarm Sentry [®] or Onduty [™]	Imazapic + Imazapyr	0.5 L/100L	Nufarm CanDo [™] is recommended for all post-emergent applications where Nufarm Sentry [®] or Onduty [™] are used.
Shogun [™]	Propaquizafop	0.5 L/100L	Refer to Shogun label.
Spinaker [™] and other imazethapyr products	Imazethapyr	0.5 L/100L	Use Nufarm CanDo [™] for post-emergence applications in accordance with imazethapyr label.
Starane [™] Advanced or other fluoroxypr products	Fluroxypyr	0.5 L/100L	Refer to fluoroxypr label for specific use recommendations.
Status [™] , Select [™] or other clethodim products	Clethodim	0.5 L/100L^	Nufarm CanDo [™] is recommended for all applications where clethodim is used.
Targa [™] Bolt and other quizalofop products	Quizalofop	0.5 L/100L	Nufarm CanDo [™] is recommended for all applications where quizalofop is used.
Terbyne [™] or other terbuthylazine products	Terbuthylazine	0.5 L/100L	For post-emergent applications.

PRODUCT NAME	ACTIVE NAME/S	NUFARM CANDO™ RATE	CRITICAL COMMENTS
Terrad'or®	Tiafenacil	Annual ryegrass: 0.5 - 1 L/100L Other weeds: 0.5 L/100L	Nufarm CanDo™ is recommended for all applications where Terrad'or® is used. Annual ryegrass: Nufarm CanDo™ should be used at 0.5 L/100 L under normal conditions. Increasing the rate to 1 L/100 L may improve performance under less than ideal conditions. Please see Terrad'or® label for ideal factors to be considered to ensure control.
Nufarm Terrain® Flow or Valor*	Flumioxazin	0.5 L/100L	Use Nufarm CanDo™ for knockdown weed control use patterns on actively growing weeds.
Nufarm Thistrol® Gold	MCPB + MCPA + flumetsulam	0.5 L/100L	Recommended for all applications where Nufarm Thistrol® Gold is used.
Topik* or other clodinafop-propargyl products	Clodinafop-propargyl	0.5 L/100L	Refer to clodinafop-propargyl label for specific use recommendations.
Nufarm Trooper® 75-D or other picloram + 2,4-D products	Picloram + 2,4-D	0.5 L/100L	Refer to picloram + 2,4-D label for specific use recommendations.
Nufarm Picloram MCPA or other picloram + MCPA products	Picloram + MCPA	0.5 L/100L	Refer to picloram + MCPA label for specific use recommendations.
Velocity*	Pyrasulfotole + Bromoxynil	0.5 L/100L [^]	Nufarm CanDo™ is recommended for all applications where Velocity is used.

FUNGICIDE AND INSECTICIDE PRODUCTS

PRODUCT	ACTIVE NAME/S	NUFARM CANDO™ RATE PER 100 L OF SPRAY VOLUME	CRITICAL COMMENTS
Movento*	Spirotetramat	0.5 L/100 L [^]	See Movento label for crop specific instructions.
Azoxystrobin + Epoxiconazole products	Azoxystrobin + Epoxiconazole	0.5 L/100 L [^]	See azoxystrobin + epoxiconazole label for specific instructions on adjuvant use.

[^] Increasing the rate of Nufarm CanDo™ to 1 L/100 L may improve performance.

USE OF NUFARM CANDO™ WITH OTHER HERBICIDES, INSECTICIDES, FUNGICIDES, DEFOLIANTS OR DESICCANTS

Nufarm CanDo™ may be used wherever an oil-based adjuvant is recommended on the label of the agricultural chemical, unless Nufarm CanDo™ or esterified seed-oil adjuvants are specifically excluded. The recommended usage rate of Nufarm CanDo™ for all such applications should be approximately 0.5 - 1 L/ha and should not be less than 0.2 L/ha (see Table below).

Spray Application	Spray Volume	Rate of Nufarm CanDo™ L/100L of Spray Volume
Low volume	10 - 20 L/ha	2 - 5 L
Broadacre Boom Spray	50 - 100 L/ha	0.5 - 2 L
High volume	200 - 500 L/ha	0.2 - 0.5 L

When spraying at volumes other than those shown above, apply Nufarm CanDo™ at approximately 0.5 L/100L or up to 1 L/ha.

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

GENERAL INSTRUCTIONS

Mixing

Follow the directions on the agricultural chemical's label. Fill spray tank one-half full of water and add the required amount of the agricultural chemical while agitating. Add remainder of the water. Add the required amount of Nufarm CanDo™ last and continue agitation until completion of spraying.

Compatibility

Nufarm CanDo™ can provide enhanced performance when compared with mineral oil or vegetable oil based adjuvants. Under cold conditions (<10°C) Nufarm CanDo™ is preferred to other crop oil adjuvants when used with certain herbicides as recommended on their label. Nufarm CanDo™ is compatible with the above products, however all instructions on the agricultural chemical's label must be strictly followed.

Crop Safety

Refer to the directions on the agricultural chemical label. Caution must be exercised when applying Nufarm CanDo™ with agricultural chemicals on sensitive crops during periods when plants are subject to drought stress, high temperatures or high humidity. If in doubt about the appropriateness of using Nufarm CanDo™, please test by application to a small area before using it on a full-scale basis.

Spillage

In the event of a spillage absorb onto sand or chemical absorbent. Remove residue with detergent and hot water. Dispose of by normal waste disposal methods conforming to local authority codes.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

DO NOT contaminate streams, rivers or waterways with the chemical or used containers.

STORAGE AND DISPOSAL

KEEP OUT OF REACH OF CHILDREN.

Store in the closed, original container in a cool, well-ventilated area. **DO NOT** store for prolonged periods in direct sunlight.

Non-refillable containers

Triple-rinse containers before disposal. Add rinsings to spray tank. **DO NOT** dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush, or puncture and deliver empty packaging to an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging 500 mm below the surface in a disposal pit specifically marked and set up for this purpose, clear of waterways, desirable vegetation and tree roots, in compliance with relevant local, state or territory government regulations. **DO NOT** burn empty containers or product.

Refillable containers

Empty contents fully into application equipment. Close all valves and return to point of supply for refill or storage.

SAFETY DIRECTIONS

When using together with other products, consult their label safety directions. Wash hands after use.

FIRST AID

First aid is not generally required. If in doubt, contact a Poisons Information Centre (phone Australia 13 11 26; New Zealand 0800 764 766) or a doctor.

ADDITIONAL STATEMENTS (WHS REGULATIONS 2011)

Causes serious eye irritation. Wash skin thoroughly after handling. Wear eye protection/face protection. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

SAFETY DATA SHEET

For further information refer to the Safety Data Sheet (SDS), which can be obtained by scanning the QR code, from your supplier or the Nufarm website.

In case of emergency: Phone 1800 033 498 (24 hrs) and ask for shift supervisor.

PRODUCT STEWARDSHIP INFORMATION AND TOOLS

nufarm.com.au/spraywise is a website which contains resources on spray drift management, recording keeping and application technologies.

When spraying in or near areas with sensitive crops such as cotton, check online at satacrop.com.au for the proximity of sensitive crops mapped by growers.

stewardshipfirst.com.au is a website with CroLife Australia's suite of world-leading product stewardship initiatives, programs and best-practice guides.

CONDITIONS OF SALE

Any provisions or rights under the Competition and Consumer Act 2010 or relevant state legislation which cannot be excluded by those statutes or by law are not intended to be excluded by these conditions of sale. Subject to the foregoing, all warranties, conditions, rights and remedies, expressed or implied under common law, statute or otherwise, in relation to the sale, supply, use or application of this product, are excluded. Nufarm Australia Limited and/or its affiliates ("Nufarm") shall not accept any liability whatsoever (including consequential loss), or howsoever arising (including negligence) for any damage, injury or death connected with the sale, supply, use or application of this product except for liability which cannot be excluded by statute.

* All trade marks owned or used under licence by Nufarm Australia Limited

CanDo™ is a trade mark of Nufarm Australia Limited

* Other registered trade marks



NUFARM AUSTRALIA LIMITED

103-105 Pipe Rd, Laverton North VIC 3026

For product advice, or to learn more about complementary Nufarm solutions, reach out to your local Nufarm specialist or call **1800 NUFARM (1800 683 276)**.

APVMA Approval No.: 89989/142774

Date: 28/07/2026