SAFETY DATA SHEET

NUFARM BROMICIDE MA HERBICIDE

Infosafe No.: NU017
ISSUED Date : 01/02/2025
ISSUED by: NUFARM AUSTRALIA LIMITED.

Section 1 - Identification

Product Identifier
NUFARM BROMICIDE MA HERBICIDE

Product Code
0220

Product Type
Group 4, 6 Herbicide

Company Name
NUFARM AUSTRALIA LIMITED. (ABN 80 004 377 780)

Address
103-105 Pipe Road Laverton North
Victoria 3026 AUSTRALIA

Telephone/Fax Number
Tel: +61 3 9282-1000
Fax: +61 3 9282-1001

Emergency Phone Number
1800 033 498 (24hr Australia)

Emergency Contact Name
www.nufarm.com.au

E-mail Address
SDSANZ@nufarm.com

Recommended use of the chemical and restrictions on use
For the control of weeds in wheat, oats, barley, cereal rye, triticale, linseed, grass pastures and turf as per the Directions for Use table on the label.

Section 2 - Hazard(s) Identification

GHS classification of the substance/mixture
Classified as Hazardous according to the Globally Harmonised System of Classification and labelling of Chemicals (GHS) including Work, Health and Safety regulations, Australia.
Complies with the requirements of Special Provision AU01 and therefore exempted from being classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail. (7th edition)
Classified as Dangerous Goods according to International Maritime Dangerous Goods Code (IMDG) and International Air Transport Association (IATA).

Flammable liquids: Category 4
Acute toxicity: Category 4 - Oral
Acute toxicity: Category 4 - Inhalation
Eye damage/irritation: Category 1
Sensitisation - skin: Category 1
Carcinogenicity: Category 2
Reproductive toxicity: Category 2
Aspiration hazard: Category 1
Hazardous to the Aquatic Environment - Acute Hazard: Category 1
Hazardous to the Aquatic Environment - Long-Term Hazard: Category 1

Signal Word (s)
DANGER

Hazard Statement (s)
H227 Combustible liquid.
H302 Harmful if swallowed.
H304 May be fatal if swallowed and enters airways.
H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H332 Harmful if inhaled.
H351 Suspected of causing cancer.
H361 Suspected of damaging fertility or the unborn child.
H410 Very toxic to aquatic life with long lasting effects.

Pictogram (s)
Health hazard,Exclamation mark,Corrosion,Environment

Precautionary Statement–Prevention
P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P271 Use only outdoors or in a well-ventilated area.
P272 Contaminated work clothing should not be allowed out of the workplace.
P273 Avoid release to the environment.
P280 Wear protective gloves/protective clothing/eye protection/face protection.

Precautionary Statement–Response
P308+P313 IF exposed or concerned: Get medical advice/attention.
P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor
P330 Rinse mouth.
P331 Do NOT induce vomiting.
P302+P352 IF ON SKIN: Wash with plenty of water.
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P362+P364 Take off contaminated clothing and wash it before reuse.
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P312 Call a POISON CENTER/doctor if you feel unwell.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a POISON CENTER/doctor.
P370+P378 In case of fire: Use water fog, foam, carbon dioxide or dry chemical to extinguish.
P391 Collect spillage.

Precautionary Statement–Storage
P403 Store in a well-ventilated place.
P405 Store locked up.

Precautionary Statement–Disposal
P501 Dispose of contents/container to an approved waste disposal plant.

Section 3 - Composition and Information on Ingredients

Ingredients

Name	CAS	Proportion
Solvent naphtha, petroleum, heavy aromatic	64742-94-5	343 g/L
MCPA, salts and esters of		200 g/L
bromoxynil octanoate (ISO)	1689-99-2	200 g/L
Proprietary surfactant mixture		5-10 %

Information on Composition
MCPA (CAS 94-74-6) is present as the ethyl hexyl ester.

Section 4 - First Aid Measures

Inhalation
If inhaled, remove affected person from contaminated area. Apply artificial respiration if not breathing. Seek medical attention.

Ingestion
Do NOT induce vomiting. Wash out mouth and lips with water. Where vomiting occurs naturally have affected person place head below hip level in order to reduce risk of aspiration. Seek immediate medical attention.

Skin
Remove all contaminated clothing immediately. Wash affected area thoroughly with soap and water. Wash contaminated clothing before reuse or discard. Seek medical attention.

Eye
If in eyes, hold eyelids apart and flush the eyes continuously with running water. Remove contact lenses. Continue flushing until advised to stop by the Poisons Information Centre or a doctor, or for at least 15 minutes. Seek immediate medical attention.

First Aid Facilities
Eyewash, safety shower and normal washroom facilities.

Advice to Doctor
Treat symptomatically.
If vomiting occurs, solvent present may cause pulmonary pneumonitis.

Other Information
For advice in an emergency, contact a Poisons Information Centre (Phone Australia 131 126) or a doctor at once.

Section 5 - Firefighting Measures

Suitable Extinguishing Media
Water fog, foam, carbon dioxide or dry chemical.

Hazards from Combustion Products
If involved in a fire, it will emit harmful fumes of hydrogen bromide, hydrogen chloride, hydrogen cyanide and possibly other compounds of bromine, chlorine and nitrogen.

Specific hazards arising from the chemical
This product will burn if exposed to fire.

Hazchem Code
•3Z

Decomposition Temperature
Not available

Precautions in connection with Fire
Fire fighters should wear Self-Contained Breathing Apparatus (SCBA) operated in positive pressure mode and full protective clothing to prevent exposure to vapours or fumes. Water spray may be used to cool down heat-exposed containers. Fight fire from safe location. This product should be prevented from entering drains and watercourses.

Section 6 - Accidental Release Measures

Emergency Procedures
Wear appropriate personal protective equipment and clothing to prevent exposure. Increase ventilation. If possible contain the spill. Place inert absorbent material onto spillage. Collect the material and place into a suitable labelled container. Do not dilute material but contain. Dispose of waste according to the applicable local and national regulations. If contamination of sewers or waterways occurs inform the local water and waste management authorities in accordance with local regulations.

Environmental Precautions
This product is a herbicide and spills can damage crops, pastures and desirable vegetation.

Section 7 - Handling and Storage

Precautions for Safe Handling
Avoid inhalation of vapours and mists, and skin or eye contact. Use only in a well ventilated area. Keep containers sealed when not in use. Prevent the build up of mists or vapours in the work atmosphere. Do not use near ignition sources. Do not pressurise, cut, heat or weld containers as they may contain hazardous residues. Maintain high standards of personal hygiene by washing hands prior to eating, drinking, smoking or using toilet facilities.
Avoid exposure. Do not handle until all safety precautions have been read and understood.
It is recommended that pregnant or breastfeeding women should not handle this product unless adequate exposure protection can be assured at all times. Female personnel planning pregnancy should be made aware of the potential risks.

Conditions for safe storage, including any incompatibilities
Store in a cool, dry, well-ventilated area away from sources of ignition, foodstuffs, clothing and incompatible materials such as oxidising agents. Keep containers closed when not in use, securely sealed and protected against physical damage. Inspect regularly for deficiencies such as damage or leaks. Have appropriate fire extinguishers available in and near the storage area. Take precautions against static electricity discharges. Use proper grounding procedures. Ensure that storage conditions comply with applicable local and national regulations.
This product is a Schedule 7 poison and must be stored in a locked room or place away from children, animals, food, feedstuffs, seed and fertiliser.
For information on the design of the storeroom, reference should be made to Australian Standard AS1940 - The storage and handling of flammable and combustible liquids.

Storage Regulations
Classified as a Class C1 (COMBUSTIBLE LIQUID) for the purpose of storage and handling, in accordance with the requirements of AS1940 (2017).

Section 8 - Exposure Controls and Personal Protection

Occupational exposure limit values
No exposure standards have been established for this material, however, the TWA exposure standards for refined mineral oil mist is 5 mg/m^3. As with all chemicals, exposure should be kept to the lowest possible levels.
TWA (Time Weighted Average): The average airborne concentration of a particular substance when calculated over a normal eight-hour working day, for a five-day week.
Source: Safe Work Australia

Biological Monitoring
No biological limits allocated.

Control Banding
Not available

Engineering Controls
This substance is hazardous and should be used with a local exhaust ventilation system, drawing vapours away from workers' breathing zone. A flame-proof exhaust ventilation system is required. If the engineering controls are not sufficient to maintain concentrations of vapours/mists below the exposure standards, suitable respiratory protection must be worn. Refer to relevant regulations for further information concerning ventilation requirements.
Refer to AS 1940 - The storage and handling of flammable and combustible liquids and AS/NZS 60079.10.1 Explosive atmospheres - Classification of areas - Explosive gas atmospheres, for further information concerning ventilation requirements.

Respiratory Protection
If engineering controls are not effective in controlling airborne exposure then an approved respirator with a replaceable vapor/mist

filter should be used. Refer to relevant regulations for further information concerning respiratory protective requirements.
Reference should be made to Australian Standards AS/NZS 1715, Selection, Use and Maintenance of Respiratory Protective Devices; and AS/NZS 1716, Respiratory Protective Devices, in order to make any necessary changes for individual circumstances.

Eye and Face Protection
Safety glasses with full face shield should be used. Final choice of appropriate eye/face protection will vary according to individual circumstances. Eye protection devices should conform to relevant regulations.
Eye protection should conform with Australian/New Zealand Standard AS/NZS 1337 (series) - Eye Protectors for Industrial Applications.

Hand Protection
Wear gloves of impervious material such as elbow-length PVC gloves. Final choice of appropriate gloves will vary according to individual circumstances. i.e. methods of handling or according to risk assessments undertaken. Occupational protective gloves should conform to relevant regulations.
Reference should be made to AS/NZS 2161.1: Occupational protective gloves - Selection, use and maintenance.

Thermal Hazards
No further relevant information available.

Body Protection
Suitable protective workwear, e.g. cotton overalls buttoned at neck and wrist is recommended. Chemical resistant apron is recommended where large quantities are handled.

Requirements Concerning Special Training
Check State or Territory regulations that require people who use pesticides in their job or business to have training in the application of the materials.

Section 9 - Physical and Chemical Properties

Properties	Description	Properties	Description
Form	Liquid	**Appearance**	Dark brown liquid
Colour	Dark brown	**Odour**	Typical solvent odour
Melting Point	<0°C	**Boiling Point**	190 - 270°C for solvent
Decomposition Temperature	Not available	**Solubility in Water**	Disperses in water
Specific Gravity	1.07 - 1.09	**pH**	3.5 - 4.0 (1% solution)
Vapour Pressure	0.19 mPa @ 25°C Bromoxynil octanoate: 0.48 mPa @ 20°C MCPA 2EHE.	**Relative Vapour Density (Air=1)**	~5 (for solvent present)
Evaporation Rate	Not available	**Odour Threshold**	Not available
Viscosity	Not available	**Volatile Component**	30 - 40%
Partition Coefficient: n-octanol/water (log value)	Kow Log P is 5.4 for bromoxynil octanoate; 5.7 for MCPA 2EHE	**Density**	Not available
Flash Point	75°C	**Flammability**	Combustible
Auto-Ignition Temperature	Not determined	**Flammable Limits - Lower**	0.6% for solvent
Flammable Limits - Upper	7.0% for solvent	**Explosion Properties**	No information
Oxidising Properties	Not available	**Particle Characteristics**	Not available

Section 10 - Stability and Reactivity

Reactivity
Reacts with incompatible materials.

Chemical Stability
Stable under normal conditions of storage and handling.

Possibility of hazardous reactions
Violent reactions between Bromicide MA and oxidising agents are possible. Avoid chlorates, nitrates, nitric acid, organic peroxides and potassium chlorate.

Conditions to Avoid
Heat, open flames and other sources of ignition.

Incompatible Materials
Strong oxidising agents. Chlorates, nitrates, nitric acid, organic peroxides and potassium chlorate.

Hazardous Decomposition Products
Not available

Hazardous Polymerization
Hazardous polymerization is not possible.

Section 11 - Toxicological Information

Toxicology Information
No toxicity data available for this material. The available acute toxicity data for the ingredient/s is/are given below.

Acute Toxicity - Oral
MCPA (present as the ethyl hexyl ester)
LD50 (rat): 1300 mg/kg

Acute Toxicity - Dermal
MCPA (present as the ethyl hexyl ester)
LD50 (rat): >2000 mg/kg

Acute Toxicity - Inhalation
Bromoxynil octanoate
LC50 (rat): 0.72 mg/l/4h

Ingestion
May be fatal if swallowed and enters airways. Small amounts of liquid aspirated into the respiratory system during ingestion or from vomiting may cause severe pulmonary injury that may lead to death. May cause irritation to the mouth, throat, esophagus and stomach with symptoms of nausea, abdominal discomfort, vomiting and diarrhoea.
Harmful if swallowed. Ingestion of this product may cause irritation to the mouth, throat, oesophagus and stomach with symptoms of nausea, abdominal discomfort, vomiting and diarrhoea.

Inhalation
Harmful if inhaled. Inhalation of product vapours can cause irritation of the nose, throat and respiratory system. May cause headaches and dizziness, and may have other central nervous system effects.

Skin
May be irritating to skin. The symptoms may include redness, itching and swelling. May cause an allergic skin reaction.

Eye
Causes eye damage. Eye contact will cause stinging, blurring, tearing, severe pain and possible burns, necrosis, permanent damage and blindness.

Respiratory Sensitisation
Not expected to be a respiratory sensitiser.

Skin Sensitisation
May cause an allergic skin reaction.

Germ Cell Mutagenicity
Not considered to be a mutagenic hazard.

Carcinogenicity
Suspected of causing cancer. Classified as a suspected human carcinogen.
Highly refined mineral oil is listed as a Group 3: Not classifiable as to carcinogenicity to humans according to International Agency for Research on Cancer (IARC).

Reproductive Toxicity
Suspected of damaging fertility or the unborn child. Classified as a suspected human reproductive or developmental toxicant.
Bromoxynil octanoate has been classified as suspected of damaging fertility or the unborn child on the basis of studies, in rats, rabbits and mice which show reduced ossification and increased incidence of supernumerary ribs at doses (range 5-15 mg/kg/day) which are not toxic maternally.

STOT - Single Exposure
Not expected to cause toxicity to a specific target organ.

STOT - Repeated Exposure
Not expected to cause toxicity to a specific target organ.

Aspiration Hazard
May be fatal if swallowed and enters airways.

Chronic Effects
Chronic Overexposure: Weight loss and damage to liver and kidneys may be expected if exposure is excessive.

Other Information
The Australian Acceptable Daily Intake (ADI) for bromoxynil for a human is 0.003 mg/kg/day, set for the public for daily, lifetime exposure. This is based on the NOEL of 0.3 mg/kg/day, the level determined to show no effects during long term exposure for the most sensitive indicators and the most sensitive species.
ADI for MCPA is 0.01 mg/kg/day, NOEL 1.1 mg/kg/day.

Ref: Australian Pesticides and Veterinary Medicines Authority (APVMA) December 2024.

Section 12 - Ecological Information

Ecotoxicity
Very toxic to aquatic life with long lasting effects.
No ecological data available for this material. The available ecological data for the ingredients is given below:

Persistence and degradability
Not available

Mobility
Not available

Bioaccumulative Potential
Not available

Other Adverse Effects
Not available

Environmental Protection
Do not discharge this material into waterways, drains and sewers.
Spray drift can cause damage, read the label for more information.

Acute Toxicity - Fish
Bromoxynil octanoate
LC50 (rainbow trout): 0.041 mg/l/96h

MCPA (present as the ethyl hexyl ester)
LC50 (rainbow trout): 1.15 mg/l/96h

Acute Toxicity - Daphnia
Bromoxynil octanoate
LC50 (daphnia): 0.046 mg/l/48h

Acute Toxicity - Other Organisms
Bees: Not toxic to bees. LD50 >100 µg/bee.

Hazardous to the Ozone Layer
This product is not expected to deplete the ozone layer.

Section 13 - Disposal Considerations

Disposal Considerations
Dispose of waste according to applicable local and national regulations. Do not allow into drains or watercourses or dispose of where ground or surface waters may be affected. Wastes including emptied containers are controlled wastes and should be disposed of in accordance with all applicable local and national regulations.
To minimise personal exposure, refer to Section 8 - Exposure Controls and Personal Protection.

Product Disposal

On site disposal of the concentrated product is not acceptable.
Ideally, the product should be used for its intended purpose. If there is a need to dispose of the product, approach local authorities who hold periodic collections of unwanted chemicals (ChemClear®).

Container Disposal and Methods
Do not use this container for any other purpose.
drumMUSTER is the national program for the collection and recycling of empty, cleaned, non returnable crop production and on-farm animal health chemical containers. If the label on your container carries the drumMuster symbol, triple rinse the container, ring your local Council, and offer the container for collection in the program.
Returnable containers: empty contents fully into application equipment. Replace cap, close all valves and return to the point of supply for refill or storage.
If no landfill is available, bury the containers below 500mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots.
Empty containers and product should not be burnt.
Triple or preferably pressure rinse containers before disposal. Add rinsings to the spray tank.
If not recycling, puncture or shred and bury containers in local authority landfill.
If recycling, replace cap and return clean containers to recycler or designated collection point.

Section 14 - Transport Information

Transport Information
Road and Rail Transport (ADG Code):
This product complies with the requirements of Special Provision AU01 and is therefore exempted from being classified as Dangerous Goods according to the ADG Code.
Note: Special Provision AU01:
Environmentally Hazardous Substances meeting the descriptions of UN 3077 or UN 3082 are not subject to this Code when transported by road or rail in: packagings that do not incorporate a receptacle exceeding 500 kg(L); or IBCs.

Marine Transport (IMO/IMDG):
Classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea.
Class/Division: 9
UN No: 3082
Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Contains bromoxynil octanoate and MCPA) (Marine Pollutant)
Packing Group: III
EMS: F-A, S-F
Special Provisions: 274, 335, 969

Air Transport (ICAO/IATA):
Classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air.
Class/Division: 9
UN No: 3082
Proper Shipping Name: Environmentally hazardous substance, liquid, n.o.s.(Contains bromoxynil octanoate and MCPA)
Packing Group: III
Label: Miscellaneous
Packaging Instructions (passenger & cargo): 964
Packaging Instructions (cargo only): 964
Special provisions: A97, A158, A197, A215

UN Number
None Allocated

Proper Shipping Name
None Allocated

Transport Hazard Class
None Allocated

Hazchem Code
•3Z

Special Precautions for User
Not available

IMDG Marine pollutant
Yes

Transport in Bulk
Not available

Section 15 - Regulatory Information

Regulatory Information
Classified as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) including Work, Health and Safety Regulations, Australia.
Classified as a Schedule 7 Poison according to the Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP).
Schedule 7 Poisons should be available only to specialised or authorised users. Special regulations restricting their availability, possession, storage or use may apply.
WHS regulations (2011) - Schedule 11: Item 9 (flammable liquid category 4)

Poisons Schedule
S7

Montreal Protocol
Not listed

Stockholm Convention
Not listed

Rotterdam Convention
Not listed

International Convention for the Prevention of Pollution from Ships (MARPOL)
Not available

Agricultural and Veterinary Chemicals Act 1994
APVMA product number: 31464.
This product is registered with the Australian Pesticides and Veterinary Medicines Authority (APVMA).

Basel Convention
Not listed

Section 16 - Any Other Relevant Information

Date of Preparation
SDS Reviewed: February 2025
Supersedes: February 2023

Version Number
4.0

Literature References
Preparation of Safety Data Sheets for Hazardous Chemicals Code of Practice.
Standard for the Uniform Scheduling of Medicines and Poisons.
Australian Code for the Transport of Dangerous Goods by Road & Rail.
Work Health and Safety Regulations, Schedule 10: Prohibited carcinogens, restricted carcinogens and restricted hazardous chemicals.
Code of Practice for Supply Diversion into Illicit Drug Manufacture.
National Code of Practice for Chemicals of Security Concern.
Agricultural Compounds and Veterinary Chemicals Act.
International Agency for Research on Cancer (IARC) Monographs.
Montreal Protocol on Substances that Deplete the Ozone Layer.
Stockholm Convention on Persistent Organic Pollutants (POPs).
Rotterdam Convention on the Prior Informed Consent Procedure for Certain Hazardous Chemicals and Pesticides in International Trade.
Basel Convention on the Control of Transboundary Movements of Hazardous Wastes and Their Disposal.
International Air Transport Association (IATA) Dangerous Goods Regulations.

International Maritime Dangerous Goods (IMDG) Code.
Workplace exposure standards for airborne contaminants.
Adopted biological exposure determinants, American Conference of Industrial Hygienists (ACGIH).
Globally Harmonised System of Classification and Labelling of Chemicals (7th revised edition).
Code of Practice: Managing Noise and Preventing Hearing Loss at Work.

Contact Person/Point
Normal hours: SDS coordinator : Phone +61 3 9282 1000
After hours: Shift supervisor : Phone 1800 033 498

User Codes

User Title Label	User Codes
Field 4	Y

END OF SDS