

**CAUTION**  
KEEP OUT OF REACH OF CHILDREN  
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

**nufarm** **SLUGOUT**<sup>®</sup>

ACTIVE CONSTITUENT:  
18 g/kg METALDEHYDE


**MOLLUSCICIDE**

**RAIN RESISTANT GRANULES**

For the control of slugs and snails in gardens, fruit and vegetable crops, winter cereals, oilseeds (including poppies), pulses and pastures.

**GR**

GRANULAR FORMULATION



**nufarm**

**AUSTRALIAN  
THROUGH  
& THROUGH**

## DIRECTIONS FOR USE

### RESTRAINTS

**DO NOT** place granules in heaps.

SITUATION	PEST	RATE	CRITICAL COMMENTS
Fruit and vegetable crops	Snails and slugs	Broadcast: 20 kg/ha OR 200 g/100 m <sup>2</sup>	Broadcast evenly over the surface of the ground around seedlings and plants to be protected and in areas where snails and slugs congregate.
		Drilling with seed: 10 kg/ha	Drill into soil along with the seed. Distribute through granule application hopper or mix thoroughly with the seed.
Gardens and small areas		6 g/m <sup>2</sup>	Scatter evenly.
Winter cereals Oilseeds (including poppies) Pulses* Pasture establishment*	Common white snail ( <i>Ceruella virgata</i> ) White Italian snail ( <i>Theba pisana</i> ) Conical snail ( <i>Cochlicella acuta</i> ) Grey field slug ( <i>Decoceras reticulatum</i> )	10 kg/ha	Broadcast evenly over the crop or pasture area to be protected from snails and slugs. Pay particular attention to areas adjacent to headlines, fence lines and other areas where snails and slugs shelter and move into crops and pastures.  * <b>Pulse and Pasture crops only:</b> Nufarm SlugOut® is to be used only during the establishment stages of pulse crops and pastures. Broadcast granules evenly over the crop area to be protected either prior to planting, post-plant pre-emergence or early post-emergence (prior to 4 leaf stage).

**NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.**

### WITHHOLDING PERIODS

#### HARVEST:

Fruit and Vegetables, Gardens, Small crops: **DO NOT APPLY LATER THAN 7 DAYS BEFORE HARVEST.**

Pulses, Oilseeds (including poppies), Winter cereals: **NOT REQUIRED WHEN USED AS DIRECTED.**

#### GRAZING:

Pastures, Pulses, Oilseeds (including poppies), Winter cereals: **DO NOT GRAZE OR CUT FOR STOCK FOOD FOR 5 WEEKS AFTER APPLICATION.**

### GENERAL INSTRUCTIONS

Ensure protection of seedlings and mature plants with regular applications of this product.

#### Application

Apply after rain, watering or during damp and humid weather. For best results apply 5 - 10 days before planting.

Handling Instructions (150 kg and 500 kg only)

To avoid personal injury where lifting of the container is required, **DO NOT** attempt to manually handle or elevate this pack to fill fertilizer combines or spreaders. When lifting the container, use appropriate drum/bag handling equipment. If appropriate lifting equipment is not available, smaller pack sizes should be used.

### PRECAUTIONS

**DO NOT** apply to edible plant parts.

**DO NOT** graze or cut for stockfeed any crops while Nufarm SlugOut® granules are visible in the plant foliage.

### PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

**DO NOT** contaminate streams, rivers or waterways with the chemical or used containers.

### PROTECTION OF DOMESTIC ANIMALS AND LIVESTOCK

Keep away from animals, poultry, ducks and domestic pets as accidental poisoning may be fatal. Although Nufarm SlugOut® granules are generally unattractive to dogs, the product is not repellent, and some dogs may sample the granules out of curiosity. If pets or livestock are poisoned contact a veterinary surgeon.

### STORAGE AND DISPOSAL

Store in the closed, original container in a dry, cool, well-ventilated area away from children, animals, food and feedstuffs. **DO NOT** store for prolonged periods in direct sunlight.

#### Plastic containers

Before disposal ensure container is completely empty by shaking. **DO NOT** dispose of unused product on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush or puncture and deliver empty packaging to an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging 500 mm below the surface in a disposal pit specifically marked and set up for this purpose, clear of waterways, desirable vegetation and tree roots, in compliance with relevant local, state or territory government regulations. **DO NOT** burn empty containers or product.

#### Bags

Before disposal ensure bag is completely empty by shaking. **DO NOT** dispose of unused product on site. Puncture and deliver empty packaging to an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging 500 mm below the surface in a disposal pit specifically marked and set up for this purpose, clear of waterways, desirable vegetation and tree roots, in compliance with relevant local, state or territory government regulations. **DO NOT** burn empty containers or product.

#### **SAFETY DIRECTIONS**

Poisonous if swallowed. Wash hands after use.

#### **FIRST AID**

If poisoning occurs, contact a Doctor or Poisons Information Centre. Phone Australia 13 11 26, New Zealand 0800 764 766.

#### **ADDITIONAL STATEMENTS (WHS REGULATIONS 2011)**

Not required - product is not classified as hazardous under GHS criteria.

#### **SAFETY DATA SHEET**

For further information refer to the Safety Data Sheet (SDS), which can be obtained by scanning the QR code, from your supplier or the Nufarm website.

**In case of emergency: Phone 1800 033 498 (24 hrs) and ask for shift supervisor.**

#### **PRODUCT STEWARDSHIP INFORMATION AND TOOLS**

[nufarm.com.au/spraywise](http://nufarm.com.au/spraywise) is a website which contains resources on spray drift management, recording keeping and application technologies.

[spraywisedecisions.com.au](http://spraywisedecisions.com.au) is an online weather forecasting program and is recommended for use when planning your pesticide application.

When spraying in or near areas with sensitive crops such as cotton, check online at [satacrop.com.au](http://satacrop.com.au) for the proximity of sensitive crops mapped by growers.

[stewardshipfirst.com.au](http://stewardshipfirst.com.au) is a website with CroPLife Australia's suite of world-leading product stewardship initiatives, programs and best-practice guides.

#### **CONDITIONS OF SALE**

Any provisions or rights under the Competition and Consumer Act 2010 or relevant state legislation which cannot be excluded by those statutes or by law are not intended to be excluded by these conditions of sale. Subject to the foregoing, all warranties, conditions, rights and remedies, expressed or implied under common law, statute or otherwise, in relation to the sale, supply, use or application of this product, are excluded. Nufarm Australia Limited and/or its affiliates ("Nufarm") shall not accept any liability whatsoever (including consequential loss), or howsoever arising (including negligence) for any damage, injury or death connected with the sale, supply, use or application of this product except for liability which cannot be excluded by statute.

\* All trade marks owned or used under licence by Nufarm Australia Limited

\* Other registered trade marks



#### **NUFARM AUSTRALIA LIMITED**

103-105 Pipe Rd, Laverton North VIC 3026

For product advice, or to learn more about complementary Nufarm solutions, reach out to your local Nufarm specialist or call **1800 NUFARM (1800 683 276)**.

APVMA Approval No.: 49324/134682

Date: 27-11-25