

TOMAHAWK®

GROUP 4 HERBICIDE



Contains 200 g/L (20.6% w/w) fluroxypyr as an emulsifiable concentrate.
TOMAHAWK is a translocated herbicide for the control of broad leaved weeds, especially cleavers in: Barley, Forage and Grain Maize, Grassland, Oats, Rye, Triticale and Wheat.

SAFETY PRECAUTIONS

FOR USE ONLY AS A PROFESSIONAL HERBICIDE

Crop or Use :	Maximum individual Dose (L/ product/ha)	Maximum total Dose (L/product/ ha)	Latest time of application
Winter Wheat, Winter Barley	1.0	1.0	Before flag leaf sheath opening stage. (GS47)
Winter Oats, Rye, Triticale, Durum Wheat	1.0	1.0	Before second node detectable stage (GS32)
Spring Wheat, Spring Barley	0.75	0.75	Before flag leaf sheath extending stage (GS41)
Spring Oats	0.75	0.75	Before second node detectable stage (GS32)
Forage and Grain Maize (open crops)	1.0	1.0	Before seven leaves unfolded stage (GS17)
Grassland (Established)	2.0	2.0	-
Grassland (newly sown leys)	0.75	0.75	-

Method of application: Tractor mounted sprayer / Hydraulic nozzle applicator / knapsack

Other Specific restrictions:

1. A maximum total dose of 0.75 litres per hectare must be observed for applications made to cereals between crop emergence in the year of planting and 1st February in the year of harvest.
 2. Livestock must be kept out of treated areas for at least 7 days following treatment IF RAGWORT IS PRESENT, FOLLOW THE GUIDANCE IN THE 'DIRECTIONS FOR USE'.
 3. Do not re-use container for any purpose.
- READ THE LABEL BEFORE USE. USING THIS PRODUCT IN A MANNER THAT IS INCONSISTENT WITH THE LABEL MAY BE AN OFFENCE. FOLLOW THE CODE OF PRACTICE FOR USING PLANT PROTECTION PRODUCTS.**



DANGER

Flammable liquid and vapour.

May be fatal if swallowed and enters airways.

Causes skin irritation.

May cause an allergic skin reaction.

Causes serious eye irritation.

May cause respiratory irritation.

May cause drowsiness or dizziness.

Very Toxic to aquatic life with long lasting effects.

Keep away from heat / sparks / open flames / hot surfaces. - No smoking.

Avoid breathing vapours or spray.

Wash hands thoroughly after handling.

Use only outdoors or in a well-ventilated area.

Contaminated work clothing should not be allowed out of the workplace.

Wear protective gloves / protective clothing / eye protection / face protection.

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

In case of fire: Use foam, carbon dioxide, dry powder or water fog for extinction.

Dispose of contents/ container to a licensed hazardous-waste disposal contractor or collection site except for empty clean containers which can be disposed of as non-hazardous waste.

Explosive when dry.

To avoid risks to human health and the environment, comply with the instructions for use.

Operator Protection:

Engineering control of operator exposure must be used where reasonably practicable in addition to the following personal protective equipment.

WEAR SUITABLE PROTECTIVE CLOTHING (COVERALLS), SUITABLE PROTECTIVE GLOVES and FACE PROTECTION (FACESHIELD) when handling the concentrate.

WEAR SUITABLE PROTECTIVE GLOVES when handling contaminated surfaces.

WEAR SUITABLE PROTECTIVE CLOTHING (COVERALLS) and SUITABLE PROTECTIVE GLOVES when applying by hand-held equipment. However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.

WHEN USING DO NOT EAT, DRINK OR SMOKE

WASH CONCENTRATE from skin or eyes immediately.

WASH HANDS AND EXPOSED SKIN before meals and after work.

AVOID CONTACT WITH SKIN

IF YOU FEEL UNWELL, seek medical advice immediately (show the label where possible).

Environmental Protection:

Livestock must be kept out of treated areas for at least 7 days following treatment IF RAGWORT IS PRESENT, FOLLOW THE GUIDANCE IN THE 'DIRECTIONS FOR USE'.

Bury or remove spillages.

Do not contaminate water with the product or its container (Do not clean application equipment near surface water.

Avoid contamination via drains from farmyards and roads).

Extreme care must be taken to avoid spray drift onto non-crop plants outside of the target area.

Storage and Disposal:

DO NOT RE-USE CONTAINER for any purpose.

KEEP AWAY FROM FOOD, DRINK AND ANIMAL FEEDING STUFFS.

KEEP OUT OF REACH OF CHILDREN.

KEEP IN ORIGINAL CONTAINER, tightly closed, in a safe place.

WASH OUT CONTAINER THOROUGHLY, empty washings into spray tank, and dispose of safely.

The (COSHH) Control of Substances Hazardous to Health Regulations may apply to the use of this product at work.

Authorisation Holder and Marketing Company

Nufarm UK Limited

Wyke Lane, Wyke, Bradford, West Yorkshire,

BD12 9EJ

United Kingdom

Technical Helpline telephone

number: 01274 694714

24-hour emergency telephone

number: 01274 696603


FOR PROFESSIONAL USE ONLY

PROTECT FROM FROST

SHAKE THOROUGHLY BEFORE USE

4x5 L

To access the Safety Data Sheet for this product scan the QR code or refer to the Nufarm website at <https://www2.nufarm.com/uk/>



510010984_022023

 **Nufarm**
Grow a better tomorrow