

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Trade name	: HIGH LOAD MIRCAM
Product form	: Mixture
Type (Nufarm)	: Country Specific
Country (Nufarm)	: United Kingdom
CA Code (Nufarm)	: 3013
Product code	: Q009A
Oracle Recipe Code (Nufarm)	: 600000075
Item codes	: 110004120; 110006036
UFI	: 3VFE-EP71-PGA2-R3H8

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

Main use category	: Professional use
Use of the substance/mixture	: Herbicide

##### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

##### Supplier

Nufarm UK Ltd  
Wyke Lane  
Wyke  
BD12 9EJ Bradford - UK  
T +44 (0)1274 691234 - F +44 (0) 1274691176  
[msds@uk.nufarm.com](mailto:msds@uk.nufarm.com)

##### Supplier

Nufarm S.A.S  
Immeuble WEST PLAZA  
11 rue du débarcadère  
92700 COLOMBES - FRANCE  
T +33 1 40 85 50 50 - F +33 1 47 92 25 45  
[FDS@nufarm.com](mailto:FDS@nufarm.com)

##### Supplier

Nufarm GmbH & Co KG  
St.-Peter-Str. 25  
4021 Linz - Austria  
T +43/732/6918-3187  
[Katharina.Krueger@nufarm.com](mailto:Katharina.Krueger@nufarm.com)

#### 1.4. Emergency telephone number

Emergency number : +44(0)1274 691234 (24hr)

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity (oral), Category 4	H302
Skin corrosion/irritation, Category 2	H315
Serious eye damage/eye irritation, Category 1	H318
Hazardous to the aquatic environment – Acute Hazard, Category 1	H400
Hazardous to the aquatic environment – Chronic Hazard, Category 1	H410
Full text of H- and EUH-statements: see section 16	

##### Adverse physicochemical, human health and environmental effects

Harmful if swallowed. Causes skin irritation. Causes serious eye damage. Very toxic to aquatic life with long lasting effects.

# HIGH LOAD MIRCAM

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS05

GHS07

GHS09

Signal word (CLP)

: Danger

Contains

: potassium salts of CMPP-p/Dicamba 600/80g/L.

Hazard statements (CLP)

: H302 - Harmful if swallowed.

H315 - Causes skin irritation.

H318 - Causes serious eye damage.

H410 - Very toxic to aquatic life with long lasting effects.

Precautionary statements (CLP)

: P273 - Avoid release to the environment.

P280 - Wear protective gloves, protective clothing, face protection, eye protection.

P302+P352 - IF ON SKIN: Wash with plenty of soap and water.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a POISON CENTER, a doctor.

P501 - Dispose of contents/container to a licensed hazardous-waste disposal contractor or collection site except for empty clean containers which can be disposed of as non-hazardous waste.

EUH-statements

: EUH401 - To avoid risks to human health and the environment, comply with the instructions for use.

### 2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %.

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
(R)-2-(4-CHLORO-2-METHYLPHENOXY)PROPIONIC ACID, POTASSIUM SALT substance with national workplace exposure limit(s) (GB)	(CAS-No.) 66423-05-0	55.04	Acute Tox. 4 (Oral), H302 (ATE=431 mg/kg bodyweight) Eye Dam. 1, H318 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410 (M=10)
POTASSIUM 3,6-DICHLORO-O-ANISATE	(CAS-No.) 10007-85-9 (EC-No.) 233-002-7 (EC Index-No.) 607-044-00-5	7.31	Acute Tox. 4 (Oral), H302 (ATE=1707 mg/kg bodyweight) Eye Irrit. 2, H319 Aquatic Chronic 3, H412

Full text of H- and EUH-statements: see section 16

# HIGH LOAD MIRCAM

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

First-aid measures general	: Call a poison center or a doctor if you feel unwell.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Give oxygen or artificial respiration if necessary. If you feel unwell, seek medical advice.
First-aid measures after skin contact	: Wash skin with plenty of water. Take off contaminated clothing. If skin irritation occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Call a physician immediately.
First-aid measures after ingestion	: Rinse mouth. Call a poison center or a doctor if you feel unwell. Do not induce vomiting.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation	: Inhalation may cause irritation (cough, short breathing, difficulty in breathing).
Symptoms/effects after skin contact	: Irritation.
Symptoms/effects after eye contact	: Serious damage to eyes.
Symptoms/effects after ingestion	: Abdominal pain, nausea. Ingestion may cause nausea and vomiting. May be harmful if swallowed. May cause irritation to the digestive tract.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.
Unsuitable extinguishing media	: Do not use a heavy water stream.

#### 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire	: Toxic fumes may be released. Thermal decomposition generates : Carbon dioxide. Carbon monoxide. Chlorine. Hydrogen chloride.
--	--

#### 5.3. Advice for firefighters

Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
--------------------------------	--

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

##### 6.1.1. For non-emergency personnel

Emergency procedures	: Ventilate spillage area. Avoid contact with skin and eyes.
----------------------	--

##### 6.1.2. For emergency responders

Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
----------------------	---

#### 6.2. Environmental precautions

Avoid release to the environment.

#### 6.3. Methods and material for containment and cleaning up

For containment	: Collect spillage.
Methods for cleaning up	: Take up liquid spill into absorbent material.
Other information	: Dispose of materials or solid residues at an authorized site.

# HIGH LOAD MIRCAM

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### 6.4. Reference to other sections

For further information refer to section 13.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Avoid contact with skin and eyes. Wear personal protective equipment.  
Hygiene measures : Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool. Avoid storage below 0°C. Protect against frost.  
Information on mixed storage : Keep away from food, drink and animal feeding stuffs. Keep out of the reach of children.  
Special rules on packaging : Keep only in original container. Store in a closed container.

### 7.3. Specific end use(s)

Herbicide.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### 8.1.1 National occupational exposure and biological limit values

<b>(R)-2-(4-CHLORO-2-METHYLPHENOXY)PROPIONIC ACID, POTASSIUM SALT (66423-05-0)</b>	
<b>United Kingdom - Occupational Exposure Limits</b>	
WEL TWA (OEL TWA)	10 mg/m <sup>3</sup> 8 h
WEL STEL (OEL STEL)	20 mg/m <sup>3</sup> 15 min

#### Exposure limit values for the other components

<b>EDTA (60-00-4)</b>		
<b>EU - Indicative Occupational Exposure Limit (IOEL)</b>		
Local name	EDTA	
Remark	(Year of adoption 2009)	
Regulatory reference	SCOEL Recommendations	

#### 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

#### 8.1.4. DNEL and PNEC

No additional information available

#### 8.1.5. Control banding

No additional information available

### 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

##### Appropriate engineering controls:

Minimise exposure using measures such as contained and enclosed systems, properly designed and maintained dedicated facilities and suitable general/local exhaust ventilation.

# HIGH LOAD MIRCAM

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### 8.2.2. Personal protection equipment

Personal protective equipment symbol(s):



#### 8.2.2.1. Eye and face protection

Eye protection:			
Type	Field of application	Characteristics	Standard
Safety glasses		With side shields	EN 166

#### 8.2.2.2. Skin protection

Skin and body protection:
According to the conditions of use, protective gloves, apron, boots, head and face protection must be worn. EN 14605

Hand protection:					
Wear suitable gloves resistant to chemical penetration					
Type	Material	Permeation	Thickness (mm)	Penetration	Standard
Reusable gloves	Nitrile rubber (NBR)	6 (> 480 minutes)	0.4		EN ISO 374-1/A1 , EN 16523+A1 (type A)
Reusable gloves	Chloroprene rubber (CR)	6 (> 480 minutes)	0.5		EN ISO 374-1/A1 , EN 16523+A1 (type A)
Reusable gloves	Butyl rubber	6 (> 480 minutes)	0.7		EN ISO 374-1/A1 , EN 16523+A1 (type A)
Disposable gloves					EN ISO 374-1/A1 , EN ISO 374-2 (A,B, or C type)

Other skin protection		
Materials for protective clothing:		
Condition	Material	Standard
According to the conditions of use, protective gloves, apron, boots, head and face protection must be worn		EN 14605

#### 8.2.2.3. Respiratory protection

Respiratory protection:			
Users are advised to consider national Occupational Exposure Limits or other equivalent values. Ensure exposure is below occupational exposure limits (where available).			
Device	Filter type	Condition	Standard
respirator with combination filter for vapour/particles	ABEK	In case of inadequate ventilation wear respiratory protection.	EN 14387

#### 8.2.2.4. Thermal hazards

# HIGH LOAD MIRCAM

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

No additional information available

### 8.2.3. Environmental exposure controls

#### Environmental exposure controls:

Avoid release to the environment.

#### Other information:

Avoid contact with skin, eyes and clothing. Do not eat, drink or smoke during use. Keep away from children. Remove contaminated clothing. Separate working clothes from town clothes. Wash contaminated clothing before reuse. Wash hands immediately after handling the product.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: brown.
Odour	: Phenolic.
Odour threshold	: Not available
Melting point	: Not applicable
Freezing point	: Not available
Boiling point	: 112 °C
Flammability	: Not applicable
Explosive properties	: Product is not explosive.
Oxidising properties	: Non oxidizing material according to EC criteria.
Explosive limits	: Not available
Lower explosion limit	: Not available
Upper explosion limit	: Not available
Flash point	: > 200 °C
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
pH	: 9.9 (100%); 7.6 (1%)
Viscosity, kinematic	: Not available
Viscosity, dynamic	: 58.8 mPa·s (20°C)
Solubility	: Water: Miscible in all proportions
Partition coefficient n-octanol/water (Log Kow)	: Not available
Partition coefficient n-octanol/water (Log Pow)	: -0.19 (CMPPP pH7); -1.8 (Dicamba pH6.8)
Vapour pressure	: Not available
Vapour pressure at 50°C	: Not available
Density	: Not available
Relative density	: 1.281 (20°C)
Relative vapour density at 20°C	: Not available
Particle size	: Not applicable
Particle size distribution	: Not applicable
Particle shape	: Not applicable
Particle aspect ratio	: Not applicable
Particle aggregation state	: Not applicable
Particle agglomeration state	: Not applicable
Particle specific surface area	: Not applicable
Particle dustiness	: Not applicable

### 9.2. Other information

#### 9.2.1. Information with regard to physical hazard classes

No additional information available

#### 9.2.2. Other safety characteristics

No additional information available

# HIGH LOAD MIRCAM

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

#### 10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

#### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

#### 10.5. Incompatible materials

Oxidizing agent. Strong acids. Strong bases.

#### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

### SECTION 11: Toxicological information

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral)	: Harmful if swallowed.
Acute toxicity (dermal)	: Not classified (Based on available data, the classification criteria are not met) (Based on available data, the classification criteria are not met)
Acute toxicity (inhalation)	: Not classified (Based on available data, the classification criteria are not met) (Based on available data, the classification criteria are not met)

#### HIGH LOAD MIRCAM

LD50 oral rat	775 mg/kg
LD50 dermal rat	> 4000 mg/kg

#### POTASSIUM 3,6-DICHLORO-O-ANISATE (10007-85-9)

LD50 oral rat	1707 mg/kg Dicamba
LD50 dermal rabbit	> 2000 mg/kg Dicamba
LC50 Inhalation - Rat (Dust/Mist)	> 9.6 mg/l/4h Dicamba

Skin corrosion/irritation	: Causes skin irritation. pH: 9.9 (100%); 7.6 (1%)
Serious eye damage/irritation	: Causes serious eye damage. pH: 9.9 (100%); 7.6 (1%)
Respiratory or skin sensitisation	: Not classified (Based on available data, the classification criteria are not met) (Based on available data, the classification criteria are not met)
Germ cell mutagenicity	: Not classified (Based on available data, the classification criteria are not met) (Based on available data, the classification criteria are not met)
Carcinogenicity	: Not classified (Based on available data, the classification criteria are not met) (Based on available data, the classification criteria are not met)
Reproductive toxicity	: Not classified (Based on available data, the classification criteria are not met) (Based on available data, the classification criteria are not met)

# HIGH LOAD MIRCAM

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

STOT-single exposure	: Not classified (Based on available data, the classification criteria are not met) (Based on available data, the classification criteria are not met)
STOT-repeated exposure	: Not classified (Based on available data, the classification criteria are not met) (Based on available data, the classification criteria are not met)
Aspiration hazard	: Not classified (Based on available data, the classification criteria are not met) (Based on available data, the classification criteria are not met)

### 11.2. Information on other hazards

#### 11.2.1. Endocrine disrupting properties

Adverse health effects caused by endocrine disrupting properties	: The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %
--	--

#### 11.2.2 Other information

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - general	: Very toxic to aquatic life with long lasting effects.
Hazardous to the aquatic environment, short-term (acute)	: Very toxic to aquatic life.
Hazardous to the aquatic environment, long-term (chronic)	: Very toxic to aquatic life with long lasting effects.

#### HIGH LOAD MIRCAM

EC50 48h crustacea	> 100 mg/l Daphnia magna
EC50 72h algae	> 100 mg/l Navicula pelliculosa
NOEC (chronic)	≥ 100 mg/l Daphnia magna
NOEC chronic algae	10 mg/l Navicula pelliculosa

#### Additional ecotoxicological information

14 d ErC50 (Myriophyllum spicatum) 0.146 mg/L (total shoot length)  
14 d ErC10 (Myriophyllum spicatum) <0.05mg/L (total shoot length)

#### (R)-2-(4-CHLORO-2-METHYLPHENOXY)PROPIONIC ACID, POTASSIUM SALT (66423-05-0)

Additional ecotoxicological information \_\_\_\_\_

14d ErC10 (Myriophyllum spicatum) 0.00106 mg/L  
14d ErC50 (Myriophyllum spicatum) 0.0269 mg/L

#### POTASSIUM 3,6-DICHLORO-O-ANISATE (10007-85-9)

LC50 96h fish	135 mg/l Dicamba
EC50 48h crustacea	110 mg/l Dicamba
EC50 72h algae	250 mg/l Dicamba

### 12.2. Persistence and degradability

#### HIGH LOAD MIRCAM

Persistence and degradability	Readily biodegradable.
-------------------------------	------------------------

# HIGH LOAD MIRCAM

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### (R)-2-(4-CHLORO-2-METHYLPHENOXY)PROPIONIC ACID, POTASSIUM SALT (66423-05-0)

Persistence and degradability	Readily biodegradable.
-------------------------------	------------------------

### POTASSIUM 3,6-DICHLORO-O-ANISATE (10007-85-9)

Persistence and degradability	Not readily biodegradable.
-------------------------------	----------------------------

### 12.3. Bioaccumulative potential

#### HIGH LOAD MIRCAM

Partition coefficient n-octanol/water (Log Pow)	-0.19 (CMPPP pH7); -1.8 (Dicamba pH6.8)
---	---

Bioaccumulative potential	No bioaccumulation.
---------------------------	---------------------

### 12.4. Mobility in soil

#### HIGH LOAD MIRCAM

Surface tension	41.4 mN/m 20°C
-----------------	----------------

Organic Carbon Normalized Adsorption Coefficient (Log Koc)	Koc=20-43(pH5.6-7.6), 135-167(pH4.3-4.4) (Mecoprop P) Kfoc=3.45-21.2, 1/n=0.72-0.93 (Dicamba)
--	---

### 12.5. Results of PBT and vPvB assessment

#### HIGH LOAD MIRCAM

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

### 12.6. Endocrine disrupting properties

Adverse effects on the environment caused by endocrine disrupting properties

: The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

### 12.7. Other adverse effects

No additional information available

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.  
European List of Waste (LoW, EC 2000/532) : 02 01 08\* - agrochemical waste containing dangerous substances

## SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
<b>14.1. UN number or ID number</b>				
UN 3082	UN 3082	UN 3082	UN 3082	UN 3082

# HIGH LOAD MIRCAM

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

14.2. UN proper shipping name				
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Mecoprop-P)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Mecoprop-P)	Environmentally hazardous substance, liquid, n.o.s. (Mecoprop-P)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Mecoprop-P)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Mecoprop-P)
Transport document description (ADR)				
UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Mecoprop-P), 9, III, (-)	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Mecoprop-P), 9, III, MARINE POLLUTANT	UN 3082 Environmentally hazardous substance, liquid, n.o.s. (Mecoprop-P), 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Mecoprop-P), 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Mecoprop-P), 9, III
14.3. Transport hazard class(es)				
9	9	9	9	9
14.4. Packing group				
III	III	III	III	III
14.5. Environmental hazards				
Dangerous for the environment : Yes	Dangerous for the environment : Yes Marine pollutant : Yes	Dangerous for the environment : Yes	Dangerous for the environment : Yes	Dangerous for the environment : Yes
No supplementary information available				

### 14.6. Special precautions for user

#### Overland transport

Classification code (ADR) : M6  
 Special provisions (ADR) : 274, 335, 375, 601  
 Limited quantities (ADR) : 5I  
 Excepted quantities (ADR) : E1  
 Packing instructions (ADR) : P001, IBC03, LP01, R001  
 Special packing provisions (ADR) : PP1  
 Mixed packing provisions (ADR) : MP19  
 Portable tank and bulk container instructions (ADR) : T4  
 Portable tank and bulk container special provisions (ADR) : TP1, TP29  
 Tank code (ADR) : LGBV  
 Vehicle for tank carriage : AT  
 Transport category (ADR) : 3  
 Special provisions for carriage - Packages (ADR) : V12  
 Special provisions for carriage - Loading, unloading and handling (ADR) : CV13  
 Hazard identification number (Kemler No.) : 90  
 Orange plates :



Tunnel restriction code (ADR) : -  
 EAC code : •3Z

#### Transport by sea

Special provisions (IMDG) : 274, 335, 969

# HIGH LOAD MIRCAM

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Limited quantities (IMDG)	: 5 L
Excepted quantities (IMDG)	: E1
Packing instructions (IMDG)	: P001, LP01
Special packing provisions (IMDG)	: PP1
IBC packing instructions (IMDG)	: IBC03
Tank instructions (IMDG)	: T4
Tank special provisions (IMDG)	: TP2, TP29
EmS-No. (Fire)	: F-A
EmS-No. (Spillage)	: S-F
Stowage category (IMDG)	: A

### Air transport

PCA Excepted quantities (IATA)	: E1
PCA Limited quantities (IATA)	: Y964
PCA limited quantity max net quantity (IATA)	: 30kgG
PCA packing instructions (IATA)	: 964
PCA max net quantity (IATA)	: 450L
CAO packing instructions (IATA)	: 964
CAO max net quantity (IATA)	: 450L
Special provisions (IATA)	: A97, A158, A197
ERG code (IATA)	: 9L

### Inland waterway transport

Classification code (ADN)	: M6
Special provisions (ADN)	: 274, 335, 375, 601
Limited quantities (ADN)	: 5 L
Excepted quantities (ADN)	: E1
Carriage permitted (ADN)	: T
Equipment required (ADN)	: PP
Number of blue cones/lights (ADN)	: 0

### Rail transport

Classification code (RID)	: M6
Special provisions (RID)	: 274, 335, 375, 601
Excepted quantities (RID)	: E1
Packing instructions (RID)	: P001, IBC03, LP01, R001
Special packing provisions (RID)	: PP1
Mixed packing provisions (RID)	: MP19
Portable tank and bulk container instructions (RID)	: T4
Portable tank and bulk container special provisions (RID)	: TP1, TP29
Tank codes for RID tanks (RID)	: LGBV
Transport category (RID)	: 3
Special provisions for carriage – Packages (RID)	: W12
Special provisions for carriage - Loading, unloading and handling (RID)	: CW13, CW31
Colis express (express parcels) (RID)	: CE8
Hazard identification number (RID)	: 90

## 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

- Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)
- Contains no substance(s) listed on the REACH Candidate List
- Contains no substance(s) listed on REACH Annex XIV (Authorisation List)
- Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)
- Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

# HIGH LOAD MIRCAM

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### 15.1.2. National regulations

No additional information available

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## SECTION 16: Other information

Indication of changes:			
Section	Changed item	Change	Comments
	Supersedes	Modified	
	Revision date	Modified	
1.1	UFI	Added	
1.3	Address Information (SDS)	Added	
3.2	Composition/information on ingredients	Added	
7.2	Storage conditions	Added	

Full text of H- and EUH-statements:	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3
EUH401	To avoid risks to human health and the environment, comply with the instructions for use.
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
H302	Harmful if swallowed.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
Skin Irrit. 2	Skin corrosion/irritation, Category 2

### NUFARM SDS TEMPLATE

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.