

This seed has been treated with SALIENT TMI:

<u>0.0196</u>	lbs	Imidacloprid
<u>0.0121</u>	lbs	Difenoconazole
<u>0.0063</u>	lbs	Metalaxyl
<u>0.0014</u>	lbs	Tebuconazole
<input checked="" type="checkbox"/> Per	100	LBS OF SEED

CAUTION

TREATED SEED

DO NOT USE FOR FOOD, FEED, OR OIL PURPOSE.

STORE AWAY FROM FEEDS AND OTHER FOODSTUFFS.

KEEP OUT OF REACH OF CHILDREN

**DO NOT ALLOW CHILDREN, PETS OR LIVESTOCK TO HAVE
ACCESS TO TREATED SEED.**

PRECAUTIONARY INFORMATION FOR TREATED SEED

Treated seed may be harmful if swallowed. Seed handlers: Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

PERSONAL PROTECTIVE EQUIPMENT (PPE):

Seed Handlers must wear:

- Long-sleeved shirt, long pants, and chemical resistant protective gloves when handling (e.g. loading, pouring) treated seed.

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

FIRST AID:

If Swallowed: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. **DO NOT** induce vomiting unless told to do so by the poison control center or doctor. **DO NOT** give anything by mouth to an unconscious person.

ENVIRONMENTAL HAZARDS:

Exposed treated seed may be highly toxic to birds. Cover or incorporate spilled treated seeds. **DO NOT** contaminate bodies of water when disposing of planting equipment wash water.

Pollinator Precautions: Imidacloprid is highly toxic to bees. Ensure that planting equipment is functioning properly in accordance with manufacturer specifications to minimize seed coat abrasion during planting to reduce dust which can drift to blooming crops or weeds

Groundwater Advisory: Metalaxyl and Tebuconazole are known to leach through soil into groundwater under certain conditions as a result of labeled use. Use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination.

Surface Water Advisory: This product may contaminate water through drift of spray in wind. This product has a high potential for runoff for several months or more after application. Poorly draining soils and soils with shallow water tables are more prone to runoff that contains this product. A level, well maintained vegetative buffer strip between areas to which this product is applied and surface water features such as ponds, streams, and springs will reduce the potential for contamination of water from rainfall-runoff. Runoff of this product will be reduced by avoiding applications when rainfall is forecasted within 48 hours.

RESTRICTIONS:

The maximum application rate (including seed treatment, foliar application, and soil application) per acre per year for imidacloprid is 0.5 lbs.

Treated seed must be planted into the soil at a depth greater than 1 inch.

DO NOT graze or feed livestock on green barley forage until 31 days after planting.

DO NOT graze or feed livestock on green wheat, oats, or triticale for 55 days after planting.

DO NOT plant any crop other than those on this label within 30 days to fields in which treated seeds were planted.

SEED STORAGE:

Store treated seed in a cool, dry location. **DO NOT** store leftover treated seed where there is a chance of it becoming mixed with untreated seed

PACKAGE AND SEED DISPOSAL:

Excess or leftover seed may be double-sown around the headland or buried away from bodies of water in accordance with local requirements. Dispose of seed packaging in accordance with local requirements. **DO NOT** use empty seed bags for any other purpose. Excess treated seed may be used for ethanol production only if (1) by-products are not used for livestock feed and (2) no measurable residues of pesticides remain in the ethanol by-products that are used in agronomic practice.

Salient™ is a trademark of Nufarm Americas Inc.

**For Chemical Spill, Leak, Fire, or Exposure,
Call CHEMTREC (800) 424-9300**

**For Medical Emergencies Only,
Call (877) 325-1840**

RV 060818

13917000

Nufarm Americas Inc.
11901 S. Austin Ave.
Alsip, IL 60803

