

Cheetah™



Satisfaction: Cleaner. Quicker. Cheetah™.

Cheetah™ utilizes a novel mode of action to better protect your high-value TNVV crops from weed competition including triazine, ALS, and glyphosate resistant weeds. This fast, effective, non-selective herbicide will let you focus more on profitability and less on weeds.

WORKS IN DAYS, NOT WEEKS

- Fast, effective, non-selective control of tough-to-control grass, sedge, and broadleaf weeds
- Best alternative to glyphosate, offering broad-spectrum weed control
- Directed sprays provide excellent weed control and crop safety in orchards and vineyards
- Expanded glufosinate uses in horticultural market; stone fruit, pome fruit, citrus, olives, and sweet corn*
- More consistent control than Gramoxone® on glyphosate-resistant weeds with no special handling restrictions
- For extended residual control, tank mix Cheetah with Tuscan™ and stay weed free
- Tuscan is Nufarm's formulation of flumioxazin

*Not all crops labeled for use in California

EPA REG. NO.	71368-112
ACTIVE INGR.	glufosinate (24.5%)
FORMULATION	liquid
CHEM. FAMILY	phosphinic acid
GROUP NO.	10
MODE OF ACT.	glutamine synthetase inhibitor
REI	12 hours (4 days for sweet corn irrigation activities)
SIGNAL WORD	warning
RESTRICTED	no
PACKAGE SIZE	2 x 2.5 gal, 265 gal tote, bulk



Grow a better tomorrow.



KEY USES

Labeled crops including: bushberries, citrus, grapes, olives, pome fruit, potato vine desiccation, stone fruit, sweet corn, tree nuts, and others

Farmstead

KEY WEEDS CONTROLLED

(See product label for complete list)

Bermuda grass
 Buckwheat, wild
 Buffalobur
 Chickweed, common
 Clover
 Cocklebur, common
 Crabgrass
 Dandelion
 Filaree
 Fleabane, annual
 Foxtail; giant, green, yellow
 Guineagrass
 Henbit
 Jimsonweed
 Johnsongrass, seedling
 Kochia
 Lambsquarters, common
 Mallow, common
 Malva
 Marestalk
 Morningglory; ivyleaf, pitted, tall
 Mustard, wild
 Nutsedge; purple, yellow
 Palmer amaranth (*suppression*)
 Pigweed, redroot
 Plantain
 Puncturevine
 Purslane, common
 Ragweed; common, giant
 Russian thistle
 Shepherd's-purse
 Smartweed, Pennsylvania
 Sowthistle, annual
 Spurge; leafy, prostrate, sprangletop
 Velvetleaf
 Vetch
 Waterhemp
 Woodsorrel

USE SUMMARY FOR TREE, VINE & BERRY CROPS

Apply 48 to 82 fl oz/A as determined by weed size.

WEED SIZE & STAGE	CHEETAH USE RATES
Weeds < 3 inches apart	48 fl oz/A
Weeds < 6 inches tall and pre-tillered grass	56 fl oz/A
Weeds > 6 inches tall or tillered grass	56-82 fl oz/A

Broadcast applications for all horticultural crop only.

Apply in 20 to 40 gal/A of water to ensure thorough coverage.

Apply using nozzles and pressures that generate a medium (about 250 to 350 microns) spray droplet.

Only apply to mature, brown, callused bark. (Never spot spray or direct spray tree trunks.)

See label for complete directions for use.

PRECAUTIONS AND RESTRICTIONS

DO NOT apply more than 164 fl oz/A to bushberry and stone fruit* in any 12 month period.

DO NOT apply more than 246 fl oz/A to citrus*, olives*, pome fruit*, tree nuts, and vines in any calendar year.

DO NOT graze, harvest, or feed treated orchard cover crops to livestock.

DO NOT apply through any type of irrigation system.

DO NOT apply aerially to tree or vine crops.

Restricted entry period of 12 hours.

Pre-harvest interval of 14 days.

DO NOT make spot spray applications to suckers, as tree injury may occur.

Only trunks with calloused, mature brown bark should be sprayed unless protected from spray contact by nonporous wraps, grow tubes, or waxed containers.

*Not labeled for use in California

See label for complete application precautions and restrictions.



www.nufarm.com/us

For specific application rates, directions, mixing instructions and precautions, read the product label. Please visit www.nufarm.com/us to download a full label.
 ©2015 Nufarm. Important: Always read and follow label instructions. Cheetah™ and Tuscany™ are trademarks of Nufarm. Gramoxone® is a trademark of Syngenta Group Company. 15-AG-0011