

# Spyder®




## Take Down Tough Weeds with Spyder®.

Spyder®, a water-dispersible granule formulation, offers excellent broad-spectrum control. It provides pre- and post-emerge activity against hard-to-control annual and perennial grasses and broadleaf weeds. Spyder can be tank-mixed with most other herbicides for use in forestry, industrial, rights-of-way and other non-crop areas.

### KEY PERFORMANCE BENEFITS

- Controls more than 25 broadleaf weeds, annual and perennial sedges in warm season turf
- Offers pre-emergent and post-emergent weed control
- Tank-mix compatible with many other herbicides
- Excellent, non-volatile formulation
- Economical alternative to Oust® XP

<b>EPA REG. NO.</b>	228-408
<b>ACTIVE INGR.</b>	sulfometuron-methyl (75%)
<b>FORMULATION</b>	water dispersible granule
<b>CHEM. FAMILY</b>	sulfonylurea
<b>GROUP NO.</b>	2
<b>MODE OF ACT.</b>	ALS inhibitor
<b>SIGNAL WORD</b>	caution
<b>RESTRICTED</b>	no
<b>PACKAGE SIZE</b>	8 x 3 lb



Grow a better tomorrow.

# Spyder®



## KEY USES

### Forestry

Non-crop sites (including industrial sites such as airports, military installations, fencerows, roadsides and associated rights-of-way, lumberyards, petroleum tank farms, pipeline and utility rights-of-way, pumping installations, railroads, storage areas, plant sites, and governmental and private lands)

## KEY WEEDS CONTROLLED

(See product label for complete list)

Annual sowthistle  
 Barnyardgrass  
 Black mustard  
 Buckhorn plantain  
 Burclover  
 Canada thistle  
 Carolina geranium  
 Cheat  
 Chickweed  
 Common dandelion  
 Crabgrass  
 Curly dock  
 Dogfennel  
 Fescue  
 Fireweed (*willowweed*)  
 Goldenrod  
 Hoary cress (*whitetop*)  
 Horseweed  
 Kentucky bluegrass  
 Kudzu  
 Musk thistle  
 Mustard  
 Nutsedge (*yellow*)  
 Panicums (*broadleaf, fall, narrow*)  
 Pigweed  
 Pokeweed  
 Prickly coontail  
 Purple starthistle  
 Ragweed  
 Shepherd's-purse  
 Signalgrass  
 Sowthistle (*annual*)  
 Sunflower  
 Sunflower White snakeroot  
 Sweet clover  
 Vetch  
 Yellow foxtail  
 Yellow rocket  
 Yellow sweetclover

## USE SUMMARY

### FORESTRY

Apply 2 to 8 ounces (use the rates indicated by region on the label). Applications made for release (trees present) should only be made after adequate rainfall has closed the planting slit and settled the soil around the roots following transplanting. Do not apply this product to conifers or hardwoods grown for Christmas trees or ornamentals.

### NON-CROP (INDUSTRIAL) SITES

Apply by ground equipment only unless directed otherwise by supplemental labeling. Combination with other herbicides broadens the spectrum of weeds controlled. In addition, total vegetation control can be achieved with higher rates of this product plus residual-type companion herbicides. To improve the control of weeds, add surfactant at 0.25% by volume.

### TURF, INDUSTRIAL (UNIMPROVED ONLY)

Apply Spyder® at 1/2 to 4 oz/A to control weeds on unimproved industrial turf, on roadsides, or on other non-crop sites where the turf is well established as a ground cover. Applications may temporarily suppress grass growth and inhibit seedhead formation (chemical mowing). See the product label for specific rate information.

*See label for complete directions for use.*



[www.nufarm.com/us](http://www.nufarm.com/us)

For specific application rates, directions, mixing instructions and precautions, read the product label. Please visit [www.nufarm.com/us](http://www.nufarm.com/us) to download a full label.

©2015 Nufarm. Important: Always read and follow label instructions. Spyder® is a trademark of Nufarm. Oust® is a trademark of E.I. du Pont de Nemours and Company.  
 15-VM-0024