

Abamex™

INSECTICIDE

LOW VOC,
WATER-BASED
FORMULA

TARGET MITES AND OTHER TOUGH PESTS.

For years, abamectin has provided growers with a powerful tool to protect specialty and vegetable crops against leafminers, mites, psyllids, Colorado potato beetles and other pests. Abamex™ packages that power in a low-volatile, water-based formulation. Abamex starts working quickly to affect pests within hours of exposure. Its translaminar activity means it protects the entire leaf, inside and out. And, selective chemistry makes it a useful rotation partner for resistance management programs.

COMPETITIVE ADVANTAGES

CONVENIENT CONTROL

- Controls mites and leafminers, Colorado potato beetles and other insects
- Controls potato and citrus psyllids that vector diseases such as HLB (citrus greening) and zebra chip
- Flexible application timing in an easy-to-use, low-volatility liquid formulation
- Rainfast within hours of application

AT-A-GLANCE INFO

EPA REG. NO.	228-734
ACTIVE INGR.	abamectin (2.0%)
FORMULATION	microemulsion concentrate (MEC)
CHEM. FAMILY	avermectin
IRAC NO.	6
MODE OF ACT.	chloride channel modulator
REI	12 hours
SIGNAL WORD	caution
PACKAGE SIZE	1 gal container (4 per case)

MORE PRODUCTS EXCLUSIVELY FROM NUFARM

Champ® WG

Grapple

Tuscany SC

 **Nufarm**
Grow a better tomorrow

TARGET MITES AND OTHER TOUGH PESTS.

KEY USES

Avocados, beans (dry and succulent), celeriac (apium graveolens), citrus fruit, cotton, cucurbit vegetables, fruiting vegetables, grapes and small fruits, guava, herbs, hops (except California), leafy vegetables, lychee, mint, onion (bulb and green), papaya, pineapple, pome fruit, stone fruit, strawberries, tree nuts, tuberous and corm vegetables

KEY INSECTS CONTROLLED

(See product label for complete list)

Asian citrus psyllid
 Avocado thrips
 Broad mite
 Carmine spider mite
 Citrus bud mite
 Citrus leafminer
 Citrus rust mite
 Citrus thrips
 Colorado potato beetle
 European grapevine moth
 European red mite
 Liriomyza leafminer
 McDaniel spider mite
 Pacific spider mite
 Pear psylla
 Pear rust mite
 Persea mite
 Potato psyllid
 Spider mite
 Strawberry spider mite
 Tentiform leafminer
 Thrips
 Thrips palmi
 Tomato pinworm
 Tomato psyllid
 Tomato russet mite
 Two-spotted spider mite
 Variegated leafhopper
 Western grape leafhopper
 Western grapeleaf skeletonizer
 White apple leafhopper
 Willamette spider mite
 Yellow mite

USE SUMMARY

TYPE	PHI	RATE
AVOCADOS	14 days	Low to moderate pest infestations: 10 to 15 fl oz/A Heavy pest infestations: 16 to 20 fl oz/A
BEANS, DRY AND SUCCULENT	7 days	Low to moderate pest infestations: 8 to 12 fl oz/A Heavy pest infestations: 13 to 16 fl oz/A
CELERIAC	7 days	16 fl oz/A
CITRUS FRUIT	7 days	Concentrate Sprays: 5 to 20 fl oz/A Dilute Sprays: 1 to 2 fl oz/100 gal*
COTTON	20 days	Early season: 4 to 6 fl oz/A Mid-season/lay-by: 8 to 16 fl oz/A*
CUCURBIT VEGETABLES	7 days	Low to moderate pest infestations: 8 to 12 fl oz/A Heavy pest infestations: 16 fl oz/A
FRUITING VEGETABLES	7 days	Low to moderate pest infestations: 8 to 12 fl oz/A Heavy pest infestations: 16 fl oz/A Tomato pinworm: 16 fl oz/A
GRAPES AND SMALL FRUITS	28 days	Low to moderate pest infestations: 8 to 12 fl oz/A Heavy pest infestations: 16 fl oz/A European Grape Moth: 10 to 16 fl oz/A
GUAVA	7 days	Low to moderate pest infestations: 10 to 15 fl oz/A Heavy pest infestations: 16 to 20 fl oz/A
HERBS	14 days (7 days for chives)	Low to moderate pest infestations: 8 fl oz/A Heavy pest infestations: 16 fl oz/A
HOPS (EXCEPT CALIFORNIA)	28 days	8 to 16 fl oz/A
LEAFY VEGETABLES	7 days	Low to moderate pest infestations: 10 to 15 fl oz/A Heavy pest infestations: 16 fl oz/A
LYCHEE	14 days	Low to moderate pest infestations: 8 to 12 fl oz/A Heavy pest infestations: 20 fl oz/A
MINT	28 days	8 to 12 fl oz/A
ONION, BULB	30 days	Low to moderate pest infestations: 8 to 12 fl oz/A Heavy pest infestations: 13 to 16 fl oz/A
ONION, GREEN	7 days	Low to moderate pest infestations: 8 to 12 fl oz/A Heavy pest infestations: 13 to 16 fl oz/A
PAPAYA	3 days	Low to moderate pest infestations: 10 to 15 fl oz/A Heavy pest infestations: 16 to 20 fl oz/A Dilute Sprays: 1 to 2 fl oz/100 gal*
PINEAPPLE	16 weeks	Low to moderate pest infestations: 10 to 15 fl oz/A Heavy pest infestations: 16 to 20 fl oz/A
POME FRUIT	28 days	Concentrate Sprays: 10 to 20 fl oz/A Dilute Sprays: 2.5 to 5 fl oz/100 gal**
STONE FRUIT	21 days	Concentrate Sprays: 10 to 20 fl oz/A Dilute Sprays: 2.5 to 5 fl oz/100 gal**
STRAWBERRIES	3 days	16 fl oz/A
TREE NUTS	21 days	Concentrate Sprays: 10 to 20 fl oz/A Dilute Sprays: 2.5 to 5 fl oz/100 gal**
TUBEROUS AND CORM VEGETABLES	14 days	Low to moderate pest infestations: 8 to 12 fl oz/A Heavy pest infestations: 16 fl oz/A

*Based on a volume of 1,000 gal/A **Based on a volume of 400 gal/A
 See label for complete directions for use.



nufarm.com/uscrop

Abamex™ is a Restricted-Use Pesticide. Always read and follow directions. For specific application rates, directions, mixing instructions and precautions, read the product label. Please visit www.nufarm.com/uscrop to download a full label.

©2019 Nufarm. Important: Always read and follow label instructions. Abamex™, Champ®, Grapple™ and Tuscan® are trademarks of Nufarm.

