

Nufarm

# Imazapic 2 SL

IVM HERBICIDE

## LASTING WEED CONTROL TO HELP NATIVE GRASS ESTABLISHMENT.

Nufarm Imazapic 2 SL IVM Herbicide provides lasting, non-selective pre- and post-emergence suppression of common grasses and invasive and noxious species like cheatgrass and leafy spurge. Imazapic 2 SL is labeled for use on many sites such as pastures, rangeland, Federal Conservation Reserve Program (CRP) land and non-crop areas including rights-of-way, utility plant sites, fencerows, and non-irrigation ditch banks. Plus, with long-term weed control and turf height suppression properties, Imazapic 2 SL helps with native grass and wildflower establishment.

### COMPETITIVE ADVANTAGES

- Kills plants by inhibiting activity of enzyme acetohydroxy acid synthesis (AHAS or ALS)
- Long-term control/suppression
- Can be mixed with other herbicides for additional control in non-crop areas including Polaris®, Spyder® and Patriot®

### AT-A-GLANCE INFO

EPA REG. NO	71368-118
ACTIVE INGR.	ammonium salt of imazapic (23.6%)
FORMULATION	liquid
CHEM. FAMILY	imidazolinones
HRAC NO.	2
MODE OF ACT.	ALS inhibitor
REI	12 hours
SIGNAL WORD	caution
RESTRICTED	no
PACKAGE SIZE	1 gal (4 per case)

MORE PRODUCTS EXCLUSIVELY FROM NUFARM

**AquaSweep®**

**Payload**  
HERBICIDE

**Nufarm**  
**Polaris®**

 **Nufarm**  
Grow a better tomorrow

# Imazapic 2 SL

IVM HERBICIDE

## LASTING WEED CONTROL TO HELP NATIVE GRASS ESTABLISHMENT.

### KEY USES

Conservation Reserve Program (CRP) land  
 Non-crop areas (rights-of-way, railroad, non-agricultural fencerows, non-irrigation ditch banks, pasture, paved surfaces, petroleum tank farms, pipeline, plant sites, storage areas, utility)  
 Pastures and rangeland

### KEY WEEDS CONTROLLED

(See product label for complete list)

Bedstraw, catchweed	Queen Anne's Lace
Beggarweed, Florida	Radish
Brome, downy	Ragweed; common, giant, western
Buffalobur	Sandbur
Buttercup	Sedge
Cheatgrass	Shattercane
Cocklebur	Sicklepod
Crabgrass; large, smooth	Sida, prickly
Foxtail; giant, green, robust purple, yellow	Signalgrass, broadleaf
Goatgrass, jointed	Smartweed; ladythumb, Pennsylvania, swamp
Goosegrass	Spurge; leafy, spotted, toothed
Johnsongrass (rhizome 8–12 oz)	Starbur, bristly
Johnsongrass (seedling 4–6 oz)	Stiltgrass, Japanese
Lambsquarters, common	Thistle; bull, musk, Russian
Medusahead	Vaseygrass
Morningglory; entireleaf, ivyleaf, tall	Velvetleaf
Mustard	Yellow rocket
Nutsedge; yellow, purple	
Panicum, Fall	
Pigweed	

### USE SUMMARY

#### PASTURE AND RANGELAND

Apply Imazapic 2 SL IVM Herbicide to rangeland for the control of undesirable (non-native, invasive, and noxious) plant species in order to aid in establishment of desirable rangeland plant species; aid in establishment of desirable rangeland vegetation after a fire; aid in reduction of vegetation that would fuel a wild-fire; aid in release of existing desirable rangeland vegetation from the competitive pressure of undesirable plant species; and aid in habitat improvement for wildlife.

To control weeds in pasture and rangeland, a broadcast treatment of Imazapic 2 SL at 2 to 12 fl oz/A should be applied. For spot treatments, use at 0.25% to 1% solution with 1% methylated seed oil.

Do not apply more than a total of 12 fl oz/A (0.2 lb ai/A imazapic) per year.

#### RESIDUAL BAREGROUND

For total vegetation control in sensitive areas and around desirable vegetation, use at 12 fl oz/A in a tank mix combination with labeled rates of Pendulum® herbicide, Patriot®, Diuron, ProClipse® 65 WDG or other labeled products to provide total vegetation control. Use 2 pt/A of methylated seed oil as an adjuvant for maximum control.

To provide total weed control in bareground areas, apply at 12 fl oz/A in a tank mix with Polaris®, Spyder® or other labeled products to provide total bareground weed control. Use 2 pt/A of methylated seed oil as an adjuvant for maximum control.

**Spot Treatments:** For weed control in bareground or total vegetation, Imazapic 2 SL may be applied to small areas. In each gallon of water, mix at 0.3 to 5.4 fl oz with 0.25 to 5% v/v methylated seed oil adjuvant.

Do not apply more than a total of 12 fl oz/A (0.2 lb ai/A imazapic) per year.

See product label for complete directions for use.



[nufarm.com/uscrop](http://nufarm.com/uscrop)

For specific application rates, directions, mixing instructions and precautions, read the product label. Please visit [www.nufarm.com/uscrop](http://www.nufarm.com/uscrop) to download a full label.

©2020 Nufarm. Important: Always read and follow label instructions. AquaSweep®, Patriot®, Polaris®, ProClipse® and Spyder® are registered trademarks of Nufarm. Pendulum® is a registered trademark of BASF. Payload® is a trademark of Valent U.S.A. LLC.

