

Weedone® 638

HERBICIDE

THE ORIGINAL SINCE 1952.

The classic brand makes a return with today's advanced formulation technology, Weedone® 638 combines two forms of 2,4-D for rapid penetration, superb compatibility, and fast translocation in tough-to-control weeds. Weedone 638 utilizes 2,4-D acid for rapid uptake by plants and butoxyethyl ester (BEE) to mix seamlessly with liquid fertilizers and improve penetration qualities. This product is available for use in controlling hard-to-kill weeds such as field bindweed, Russian knapweed, Canada thistle, leafy spurge, cattails, tules and nutgrass.

COMPETITIVE ADVANTAGES

- Excellent choice for early- and late-season cold, dry or less than optimum growing conditions
- Mixes well with liquid fertilizer and other nitrogen solutions
- Extremely effective for no-till and minimum tillage burndown situations, in-season perennial weed control, and post-harvest cleanup
- Effective preplant burndown for soybeans and corn

AT-A-GLANCE INFO

| | |
|---------------------|---|
| EPA REG. NO. | 71368-3 |
| ACTIVE INGR. | 2,4-D acid (13.8%), 2,4-D butoxyethyl ester (24.5%) |
| FORMULATION | liquid |
| CHEM. FAMILY | phenoxyacetic acid |
| HRAC NO. | 4 |
| MODE OF ACT. | synthetic auxin growth regulator |
| REI | 48 hours |
| SIGNAL WORD | warning |
| PACKAGE SIZE | 2.5 gal container (2 per case), 30 gal drum, 265 gal tote |

MORE PRODUCTS EXCLUSIVELY FROM NUFARM

BurnMaster™ | **Scorch™** | **Spitfire™**

 **Nufarm**
Grow a better tomorrow

Weedone® 638

THE ORIGINAL SINCE 1952.

KEY USES

Cereal grains
Corn
Fallowland
Non-crop areas
Pasture
Preplant burndown (soybeans and corn)
Rangeland
Sorghum
Soybeans (preplant only)

KEY WEEDS CONTROLLED

(See product label for complete list)

Blue lettuce
Bull thistle
Canada thistle
Cattails
Coffeeweed
Dandelion
Field bindweed
Garlic, wild
Healall
Leafy spurge
Marshelder
Morningglory; common, ivy, woolly
Nutgrass
Onion, wild
Parsnip, wild
Pigweed
Plantains
Radish, wild
Ragweed; common, giant
Rough fleabane
Russian knapweed
Smartweeds (annual species)
Sowthistle
Sunflower
Texas blueweed
Tules, hardstem bulrush
Velvetleaf

USE SUMMARY

Apply Weedone® 638 when daytime temperatures are less than 85°F. Spraying when temperatures are higher may cause rapid foliar burn and decrease the effectiveness of this herbicide. Treatment at higher temperatures also increases the possibility of crop injury.

PREPLANT BURNDOWN RATES

SOYBEAN*: 1.0 – 1.3 pt/A, 15 days or more before planting
1.3 – 2.6 pt/A, 30 or more days before planting

CORN: 1.5 – 2.5 pt/A, 7 – 14 days before planting

*Not for use in California

ANNUAL BROADLEAF POST-EMERGENCE RATES

CORN: 0.66 pt/A, when corn is less than 8 inches high

CEREAL GRAINS: 1.0 pt/A after grain is fully tillered

SORGHUM: 1.0 pt/A when sorghum is 6 – 15 inches high

PERENNIAL BROADLEAF POST-EMERGENCE RATES

CORN: 1.0 pt/A, when weeds are in bud to bloom stage

CEREAL GRAINS: 2.0 pt/A after grain is fully tillered

SORGHUM: 1.0 – 1.3 pt/A when sorghum is 6 – 15 inches high

See product label for complete directions for use.

APPLICATION RESTRICTIONS

DO NOT apply this product through any type of irrigation system.

DO NOT use in or near a greenhouse.

DO NOT contaminate water used for irrigation or domestic purposes.

DO NOT apply when weather conditions favor drift from treated areas.

See label for complete application restrictions.



nufarmpoint.com

For specific application rates, directions, mixing instructions and precautions, read the product label. Please visit www.nufarm.com/us to download a full label.

©2018 Nufarm. Important: Always read and follow label instructions. BurnMaster™, Scorch™, Spillfire™ and Weedone® are trademarks of Nufarm.



15-AG-0068-C