

# Rapport<sup>®</sup> BroadSpec

SELECTIVE HERBICIDE

## RAPPORT<sup>®</sup> BROADSPEC FOR FAST CONTROL OF TOUGH WEEDS.

Tough weeds like Canada thistle and wild buckwheat can take over your wheat crop and cut into your bottom line. Rapport<sup>®</sup> BroadSpec helps manage Canada thistle, wild buckwheat and a broad spectrum of other difficult weeds. Plus Rapport BroadSpec gives you rotational flexibility for next season.

### COMPETITIVE ADVANTAGES

- Dependable post-emergent control of a broad spectrum of broadleaf weeds
- Improved Canada thistle control
- Safe to the growing crop
- Excellent tank-mix partner
- Flexible rotation options

### AT-A-GLANCE INFO

EPA REG. NO.	71368-79
ACTIVE INGR.	thifensulfuron-methyl (25%), tribenuron-methyl (25%)
FORMULATION	water-dispersible granule
CHEM. FAMILY	sulfonylurea
HRAC NO.	2
MODE OF ACT.	ALS inhibitor
REI	12 hours
SIGNAL WORD	caution
RESTRICTED	no
PACKAGE SIZE	2 lb bag (8 per case)

MORE PRODUCTS EXCLUSIVELY FROM NUFARM

**Scorch<sup>™</sup>** | **Spitfire<sup>®</sup>** | **WeedMaster<sup>®</sup>**

 **Nufarm**  
Grow a better tomorrow

# Rapport® BroadSpec

## RAPPORT® BROADSPEC FOR FAST CONTROL OF TOUGH WEEDS.

### KEY USES

Barley  
Fallow  
Wheat

### KEY WEEDS CONTROLLED

(See product label for complete list)

Annual knawel	Lambsquarters; common, narrowleaf
Annual sowthistle	Lanceleaf sage*
Broadleaf dock	London rocket
Bur buttercup	Marshelder
Bushy wallflower/ treacle mustard	Miners lettuce
Canada thistle*	Mustard; common, tansy, tumble, wild
Chamomile; corn, false, mayweed, wild	Nightflowering catchfly
Chickweed; common, stinking	Pigweed; prostrate, redroot
Coast fiddleneck	Pineappleweed
Common buckwheat	Prickly lettuce*
Common cocklebur*	Prostrate knotweed
Common groundsel	Redmaids
Common ragweed*	Russian thistle*
Corn gromwell*	Shepherd's-purse
Corn spurry	Smartweed; green, Pennsylvania
Cowcockle	Smallflower buttercup
Cress (mouse-ear)	Sunflower
Curly dock	Tarweed fiddleneck
Field chickweed	Volunteer canola
Field pennycress	
Filaree; redstem, Texas	
Flixweed	
Henbit	
Kochia*	
Ladysthumb	

\*See specific weed  
problems for more  
information

### USE SUMMARY

#### RATES

**Wheat and barley:** Apply 0.4 to 1 ounce per acre after the crop is in the 2-leaf stage, but before the flag leaf is visible.

Do not exceed 1 ounce per acre per crop season.

**Fallow:** Apply 0.4 to 1 ounce per acre to fallow in the spring, summer or fall when the majority of weeds have emerged and are actively growing.

Do not exceed 1 ounce per acre per crop season. Rapport® BroadSpec should be applied in combination with other suitable registered fallow herbicides such as glyphosate plus 2,4-D (ester formulations work best) or glyphosate plus dicamba. When applied at a rate of 0.4 to 0.6 ounce per acre, Rapport BroadSpec must be used in a tank-mix combination with other registered fallow herbicides.

**Preplant burndown:** Apply 0.4 to 1 ounce per acre as a burndown treatment prior to, or shortly after planting (prior to emergence). The total amount cannot exceed 1 ounce per acre per crop season.

Apply up to 0.6 ounce per acre of Rapport BroadSpec as a pre-plant burndown to cotton. Allow at least 14 days from time of application to time of planting cotton.

**Post harvest:** Apply 0.4 to 1 ounce per acre to crop stubble after harvest. Use the 1 ounce per acre rate when weed infestation is heavy and consists mainly of those weeds listed under the "WEEDS PARTIALLY CONTROLLED" section of the label or when application timing and environmental conditions are marginal. Apply Rapport BroadSpec when all or most of the weeds have germinated.

Annual broadleaf weeds should be past the cotyledon stage, actively growing and less than 4 inches tall or wide. Rainfall immediately after treatment can wash Rapport BroadSpec off of weed foliage, resulting in reduced weed control. Several hours of dry weather are needed to allow Rapport BroadSpec to be sufficiently absorbed by weed foliage.

See label for complete directions for use.



[nufarm.com/uscrop](http://nufarm.com/uscrop)

For specific application rates, directions, mixing instructions and precautions, read the product label. Please visit [www.nufarm.com/uscrop](http://www.nufarm.com/uscrop) to download a full label.

©2021 Nufarm. Important: Always read and follow label instructions. Rapport®, Scorch™, Spilfire® and WeedMaster® are trademarks of Nufarm.



15-AG-0036-D