

Victory®

SELECTIVE HERBICIDE

VICTORY® IN BROADLEAF WEED CONTROL.

Victory® is a 75% wettable granule formulation of tribenuron designed for selective post-emergence broadleaf weed control in wheat, barley, triticale, post-harvest cereals, fallow and preplant or post-harvest burndown. Victory delivers Canada thistle control and control of many other tough broadleaf weeds and can be used as a stand-alone product or in tank mix combinations with broadleaf or grass herbicides. Tank mix options including Victory reduce weed infestations and provide several options when it comes to crop rotation flexibility.

COMPETITIVE ADVANTAGES

- Delivers excellent control of Canada thistle and other tough broadleaf weeds
- Can be tank mixed with grass and other broadleaf herbicides
- Excellent crop tolerance
- Proven active ingredients
- Flexible rotation options

AT-A-GLANCE INFO

EPA REG. NO.	71368-75
ACTIVE INGR.	tribenuron-methyl (75%)
FORMULATION	dry flowable
CHEM. FAMILY	sulfonylurea
HRAC NO.	2
MODE OF ACT.	ALS inhibitor
REI	12 hours
SIGNAL WORD	caution
REGISTERED	no
PACKAGE SIZE	10 oz bag (8 per case)

MORE PRODUCTS EXCLUSIVELY FROM NUFARM



VICTORY® IN BROADLEAF WEED CONTROL.

KEY USES

Wheat
Barley
Triticale
Fallow
Preplant burndown
ExpressSun™ tolerant sunflower hybrids
(supplemental label)

KEY WEEDS CONTROLLED

(See product label for complete list)

FALLOW AND PREPLANT BURNDOWN	WHEAT, BARLEY AND TRITICALE
Canada thistle	Chamomile; scentless, wild
Chamomile; false, mayweed, wild	Coast fiddleneck
Coast fiddleneck	Common chickweed
Corn spurry	Common groundsel
Common chickweed	Common purslane
Common groundsel	Corn spurry
Common purslane	Cowcockle
Cressleaf groundsel	Field pennycress
Early whitlowgrass	Flixweed
Field pennycress	Lambsquarters; common, slimleaf
Flixweed	London rocket
Kochia*	Miners lettuce
Lambsquarters; common, slimleaf	Mustard; black, blue/purple, tansy, treacle, wild
Miners lettuce	Pineappleweed
Mustard; black, blue/purple, treacle, wild	Redroot pigweed
Pineappleweed	Shepherd's-purse
Purslane	Smallseed falseflax
speedwell	Tarweed
Russian thistle*	fiddleneck
Smallflower buttercup	* naturally occurring biotypes of this weed are known to be resistant
Smallseed falseflax	
Tarweed	
fiddleneck	

USE SUMMARY

APPLICATION TIMING AND RATES

Rate: 1/4–1/3 ounce per acre.

Timing to weeds: Apply to select weeds from germination to 3 inches in height or diameter.

Wheat, barley and triticale: Make applications after the crop is in the 2-leaf stage, but before the flag leaf is visible.

ExpressSun tolerant sunflower hybrids: Apply 1/6–1/3 ounce per acre. Add a Nufarm recommended methylated seed oil (MSO) having at least 80% a.i. strength at a rate of 1% v/v (1 gallon surfactant per 100 gallon of spray solution). Apply when ExpressSun sunflowers are in the 1 leaf stage of growth, but before the beginning of bud formation. Temporary crop yellowing may be observed. Apply only on sunflower hybrids labeled "ExpressSun." Do not apply to sunflower hybrids that lack tolerance/resistance to tribenuron, the active ingredient in Victory®.

Preplant burndown: Apply when the majority of weeds have emerged and are actively growing. For wheat, apply before planting or shortly after planting (and prior to emergence). For cotton, allow at least 14 days between application and planting. For sugarbeets, winter rape and canola, allow at least 60 days between application and planting. For any other crops, such as corn, grain sorghum, rice and soybeans, allow at least 45 days between application and planting.

Post harvest: Apply when the majority of weeds have emerged and are actively growing.

Fallow: Apply when the majority of weeds have emerged and are actively growing.

Crop rotation: Wheat, barley and triticale may be replanted anytime after the application of this product. Sugarbeets, winter rape and canola can be planted 60 days after Victory application. Any other crop may be planted 45 days after application.

Victory can be mixed with grass control herbicides and other broadleaf herbicides for weed control in wheat, barley and/or triticale. (See label for complete listing.) The addition of a minimum of 1/2 lb a.i./A of 2,4-D ester is recommended for best results and required for burndown of some weeds.

See label for complete directions for use.



nufarm.com/uscrop

For specific application rates, directions, mixing instructions and precautions, read the product label. Please visit www.nufarm.com/uscrop to download a full label.

©2021 Nufarm. Important: Always read and follow label instructions. Scorch™, Spilfire®, Victory® and WeedMaster® are trademarks of Nufarm. ExpressSun™ is a trademark of DuPont.

