



TAKE AIM AT PROBLEM WEEDS WITH LOW-RATE LONGBOW™ EC

New from Nufarm, Longbow™ EC Selective Herbicide spans multiple row crops to strengthen control of broadleaf weeds. At very low use rates, Longbow is an excellent tank mix partner with most burndown, non-selective herbicides to add residual punch for long term broadleaf weed control. Ideal pre-plant tool, particularly in no-fill situations.

COMPETITIVE ADVANTAGES

FLEXIBLE TANK-MIX TOOL FOR BETTER RESULTS

- Wide spectrum broadleaf weed control
- Fast-acting weed control
- Very broad crop spectrum
 - Compatible with more than 45 crops or crop groups
- Excellent tank-mix partner
- Low use rates
- Labeled for herbicide and harvest aid uses
- Convenient package size for easy handling

AT-A-GLANCE INFO

EPA REG. NO.	71368-133
ACTIVE INGR.	carfentrazone-ethyl (22.3%, 2 lb ai/gal)
FORMULATION	emulsifiable concentrate
CHEM. FAMILY	triazolinone
GROUP NO.	14
MODE OF ACT.	PPO inhibitor
REI	12 hours
SIGNAL WORD	caution
RESTRICTED	no
PACKAGE SIZE	1 quart container (4 per case)

MORE PRODUCTS EXCLUSIVELY FROM NUFARM





TAKE AIM ON PROBLEM WEEDS WITH LOW-RATE LONGBOW™ EC

KEY USES – ROW CROP

(See label for a complete list of labeled crops)

Alfalfa
Corn
Cotton*
Peanuts
Rice (southern states)
Sorghum
Soybeans
Spring and winter wheat
Sunflowers
Sugarcane

*Refer to the Longbow™ EC Cotton Brochure for defoliant information.

KEY WEEDS CONTROLLED

(See label for a complete list of weeds controlled)

Amaranth; Palmer, spiny
Carpetweed
Cocklebur
Kochia
Lambsquarters, common
Mallow, common
Morningglory
Nettle, burning
Nightshade; Eastern black, hairy
Pennycress, field
Pigweed; prostrate, redroot, smooth, tumble
Purslane, common
Shepherd's-purse
Spurge, prostrate
Thistle, Russian (up to 2" tall)
Velvetleaf (24")
Waterhemp; common, tall

See label for a list of weeds where Longbow EC adds faster or improved control by tank-mixing with other common herbicides.

Not registered for use in California.

USE SUMMARY – SOYBEANS

Apply Longbow™ EC alone or as a tank mixture with other herbicides to emerged and actively growing weeds. Apply to soybeans in all tillage systems from prior to planting up to prior to emergence. Do not apply Longbow EC during a period from emergence to V2. After plants have reached V3, hooded sprayers or directed applications are allowed up to V10. For optimum performance, make application to actively growing weeds up to 4 inches tall and rosettes less than 3 inches across. Use the higher rates when treating more mature weeds or dense vegetative growth.

PREPLANT BURNDOWN: Apply up to 1.5 fl oz (0.023 lb ai) per acre

TANK MIX: Longbow EC may be tank mixed with other herbicides to control weeds not listed on the label.

Do not use with diphenylether herbicides (oxyfluorfen and acifluorfen).

Read and follow label directions for all companion herbicides and follow specific directions on the Longbow EC label.

USE SUMMARY – CORN

Apply Longbow EC alone or as a tank mixture with other herbicides to emerged and actively growing weeds. Apply to corn in all tillage systems from prior to planting up to 14-leaf collar growth stage. When applying to corn greater than V8 stage, utilize drop nozzles aligned between the rows with directed application to reduce contact with the corn foliage and improve contact with the weeds. For optimum performance, make application to actively growing weeds up to 4 inches high and rosettes less than 3 inches across.

PREPLANT BURNDOWN: Up to 2.0 fl oz (0.031 lb ai) per acre

POST-EMERGENCE (BROADCAST): Up to 1.0 fl oz (0.016 lb ai) per acre

BROADCAST APPLICATIONS: Use Longbow EC Herbicide at 0.5 to 1.0 fl oz as a broadcast application using a minimum of 10 gallons per acre of spray volume by ground or 3 gallons per acre by air. Broadcast applications may be applied through V8 stage corn.

TANK MIX: Longbow EC may be tank mixed with other herbicides to control weeds not listed on the label.

Read and follow label directions for all companion herbicides and follow specific directions on the Longbow EC label. When tank mixing Longbow EC with other labeled corn herbicides, use adjuvants as directed by the tank mix partner's label.



nufarm.com/uscrop

Important: Always read and follow label instructions. For specific application rates, directions, mixing instructions and precautions, read the product label. Please visit www.nufarm.com/uscrop to download a full label.

©2021 Nufarm. Important: Always read and follow label directions. BurnMaster™, Longbow™, Panther®, WeedMaster® are trademarks of Nufarm.



21-AG-0012-B