

Naxypro[®] Plus

Effective control of lepidopteran and other insect pests

Naxypro[®] Plus Insecticide delivers two-way control of lepidoptera and a range of other insects, leveraging the fast action and staying power of chlorantraniliprole and bifenthrin. Stop pest damage and sustain broad-spectrum control for up to three weeks. Flexible application rates and timing make Naxypro Plus a key tool for protecting yield through quick activity, just minutes after contact. Naxypro Plus provides excellent control of worms and other insects in corn, soybeans, cotton, peanuts, potato and tobacco.

COMPETITIVE ADVANTAGES

Broad spectrum

- Controls a broad-spectrum of pests within minutes of contact
- Versatile resistance management tool

Wide application window

- Flexible application options

LEPIDOPTERAN PESTS



Armyworm



Earworm



Soybean looper

AT-A-GLANCE INFO

EPA REG. NO.	71368-149
ACTIVE INGR.	chlorantraniliprole (0.89 lb/gal) + bifenthrin (1.33 lb/gal)
FORMULATION	suspension concentrate (SC)
GROUP NO.	28 and 3A
MODE OF ACT.	anthranilic diamide + pyrethroid
REI	12 hours
SIGNAL WORD	warning
RESTRICTED	yes
PACKAGE SIZE	2.5 gallon (2 per case)

Not registered for use in California

Naxypro[®] Plus

KEY USES

For use in broad acre crops including corn, cotton, peanuts and soybeans.
(See product label for complete list)

KEY PESTS CONTROLLED

(See product label for complete list)

Aphids
Armyworms
Beetles
Boll weevil
Corn earworm
Corn root worm
Grasshoppers
Lepidopteran Pests
Loopers (including soybean loopers)
Stinkbugs
Thrips

USE SUMMARY

Apply as a foliar application for broad spectrum control of lepidopteran insect pests as well as other listed chewing and sucking insect pests. It is a mixture of bifenthrin, belonging to the pyrethroid class of chemistry, and chlorantraniliprole, an anthranilic diamide insecticide with a novel mode of action acting on insect ryanodine receptors. Naxypro Plus has contact and ingestion activity, but it is most effective through ingestion of treated plant material.

See label for complete application precautions.

APPLICATION RATES

Crop	Pests	Rate per acre (fluid oz)	PHI	REI
Corn	Grasshoppers, aphids, beetles, chinch bug, corn rootworm adults, cutworms, greenbug, stinkbugs, tarnished plant bug, corn earworm, common stalk borer, armyworms, European corn borer, webworms, mites	4.8 - 9.6 fl oz/A	30 days	12 hours
Cotton	Boll weevil, aphids, thrips, cotton fleahopper, cotton leafperforator, cutworms, grasshoppers, stink bugs,	4.8 - 9.6 fl oz/A	21 days	12 hours
	Armyworms, loopers, cotton bollworm, tobacco budworm, lygus, mites, whitefly	5.6 - 9.6 fl oz/A		
Peanuts	Cabbage looper, Corn earworm, Beet armyworm, Fall armyworm, Granulate cutworm, Lesser cornstalk borer, Soybean looper, Southern armyworm, Tobacco budworm, Yellowstriped armyworm	5.6 - 9.6 fl oz/A	14 days	12 hours
	Aphids, Spider mites, Thrips, Whitefly	7.7 - 9.6 fl oz/A		
Soybeans	Alfalfa caterpillar, Corn earworm, Beet armyworm, European corn borer, Fall armyworm, Cabbage looper, Soybean looper, Southern armyworm, Yellowstriped armyworm, Webworms, Western bean cutworm, Aphids, Bean leaf beetle, Cucumber beetles, Japanese beetle, Adult sap beetle, Stink bugs, Corn rootworm adult, Thrips, Pea weevil, Pea leaf weevil, Plant bugs	5.6 - 9.6 fl oz/A	18 days	12 hours
	Banks grass mite, Twospotted spider mite, Carmine mite, Lygus species	7.7 - 9.6 fl oz/A		
	Silverleaf whitefly	9.6 fl oz/A		