



# Envoy Plus<sup>®</sup>

H E R B I C I D E

## CONSISTENT GRASS CONTROL WITH EXCELLENT PLANT SAFETY.

Envoy Plus<sup>®</sup> delivers consistent post-emergent control of troublesome annual and perennial grasses. Plus, it has an excellent plant safety profile. Envoy Plus can be applied over-the-top to garden flowers and foliage plants as well as around ornamental trees to control grasses at heights up to 24 inches.

### COMPETITIVE ADVANTAGES

#### SAFE AND EFFECTIVE GRASS CONTROL

- Superior formulation maximizes performance
- Post-emergent control
- Excellent plant safety: apply over-the-top

### AT-A-GLANCE INFO

EPA REG. NO. 59639-132

ACTIVE INGR. clethodim (12.6%)

FORMULATION liquid

CHEM. FAMILY cyclohexanedione

HRAC NO. 1

SIGNAL WORD caution

RESTRICTED no

PACKAGE SIZE 1 gal (4 per case)

 RESIDENTIAL

 COMMERCIAL

 LANDSCAPE ORNAMENTALS

 POST EMERGE



## CONSISTENT GRASS CONTROL WITH EXCELLENT PLANT SAFETY.

### KEY USES

Conifer trees  
Garden flowers and plants  
Groundcovers  
Ornamental trees and shrubs

### KEY WEEDS CONTROLLED

(See product label for complete list)

Barnyardgrass  
Bermudagrass  
Broadleaf signalgrass  
Brome  
Canarygrass  
Crabgrass  
Crowfootgrass  
Fall panicum  
Field sandbur  
Foxtail barley  
Goosegrass  
Itchgrass  
Junglerice  
Lovegrass (Stinkgrass)  
Quackgrass  
Rabbitsfootgrass  
Red rice  
Rhizome johnsongrass  
Ryegrass  
Seedling johnsongrass  
Shattercane  
Southwestern cupgrass  
Sprangletop  
Texas panicum  
Wirestem muhly  
Witchgrass  
Woolly cupgrass

### USE SUMMARY

#### TIMING OF APPLICATIONS

Apply Envoy Plus® to actively growing grasses. Applications made to grass plants stressed by insufficient moisture or cold temperatures, or to grass plants exceeding recommended growth stages may result in unsatisfactory control. Do not apply under these conditions.

In arid regions where irrigation is used to supplement limited rainfall, Envoy Plus should be applied as soon as possible after irrigation (within 7 days). In arid regions, a second application of Envoy Plus will generally provide more effective control of perennial grass weeds than a single application. Make second application to actively growing grass 2 to 3 weeks after emergence of new growth. Cultivation of treated grasses 7 days prior to or within 7 days after application of Envoy Plus may reduce weed control.

#### GROUND APPLICATION

Use of sufficient spray volumes and pressure is essential to ensure complete coverage. Use a minimum of 5 gals and a maximum of 40 gals of spray solution per acre. Under the following conditions a minimum of 10 gals per acre is required: broadleaf herbicide tank mixes, perennial grasses, volunteer corn, drought or stress conditions, heavy grass pressure or when grasses are at or near maximum height. Failure to use a minimum of 10 gals per acre under these conditions can result in poor coverage and reduced grass control requiring repeat applications. Spray pressures should reflect a minimum of 30 psi and a maximum of 60 psi at the nozzle. Do not use flood nozzles.

#### GROUND APPLICATION

When using hand sprayers or high volume sprayers utilizing hand guns, mix 1/3% to 2/3% (0.44 oz to 0.85 oz per gal) Envoy Plus and treat to wet vegetation, while not allowing runoff of spray solution. For uses requiring crop oil concentrate, include crop oil concentrate at 1% (1.3 oz per gal) by volume. For uses requiring non-ionic surfactant, include non-ionic surfactant at 1/4% (0.33 oz per gal) by volume.

See product label for complete directions for use.

#### PRECAUTIONS AND RESTRICTIONS

DO NOT apply if rain is expected within 1 hour of application as control may be unsatisfactory.

DO NOT apply a post-emergence broadleaf herbicide within one day following application of Envoy Plus or reduced grass control may result.

DO NOT apply under conditions of stress.

See label for complete application precautions and restrictions.

