

Affirm™ WDG

FUNGICIDE

EFFECTIVE FORMULA WITH LOW USE RATES.

Affirm™ WDG is a proven, easy-to-mix water-dispersible granule formulation that delivers excellent disease control. Plus, it reduces plant residue on ornamentals with a unique mode of action.

COMPETITIVE ADVANTAGES

POWERFUL DISEASE PROTECTION

- Broad-spectrum control delivers proven efficacy on an extensive list of diseases
- Short 4-hour REI for minimal workflow disruption
- Labeled for use on ornamentals and edibles
- Polyoxin D Zinc Salt, the active ingredient in Affirm, is registered as an EPA biopesticide

AT-A-GLANCE INFO

EPA REG. NO.	68173-3-1001
ACTIVE INGR.	polyoxin D zinc salt (11.3%)
FORMULATION	water-dispersible granules
CHEM. FAMILY	polyoxins
FRAC NO.	19
REI	4 hours
PACKAGE SIZE	4 x 0.5 lb resealable bag, 3 x 2.4 lb resealable bag
APPLICATION	spray, drench

Cleary Chemical, LLC is a wholly owned subsidiary of Nufarm.

-  FIELD-GROWN NURSERY
-  CONTAINER-GROWN NURSERY
-  GREENHOUSE
-  EDIBLES
-  CAUTION

MORE PRODUCTS EXCLUSIVELY FROM NUFARM

3336® | **Safari**
INSECTICIDE | **TriStar**®

 **Nufarm**
Grow a better tomorrow

EFFECTIVE FORMULA WITH LOW USE RATES.

KEY USES

Christmas trees
Ornamentals
Various crops
Cucurbit
Fruit vegetables
Non-bearing fruit trees
Nut trees
Pome fruits
Strawberries
Vegetables

KEY DISEASES CONTROLLED

(See product label for complete list)

Alternaria blight
Alternaria leaf spot
Anthracnose leaf and fruit rot
Apple scab
Black root rot
Blotch
Botrytis blight
Botrytis rot
Curvularia
Cylindrocarpon root rot
Early blight
Gray mold
Gummy stem blight
Petiole rot
Powdery mildew
Rhizoctonia aerial blight
Rhizoctonia root and crown rot
Scabs

USE SUMMARY

Affirm™ WDG should be applied as a preventive or curative treatment in conjunction with good management practices.

For optimum control of labeled diseases, we recommend that Affirm WDG be applied with sufficient water to provide a thorough coverage.

See label for complete directions for use.

MIXING INSTRUCTIONS

Many chemigation options available; see label.

Fill spray tank with water to 1/2 of the intended final volume.

Start spray tank agitation.

Add the appropriate amount of product to the tank according to the rates in the following table.

Agitate to ensure thorough mixing while adding the remaining required water.

DO NOT allow the spray mixture to stand without agitation. Mix only the amount of spray solution needed to treat the desired area.

RATE	CROP
6.2 oz/A	Cucurbit vegetables; chayote, Chinese waxgourd, citron melon, cucumber, gourd, muskmelon, pumpkin, squash (summer and winter), watermelon, etc.
	Fruiting vegetables; eggplant, groundcherry, pepino, pepper, tomatillo, tomato, etc.
	Ginseng ¹
	Grapes
	Pome fruits; apple, crabapple, loquat, mayhaw, pear, oriental pear, quince
	Strawberries
4-8 oz/100 gal/A	Ornamentals

¹ Not registered for use in California.

See label for complete application rates.



nufarm.com/usturf

For specific application rates, directions, mixing instructions and precautions, read the product label. Please visit www.nufarm.com/usturf to download a full label.

©2020 Nufarm. Important: Always read and follow label instructions. 3336® is a trademark of Nufarm. Affirm™ is trademark of Cleary Chemical, LLC. Safari® is a trademark of Valent U.S.A. LLC. TriStar® is a trademark of Nippon Soda Co., Ltd.

