

Diablo® is a water-soluble amine formulation of dicamba that offers excellent control of tough broadleaf weeds, vines and brush in a variety of crop and non-crop settings. Diablo is an excellent stand-alone or tank-mixed herbicide that provides fast knockdown and residual control. Diablo mixes well with glyphosate herbicides for enhanced performance and resistance management.

## **COMPETITIVE ADVANTAGES**

## DEPENDABLE CONTROL OF BROADLEAVES, VINES AND BRUSH

- · Control of tough weeds including kochia, Russian thistle, pigweed, mustards, prickly lettuce, lambsquarters, knotweed and many other annual and perennial broadleaf weeds
- Systemic product with residual soil activity
- Non-toxic to microorganisms
- Noxious weed and brush control
- Tank-mix compatible with many other herbicides

## AT-A-GLANCE INFO

EPA REG. NO.	228-379
ACTIVE INGR.	dicamba (49.41%)
FORMULATION	liquid
CHEM. FAMILY	benzoic acid
HRAC NO.	4
MODE OF ACT.	synthetic auxin growth regulator
REI	24 hours
SIGNAL WORD	caution
RESTRICTED	no
PACKAGE SIZE	2.5 gal container (2 per case), 265 gal tote, bulk













## **EXCELLENT CONTROL WHERE YOU NEED IT.**

## **KEY USES**

Asparagus
Corn
Fallowland
General farmstead (non-cropland)
Hay
Pasture and rangelands
Small grains
Sorghum
Sugarcane

# **KEY WEEDS CONTROLLED**

Turf and grass seed crops

(See product label for complete list)

#### **ANNUALS**

Amaranth, spiny
Beggarweed, Florida
Evening primrose, cutleaf
Kochia
Lambsquarters
Marestail (horseweed)
Morningglory; ivyleaf, tall
Mustard; tansy, wild, yellowtops
Nightshade, black
Pigweed; prostrate, redroot, spiny
Ragweed; common, giant
Sheperd's-purse
Smartweed; green, Pennsylvania
Thistle, Russian

## **BIENNIALS & PERENNIALS**

Burdock, common
Fern, bracken
Hawkweed
Horsenettle, Carolina
Knapweed; black, Russian
Milkweed, climbing
Nettle, stinging
Nightshade, silverleaf
Plantain, buckhorn
Sowthistle
Spurge
Vetch

### WOODY

Birch Elm Grape Kudzu

Maple

Olive, Russian

Spruce Willow

## **USE SUMMARY**

Diablo® can be applied using water, oil in water emulsions including invert systems, or sprayable fluid fertilizer as a carrier. A compatibility test should be made prior to tank mixing.

Diablo may be applied broadcast using either ground or aerial application equipment, apply 3 to 600 gals of diluted spray per treated acre. Volume of spray applied will depend on the height, density, and type of weeds or brush being treated and on the type of equipment being used. When using aerial equipment, apply 1 to 40 gals of diluted spray per treated acre in a water-based carrier.

Diablo may be applied to individual clumps or small areas (spot treatment) of undesirable vegetation using hand gun or similar types of application equipment. Apply diluted sprays to allow complete wetting (up to run-off) of foliage and stems.

Herbicide adjuvants or other spray additives (emulsifiers, surfactants, wetting agents, drift control agents, or penetrants) may be used for wetting, penetration, or drift control. Spray additives must be agriculturally approved when used in pasture applications. If spray additives are used, read and follow all use recommendations and precautions on product label.

Diablo may be tank mixed with one or more herbicides for control of grasses, additional broadleaf weeds, and woody brush and vines.

Retreatments may be made as needed, however, do not exceed a total of 2 qts (2 lbs a.i.) of Diablo per treated area per year.

Animals cannot be removed from treated area for slaughter prior to 30 days after last application. No waiting period between treatment and grazing for non-lactating animals.

See product label for complete directions for use.



