



Spyder[®]

SELECTIVE HERBICIDE

TAKE DOWN TOUGH WEEDS WITH SPYDER[®].

Spyder[®], a water-dispersible granule formulation, offers excellent broad-spectrum control. It provides pre- and post-emerge activity against hard-to-control annual and perennial grasses and broadleaf weeds. Spyder can be tank-mixed with most other herbicides for use in forestry, industrial, rights-of-way and other non-crop areas.

COMPETITIVE ADVANTAGES

- Controls more than 25 broadleaf weeds, annual and perennial sedges in warm season turf
- Offers pre-emergent and post-emergent weed control
- Tank-mix compatible with many other herbicides
- Excellent, non-volatile formulation
- Economical alternative to Oust[®] XP

AT-A-GLANCE INFO

EPA REG. NO.	228-408
ACTIVE INGR.	sulfometuron-methyl (75%)
FORMULATION	water-dispersible granule
CHEM. FAMILY	sulfonylurea
GROUP NO.	2
MODE OF ACT.	ALS inhibitor
SIGNAL WORD	caution
RESTRICTED	no
PACKAGE SIZE	8 x 3 lb

MORE PRODUCTS EXCLUSIVELY FROM NUFARM

Clipper[®] SC | Veteran[®] 720 | Razor[®] Xtreme



Nufarm
Grow a better tomorrow

Spyder®

TAKE DOWN TOUGH WEEDS WITH SPYDER®.

KEY USES

Forestry

Non-crop sites (including industrial sites such as airports, military installations, fencerows, roadsides and associated rights-of-way, lumberyards, petroleum tank farms, pipeline and utility rights-of-way, pumping installations, railroads, storage areas, plant sites, and governmental and private lands)

KEY WEEDS CONTROLLED

(See product label for complete list)

Annual sowthistle
Barnyardgrass
Black mustard
Buckhorn plantain
Burdock
Canada thistle
Carolina geranium
Cheat
Chickweed
Common dandelion
Crabgrass
Curly dock
Dogfennel
Fescue
Fireweed (willowweed)
Goldenrod
Hoary cress (whitetop)
Horseweed
Kentucky bluegrass
Kudzu
Musk thistle
Mustard
Nutsedge (yellow)
Panicums (broadleaf, fall, narrow)
Pigweed
Pokeweed
Prickly coontail
Purple starthistle
Ragweed
Shepherd's-purse
Signalgrass
Sowthistle (annual)
Sunflower
Sweet clover
Vetch
Yellow foxtail
Yellow rocket

USE SUMMARY

FORESTRY

Apply 2 to 8 oz (use the rates indicated by region on the product label). Applications made for release (trees present) should only be made after adequate rainfall has closed the planting slit and settled the soil around the roots following transplanting. Do not apply this product to conifers or hardwoods grown for Christmas trees or ornamentals.

NON-CROP (INDUSTRIAL) SITES

Apply by ground equipment only unless directed otherwise by supplemental labeling. Combination with other herbicides broadens the spectrum of weeds controlled. In addition, total vegetation control can be achieved with higher rates of this product plus residual-type companion herbicides. To improve the control of weeds, add surfactant at 0.25% by volume.

TURF, INDUSTRIAL (UNIMPROVED ONLY)

Apply at 1/2 to 4 oz/A to control weeds on unimproved industrial turf, on roadsides, or on other non-crop sites where the turf is well established as a ground cover. Applications may temporarily suppress grass growth and inhibit seedhead formation (chemical mowing). See the product label for specific rate information.

See product label for complete directions for use.



[nufarm.com/usivm](https://www.nufarm.com/usivm)

Important: Always read and follow label instructions. For specific application rates, directions, mixing instructions and precautions, read the product label. Please visit www.nufarm.com/usivm to download a full label.

©2024 Nufarm. Important: Always read and follow label directions. Clipper® is a trademark of Valent U.S.A. LLC. Oust® is a trademark of Bayer.



15-VM-0024-D